2002 CHRYSLER/DODGE MINIVAN (RS)









Jeep

CHRYSLER . PLYMOUTH . DODGE . JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1 2 3 4 5 6 7 8 9 10 11 12 thru 17


Country Make Vehicle Other Type Other Series Body Style Engine Check Digit Year Plant Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = Built in U.S. by DaimlerChrysler Corporation 2 = Built in Canada by DaimlerChrysler Canada Inc
2	Make	B = Dodge C = Chrysler
3	Vehicle type	4 = Multipurpose Passenger Vehicle With Side Air Bags
4	GVWR & Pass. Safety	D=0-1360 kg (0-3000 lbs) E=1361-1814 kg (3001-4000 lbs) F=1815-2267 kg (4001-5000 lbs) G=2268-2721 kg (5001-6000 lbs) H=2722-3175 kg (6001-7000 lbs) J=3176-3628 kg (7001-8000 lbs) K=3629-4082 kg (8001-9000 lbs) L=4083-4535 kg (9001-10000 lbs)
5	Vehicle Line	C = Chrysler Town & Country (AWD) D = Dodge Grand Caravan / Caravan (AWD) Y = Chrysler Town & Country / Voyager (FWD) K = Dodge Grand Caravan (FWD)
6	Series	2 = Dodge Caravan/Grand Caravan SE (FWD) 4 = Dodge Caravan/Grand Caravan Sport (FWD/AWD) 5 = Dodge Grand Caravan ES (FWD/AWD) 7 = Dodge Grand Caravan EX (FWD)
7	Body Style	4= RS - 53 5 = RS - 52
8	Engine	B = 2.4L 4 Cyl.,16V DOHC (EDZ) L = 3,8 6 Cyl. MPI (EGH) E = 3.5L 6 Cyl High Output (EGF) R = 3.3L 6 Cyl (SMPI) (EGA)
9	Check Digit	
10	Model Year	2 = 2002
11	Assembly Plant	B = St. Louis Assembly South R = Windsor Assembly
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

Group – 001


Component Parts for Mopar Accessories



001–100	001–200	001–400	001–500
Audio & Electronics	Carriers & Cargo Hauling	Exterior Appearance	Exterior Protection
001–800 Interior Storage	001–900 Security		
	J@5		

GROUP 1 - Component Parts for Mopar Accessories

Illustration Title	Group-Fig. No.
Audio & Electronics	
Player Kit - CD Changer - 4 Disc	Fig. 001-110
Navigation Kit	Fig. 001-130
Media System - Rear Seat with [VCR]	Fig. 001-140
Media System - Rear Seat with [DVD]	Fig. 001-142
Carriers & Cargo Hauling	
Bike Carrier - Hitch Mount 1.25 inch Receiver	Fig. 001-210
Bike Carrier - Hitch Mount 2.0 inch Receiver	Fig. 001-212
Bike Carrier - Roof Fork Mount	Fig. 001-214
Bike Carrier - Roof Upright Mount	Fig. 001-216
Carrier Kit - Ski, Hitch Mount	Fig. 001-220
Carrier Kit - Canoe	Fig. 001-230
Carrier Kit - Water Sports	Fig. 001-232
Carrier Kit - Luggage	Fig. 001-272
Carrier Kit - Vinyl	Fig. 001-274
Rack Kit - Mulitpurpose	Fig. 001-292
Trailer Tow Harness	Fig. 001-295
Exterior Appearance	
Running Boards	Fig. 001-430
Exterior Protection	
Shield Kit - Air Front	Fig. 001-520
Interior Storage	_
Console - Center	Fig. 001-810
	g. 55. 510
Security Alarma Without Bower Boar Looks Without Bower Boar Looks	Fig. 004 040
Alarm - Without Power Door Locks Without Power Door Locks	Fig. 001-910
Module - Security Alarm	Fig. 001-914
Module Package - Keyless Entry	Fig. 001-920



JU 1-1 1U									
TEM	PART	OTV		OF DIFE	BODY	ENGINE	TOANG	TOIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7503	1							PLAYER PACKAGE, CD Changer -
2	56038 531AE	1							4 Disc CHANGER, CD, Serviced in package
3	4671 841AA	1							only WIRING, Compact Disc Changer
-4	5012 349AA-				52, 53				MODULATOR, FM Changer
-									_
-									


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
_	anty orders of it	tems 11	and 12, ι	use a Z pre	fix through	function 1	1		NAVICATION KIT Vakiala
1	0220 6624	4							NAVIGATION KIT, Vehicle
	8220 6634 8220 6635	1 1							Western Central
	8220 6636	<u>'</u>							Eastern
2	0220 0000	•							COMPACT DISC, Navigation
_	5017 415AB	1							Western
	5017 416AB	1							Central
	5017 417AB	1							Eastern
-3	8220 7568	1							INSTALL KIT, Vehicle Navigation
									System, Contains items 4 thru 8
4									BRACKET, Navigation Controller,
									Serviced in Installation Kit, (NOT
									SERVICED) (Not Serviced)
5									COVER, Control Unit, Serviced in
									Installation Kit, (NOT SERVICED
_									(Not Serviced)
6									WIRING, Navigation System,
									Serviced in Installation Kit, (NOT
7									SERVICED) (Not Serviced)
7									BRACKET, Navigation Display, Serviced in Installation Kit, (NOT
									SERVICED) (Not Serviced)
8	5019 727AA	1							SCREW, Thumb, Also serviced in
	0010121701								Installation Kit
9	5017 433AA	1							WIRING, Navigation Display
10	5017 420AA	1							ANTENNA, Global Positioning
11	5017 419AB	1							CONTROLLER, Vehicle Navigation
12	5017 418AA	1							MODULE, Navigation Display
13									STRAP, Tie, (NOT SERVICED) (N
									Serviced)
ODGE C	HDVQI ED MINIMA	N (DG)							
ERIES	HRYSLER MINIVAI LINE			DY	ENGINE			ΓRANSM	
= Base/SI = LX, Spo		/sler(AWI ge(AWD)		= 113 WB = 119 WB		D0 = 2.4L 4 (3.3L 6 Cyl.			spd. Auto. (31TH) spd. Auto. (41TE)
= LXI, ES	Y = Chry	/sler(FWI	0)	- 119 WD	EGH, E	G0 = 3.8L 6	Cyl. [I Automatic Transm
= Limited	K = Dod	ne(FWD)			EGM -	3.3L 6 Cyl. F	E\/		

Media System - Rear Seat with [VCR] Figure 001-140




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
For warra	anty orders of i	tems 9	and 10, us	se a [Z] pre	fix through	function 1	1		
1									MEDIA SYSTEM, Monitor with VCR
	8220 7309	1							Sandstone
	8220 7310	1							Navy
	8220 7311	1							Taupe
2									BRACKET, (NOT SERVICED) (Not
0									Serviced)
3	5070 007AA								CONSOLE, Center
	5072 867AA	1							Taupe
	5072 869AA	1							Sandstone
4	5072 870AA	1							Navy
-4	5072 879AA-	1							MOUNTING KIT, Console
5	5072 874AA	1							DOOR, Panel
6	5070 077 A A	4							BIN, Storage
	5072 877AA	1							Taupe
	5072 875AA 5072 876AA	<u>1</u> 1							Navy Sandstone
7	5072 676AA 5080 711AA	1							
8	5072 871AA	1							SWITCH, Speaker CONSOLE, Overhead
9	5072 87 TAA 5072 865AA	1							MONITOR, Media System
-10	5080 712AA-	1							PLAYER, Video Cassette
11	5018 372AA	1							MODULE, Audio Control
12	5080 693AA	1							REMOTE, Wireless Infrared
13	5080 690AA	1							HEADPHONES, Wireless Infrared
-14	5066 384AA-	<u>'</u> 1							CUSHION, Headphone
15	5017 499AA	1							MODULATOR, FM
16	5080 715AA	1							WIRING
17	5072 878AA	1							INSTALLATION KIT, Multimedia
•••	00.20.0.0	<u> </u>							System
									2,000
ODGE CL	JDVSI ED MINIMA	N (DC)							
SERIES	HRYSLER MINIVA LINE	м (ко) —	ВО	DY	ENGINE			RANSM	
= Base/SE			,	= 113 WB		00 = 2.4L 4			spd. Auto. (31TH)
H = LX, Spo P = LXI, ES		ge(AWD) /sler(FWI		= 119 WB		3.3L 6 Cyl. G0 = 3.8L 6			spd. Auto. (41TE) I Automatic Transm
S = Limited	K = Dod					3.3L 6 Cyl. F			-
= EC									

Media System - Rear Seat with [DVD] Figure 001-142




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:	anty orders of i	tome 2	and 9 uso	a 7 profix	through fu	inction 11			
1	8220 6271	1	and o, use	a Z pielix	unougnio	inction in			MEDIA SYSTEM, Monitor with DV
2	0220 027 1	•							BRACKET, (NOT SERVICED) (No Serviced)
3	5080 685AA	1							PLAYER, DVD - Single Play
4	5066 384AA	1							CUSHION, Headphone
5	5080 690AA	1							HEADPHONES, Wireless Infrared
6	5083 190AA	1							REMOTE, Wireless Infrared
7	5072 871AA	1							CONSOLE, Overhead
8	5080 707AA	1							MONITOR, Media System
9	5080 713AA	1							MODULE, Audio Control
10	5096 052AA	1							WIRING, DVD to Auxiliary Jack
11	5080 714AA	1							WIRING
12									STRAP, Tie, (NOT SERVICED) (N
									Serviced)
13	5096 053AA	1							WIRING, DVD to Screen
DODGE - C	HRYSLER MINIVA	N (RS) —							
DODGE - CI SERIES . = Base/SI	HRYSLER MINIVA LINE	N (RS) —ysler(AWI		DDY = 113 WB	ENGINI	E D0 = 2.4L 4 4		TRANSM	ISSION e spd. Auto. (31TH)

Bike Carrier - Hitch Mount 1.25 inch Receiver Figure 001-210




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: F	Folds down for	access t	to rear dec	ck, has anti	theft bolts				
1	8220 4452	1							CARRIER KIT, Bike
2	4762 880	1							STRAP KIT, Velcro, Contains: 1-
3	5016 775AA	4							Long and 1-short Strap STRAP KIT, Bike Carrier Latch,
3	5016 775AA	1							Contains: 2-Rubber Straps
4	5016 774AA	1							BOLT KIT, Security, Contains: 1-
									Security Bolt, 1-Wrench, 1-Washe
	5040.00544								and Nut
5	5018 825AA	1							HARDWARE KIT, Bike Carrier, Contains: t-Handle, Top Clamp ar
									Nylon Washer
									. ,
DDGE - C ERIES	HRYSLER MINIVA LINE	N (RS) —	BC	 DDY	ENGINE		т	RANSM	ISSION
= Base/S		ysler(AWI		= 113 WB	EDZ, EI	00 = 2.4L 4 (Cyl. L)GC, = 3	spd. Auto. (31TH)
	ort $D = Doc$ Y = Chr	ysler(AWI) Ige(AWD) ysler(FWI Ige(FWD)	53 D)	= 113 WB = 119 WB	EGA = 3 EGH, E	00 = 2.4L 4 (3.3L 6 Cyl. G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl.	OGL = 4	spd. Auto. (311H) spd. Auto. (41TE) I Automatic Transm

Bike Carrier - Hitch Mount 2.0 inch Receiver Figure 001-212




PART								
NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								CARRIER KIT, Bike
8220 4453	1							Two Bike
8220 4328	1							Four Bike
4762 880	1							STRAP KIT, Velcro, Contains: 1-
5016 775AA	1							Long and 1-Short Velcro Strap STRAP KIT, Bike Carrier Latch,
5016 776AA	1							Contains: 2 - Rubber Straps BOLT KIT, Security, Contains: Bol
5018 825AA	1							Wrench, Washer and Nut HARDWARE KIT, Bike Carrier, Contains: T-Handle, Lock Strap,
								Top Clamp and Washer
	N (RS)	P.O.		ENGINE			TRANSM	ISSION
E C = Chry	/sler(AWD		= 113 WB		- D0 = 2.4L 4 (spd. Auto. (31TH)
	8220 4453 8220 4328 4762 880 5016 775AA 5016 776AA 5018 825AA	8220 4453 1 8220 4328 1 4762 880 1 5016 775AA 1 5018 825AA 1	8220 4453 1 8220 4328 1 4762 880 1 5016 775AA 1 5018 825AA 1 5018 825AA 1 HRYSLER MINIVAN (RS)	NUMBER QTY LINE SERIES	NUMBER QTY LINE SERIES BODY	NUMBER	NUMBER	NUMBER




ITEM	PART	ОТУ	LIME	ernice	DODY	ENCINE	TDANC	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: F	lardware Kit als	so conta	ained in Ca	arrier Kit					
1	8230 0585	1	aniou iii Oc	arrior rat.					CARRIER KIT, Bike, Fork - Mount
2	5093 779AA	1							HARDWARE KIT, Accessory,
									Contains: T-Slot Anchors and Bar,
									Screws, Lockwashers and Dome Washers
3	5016 513AA	1							STRAP, Cargo Tie Down, Contains
									Two Straps
-4	5066 632AA-	1							TOOL, Screw Driver
DODGE - CI	HRYSLER MINIVA	N (RS) —							
SERIES L = Base/SI	LINE E C = Chr	ysler(AW		DY = 113 WB	ENGINE EDZ, EI	≣ D0 = 2.4L 4 ⁻		TRANSM DGC, = 3	ISSION spd. Auto. (31TH)
H = LX, Spo P = LXI, ES	ort $D = Dod$	ge(AWD)	53	= 119 WB	EGA =	3.3L 6 Cyl. G0 = 3.8L 6	. [OGL = 4	spd. Auto. (41TE) I Automatic Transm
S = Limited E = EC		ge(FWD))		EGM =	3.3L 6 Cyl. F	FFV	AI	Tracematic Transm

Bike Carrier - Roof Upright Mount Figure 001-216



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEWI	NUMBER	Q I I	LINE	SERIES	ворт	ENGINE	IRANS	I KIIVI	DESCRIPTION
NOTE: K	(it has Uprignt (Clamp f	or Bike.						
1	8220 3471	1							CARRIER KIT, Bike, Upright Style
2	5093 779AA	1							HARDWARE KIT, Accessory, Contains: T-Slot Anchors and Bar,
									Screws, Lockwashers and Dome
									Washers
3	5016 513AA	1							STRAP, Cargo Tie Down, Contains
4	5018 194AA	1							2-Straps HARDWARE KIT, Bike Carrier,
									Contains: 2-Upright Tubes with En
									Caps, 1-Carriage Bolt, Carriage
									Bolt Bushing Adjustment Knob, 2- Adjustment Knob Bushings Bike
									Tube Pad, 2-Button Head Screws,
									2-Nylon Washers and Spring
-5	5066 632AA-	1							TOOL, Screw Driver
	UDV01 ==	N (55)							
ERIES	HRYSLER MINIVA LINE			DY	ENGINE			RANSM	
_ = Base/SI H = LX, Spo	C = Chr	ysler(AW lge(AWD)	D) 52) 53	= 113 WB = 119 WB	EDZ, EI EGA = :	D0 = 2.4L 4 (3.3L 6 Cyl.	Cyl. [OGC, = 3 OGL = 4	spd. Auto. (31TH) spd. Auto. (41TE)
= LXI, ES = Limited	Y = Chry	ysler(FWI lge(FWD)	D)		EGH, E	G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. [Automatic Transm
= Limited = EC	r = D00	ige(FWD)	1		EGIVI =	J.JL 0 UYI. F	I. A		


Carrier Kit - Ski, Hitch Mount Figure 001-220



	71-220									
		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	1									CARRIER KIT, Ski - 4 Pair
		8220 4454	1							Used with 1.25 inch Receiver
	0	8220 4455	1							Used with 2.0 inch Receiver
	2	5016 775AA	1							STRAP KIT, Bike Carrier Latch, Contains: 2-Rubber Straps
-	3									BOLT KIT, Security
	· ·	5016 774AA	1							1.25 inch Receiver Contains: Bolt.
										Wrench, Nut and Washer
		5016 776AA	1							2.0 inch Receiver Contains: Bolt.
										Wrench, Nut and Washer
_										
-										
_										
_										
-										
_										
_										
_										
D	ODGE - CI ERIES	IRYSLER MINIVA LINE	N (RS) —	RO	DDY	ENGINE			RANSM	ISSION
L	= Base/SE	C = Chr	ysler(AWI	D) 52	= 113 WB	EDZ, EI	00 = 2.4L4	Cyl. D	$0GC_1 = 3$	spd. Auto. (31TH)
H	l = LX, Spo l = LXI, ES	ort $D = Dod$ Y = Chr	lge(AWD) ysler(FWI	53	= 119 WB	EGA = 3	3.3L 6 Cyl. G0 = 3.8L 6		$GL = 4$: $GO = \Delta I$	spd. Auto. (41TE) I Automatic Transm
S	= Limited	K = Dod	ge(FWD)	-,		EGM =	3.3L 6 Cyl. F		All	Tracemano Transm
E	= EC									_

1	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						_			
	Jse only with S								
NOTE: F 1	Hardware Kit als		ained in Ca	arrier Kit					CARRIER VIT. Conco
2	8220 4700 5016 389AA	1 1							CARRIER KIT, Canoe HARDWARE KIT, Accessory,
_	3010 303AA	'							Contains:4 - 25MM Button Head
									Screws, 4 - 30MM Button Head
									Screws, 4 Lock Washers, 4 Dom
									Washers, 4 T-Nuts
3	5016 511AA	1							STRAP, Cargo Tie Down
4	5016 510AA	1							BRACKET, Cargo Tie Down
DGE - CI	HRYSLER MINIVA	N (RS) —							
RIES = Base/SI = LX, Spo	LINE E C = Chr	ysler(AWI	D) 52	DDY = 113 WB = 119 WB	ENGINI EDZ, E FGA =	E D0 = 2.4L 4 (3.3L 6 Cyl.	Cyl. [TRANSM DGC, = 3 DGL = 4	ISSION spd. Auto. (31TH) spd. Auto. (41TE)
= LX, Spi = LXI, ES	Y = Chry	ysler(FWI lge(FWD)	O)	- 110 110	EGH, E	G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. [Automatic Transm



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	1	8220 5416	1							CARRIER KIT, Water Sports
	2	5016 389AA	1							HARDWARE KIT, Accessory, Consists of : 4-25MM Button Head
										Screws, 4-30MM Button Head
										Screws, 4-Lock Washers, 4- Dome
										Washers, 4- Rubber Washers and
	3	5016 511AA	1							4-T-Nuts STRAP, Cargo Tie Down
	J	3010 311700	•							OTTOM, Garge the Bown
_										
_										
_										

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

1	


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4 O	220 7400	10							CARRIER VIT Luggogo
	220 7198 066 332AA	18 18							CARRIER KIT, Luggage STRAP KIT, Luggage Carrier
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
OGE - CHRY	SLER MINIVAL	.N (RS) —		ODY	ENGINE			TRANSM	HOOLONI
Base/SE	LINE C = Chry	rysler(AWE	D) 52	2 = 113 WB	EDZ, EI	D0 = 2.4L4	Cyl.	$OGC_1 = 3$	spd. Auto. (31TH)
LX, Sport LXI, ES	Y = Chrv	dge(AWD) ysler(FWD	D)	3 = 119 WB	EGH, E	3.3L 6 Cyl. G0 = 3.8L 6	Cyl.	DGL = 4 : DG0 = All	spd. Auto. (41TE) (I Automatic Transm
Limited EC	K = Dod	dge(FWD)	1		EGM =	3.3L 6 Cyl. F	-FV		




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE D	. 5 (5								
1 NOTE: R	equires Roof F 8220 7198	каск. 18							CARRIER KIT, Luggage
2	5066 332AA	1							STRAP KIT, Luggage Carrier
-									
DODGE - CH SERIES	RYSLER MINIVA LINE	N (RS) —	RO.	DDY	ENGINE			RANSM	
L = Base/SE H = LX, Spo	C = Chr	ysler(AWI lge(AWD)	D) 52	= 113 WB = 119 WB	EDZ, EI	- D0 = 2.4L 4 (3.3L 6 Cyl.	Cyl. [$OGC_1 = 3$	spd. Auto. (31TH) spd. Auto. (41TE)
P = LXI, ES	Y = Chr	/sler(FWI	D)	- IIS VVD	EGH, E	G0 = 3.8L6	Cyl. [OG0 = Al	Spd. Auto. (411E) I Automatic Transm
S = Limited E = EC	v = noa	ge(FWD)			EGIVI =	3.3L 6 Cyl. F	TV		

Rack Kit - Mulitpurpose Figure 001-292

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TDANC	TRIM DESCRIPTION
ITEM	NUMBER	WIT	LINE	SEKIES	אטטם	ENGINE	TRANS	TRIM DESCRIPTION
	8220 7959	1						RACK KIT, Multipurpose
-2 3	5066 632AA- 5072 276AA							TOOL, Screw Driver END CAP, Roof Rack Side Rail
DODGE - CH	IRYSLER MINIVA	N (RS) —						
SERIES L = Base/SE	LINE C = Chr	ysler(AWE	BC D) 52	DDY = 113 WB	ENGINI EDZ, E	E D0 = 2.4L 4 (T Cyl. <u>[</u>	TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm
H = LX, Spo P = LXI, ES S = Limited E = EC	HRYSLER MINIVA LINE C = Chr ort D = Doo Y = Chr K = Doo	ige(AWD) ysler(FWD lae(FWD)	53	= 119 WB	EGA = EGH, E EGM =	E D0 = 2.4L 4 (3.3L 6 Cyl. G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. [FFV	DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm
E = EC	500	J=(- ··· D)					-	



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	8220 6301	1							WIRING PACKAGE, Trailer Tow, 7
										Way
	-2	0154 554	1							SCREW, Self Piercing, .25-14x.625
	3	0154 633	1							SCREW, .164-18x.625
	4	6016 155	1							STRAP, Tie, 14.5 inch
_	5	6015 756	1							STRAP, Tie, 7 inch
	6	56038 366AB	1							CONNECTOR, 7 Way
	7	8220 6300	1							WIRING PACKAGE, Trailer Tow
	-8	4274 258	1							TAPE, Radio Connector, Foam
_	9	6016 155	1							STRAP, Tie, 14.5 inch
	10									WIRING, Trailer Tow - 4 Way,
										Serviced in Package, (NOT
										SERVICED) (Not Serviced)
_	-11	8220 4602	1							BRACKET KIT, Trailer Tow




DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: H	Kits contain mou	nting b	rackets an	d hardware)				
1									RUNNING BOARD KIT, Full
	8220 6620	1			52				Primed
	8220 6227	1			52				Inferno Red [WEL]
	8220 6231	1			52				Patriot Blue [WB7]
	8220 6233	1			52				Bright Silver [WS2]
	8220 6237	1			52				Stone White [SW1]
	8220 6243	1			52				Dark Garnet Red [XRV]
	8220 6619	1			53				Primed
	8220 6226	1			53				Inferno Red [WEL]
	8220 6230	1			53				Patriot Blue [WB7]
	8220 6232	1			53				Bright Silver [WS2]
	8220 6236	1			53				Stone White [SW1]
	8220 6240	1			53				Sterling Blue [YB2]
	8220 6242	1			53				Dark Garnet Red [XRV]
2	5066 402AA	1			52				END CAP, Running Board, Prime
									Front and Rear
3									RUNNING BOARD, Left Side
	5066 403AA	1			52				Primed
	5066 405AA	1			53				Primed
-4									RUNNING BOARD, Right Side
	5066 404AA-	1			52				Primed
	5066 406AA-	1			53				Primed


E = EC


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Shield Kit - Air Front Figure 001-520

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8220 5903					l			SHIELD KIT, Air - Front
- -		5014 754AA	1							SPACER, Air Deflector
										_
(1)										
	= Base/SF	RYSLER MINIVA LINE C = Chr	N (RS) —	B(D) 52	DDY = 113 WB = 119 WB	ENGIN EDZ, E	E D0 = 2.4L 4		TRANSMIS DGC, = 3 s	SSION spd. Auto. (31TH) od. Auto. (41TE) Automatic Transm
H F S	H = LX, Spor P = LXI, ES S = Limited E = EC	t D = Doo Y = Chr K = Doo	rysler(AWD dge(AWD) ysler(FWD dge(FWD)	53	= 119 WB	EGA = EGH, E EGM =	E D0 = 2.4L 4 9 3.3L 6 Cyl. G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. [FFV	DGL = 4 sp DG0 = All A	od. Auto. (41TE) Automatic Transm






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									0000015 0-24-2
1	0000 0057								CONSOLE, Center
	8220 6257	1							Navy Blue [QL]
	8220 7393	1							Sandstone [T5]
•	8220 6259	1							Taupe [L5]
2	DT00 401 AF								CONSOLE, Floor
	RT92 1QLAF	1							Navy Blue [QL]
	RT92 1T5AF	1							Sandstone [T5]
3	RT92 1L5AF	1							Taupe [L5] LID, Center Console Storage, Fro
<u> </u>	CCE4 101 AC								
	SG54 1QLAC	1							Navy Blue [QL]
	SG54 11 5AC	1							Sandstone [T5]
1	SG54 1L5AC	1							Taupe [L5]
4	SG56 1QLAC								LID, Center Console Storage, Re
	SG56 1T5AC	1							Navy Blue [QL]
	SG56 1L5AC	1 1							Sandstone [T5] Taupe [L5]
_	SGS6 ILSAC	'							TRAY, Floor Console
5	UN14 1QLAA	1							
	UN14 1T5AA	1							Navy Blue [QL] Sandstone [T5]
	UN14 1L5AA								
6	5028 365AA	1 1							Taupe [L5] MAT, Floor Console
6 7	4565 022	<u>'</u> 							SWITCH AND LAMP, Glove Box
-8	4793 554	1							POWER OUTLET, Cigar Lighter
-0 -9	5028 364AA-	1							RETAINER, Phone Holder
-10	3020 304AA-	'							CYLINDER, Glove Box Lock,
-10									Console
	4746 674	1	C, Y						00113010
	17 10 07 1	1	D, K						
11		•	Β, π						MOUNTING PACKAGE, Console
• • •	8220 6260	1			52, 53				Navy Blue [QL]
	8220 6261	1			52, 53				Sandstone [T5]
	8220 6262	1			52, 53				Taupe [L5]
12	4754 880AB	1			02, 00				PAD, Console
13		<u> </u>							TRAY, Floor Console
	SH46 YQLAD	2							Navy Blue [QL]
	SH46 XT5AD	2							Sandstone [T5]
	SH46 WL5AD	2							Taupe [L5]
14									SCREW, Round Head, M6x1x16,
									(NOT SERVICED) (Not Service
15	5028 070AD	2							BRACKET, Console Tray
16	6505 175AA	1			52, 53				NUT, Rivet
-17	8220 6972	1							WIRING, Console
-17	8220 6972	1							WIRING, Console
	HRYSLER MINIVAN	I (RS) —							
RIES Base/S	LINE E C = Chrys	εΙρτ(Δ\Λ/Γ		DDY = 113 WB	ENGINI EDZ E	≣ D0 = 2.4L 4 (TRANSM	
: LX, Sp		,	,	= 113 WB = 119 WB		D0 = 2.4L 4 (3.3L 6 Cyl.			spd. Auto. (31TH) spd. Auto. (41TE)
LXI, ES	Y = Chrys	slèr(FWĹ	D)		EGH, E	G0 = 3.8L 6	Cyl.		Automatic Transm
Limited EC	K = Dodg	je(FWD)			EGM =	3.3L 6 Cyl. F	-rv		

1	
	3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3763	1							MODULE KIT, Alarm without Keyles
2	5012 164AA	1							MODULE, Security Alarm
3	8220 3198	1							SIREN, Alarm
4	4886 374AA	1							TRANSMITTER, Alarm or Keyless
5	4636 141	1							BATTERY, Transmitter
- 6	4886 259AA-	1							INDICATOR, Valet Status
-0 -7	4886 258AA-	1							SWITCH, Programing Bypass
-7	4000 200AA-	1							SWITCH, Flogrammy Bypass
DGE - CH	HRYSLER MINIVA	N (RS)						TD A NIONA	ICCIONI
RIES Base/SE : LX, Spo : LXI, ES	ort D = Dodg	rsler(AWD ge(AWD) sler(FWD)) 52 53	DDY = 113 WB = 119 WB	EGA =	= D0 = 2.4L 4 (3.3L 6 Cyl. G0 = 3.8L 6	Cyl. I	DGL = 4	ISSION spd. Auto. (31TH) spd. Auto. (41TE) I Automatic Transm
LXI, ES Limited EC	K = Dodg	ge(FWD)	,		EGM =	3.3L 6 Cyl. F	FFV	DOU = All	i Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 4268	1							MODULE, Security Alarm
2	8220 3198	<u>·</u> 1							SIREN, Alarm
-3	4886 259AA-								INDICATOR, Valet Status
4	8220 4268	1							MODULE, Security Alarm
5	4886 260AB	1							SENSOR, Shock, With Terminals
-6	8220 6639	<u>·</u> 1							WIRING KIT, Alarm with Keyless
J	0220 0000	'							Required for Installation
IES Base/SE LX, Spo		N (RS) — ysler(AWI lge(AWD)	D) 52	DDY = 113 WB = 119 WB	ENGINE EDZ, EI	= D0 = 2.4L 4 (3.3L 6 Cyl.	Cyl. [TRANSMI DGC, = 3	ISSION spd. Auto. (31TH) spd. Auto. (41TE)
LXI, ES Limited EC	Y = Chr	ysler(FWI lge(FWD)	D)	- 110 110	EGH, E	3.3L 6 Cyl. G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. [DG0 = All	Automatic Transm

Module Package - Keyless Entry Figure 001-920

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANS

TRIM

DESCRIPTION

		1 8220 7758 1 2 4686 669AC 1 3 4686 481AC 2	MODULE PACKAGE, Keyless Entry MODULE, Keyless Entry Receiver TRANSMITTER, Keyless Entry
1	2		
	3		

BODY

52 = 113 WB

53 = 119 WB

DODGE - CHRYSLER MINIVAN (RS) -

LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


SERIES


L = Base/SE

H = LX, Sport P = LXI, ES

S = Limited E = EC


Group – 002 Front Suspension & Drive





GROUP 2 - Front Suspension & Drive

Illustration Title	Group-Fig. No
Front Suspension	
Suspension, Front	Fig. 002-145
Front Axle Drive Shafts	
Shaft, Front Drive	Fig. 002-245



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sal	es codes								
	RMAL DUTY								
[SDB]=HE	AVY DUTY								
[SDC]=SU	ISPENSION -	TOURI	NG						
	XPORT TUNE								
[ZAF] Thro	ough[ZPK]= \$	Spring C	Froup Type	s; Found o	on Individu	al Vehicle	Sales Code	e Listin	-
1									DAMPER, Strut
	5066 333AA	1	K, Y		53				[SDA]
		1	C, D		53				[SDA]
	5066 334AA	1	K, Y		53				[SDC, SDM]
	5066 336AA	1	K, Y		52				[SDC]
	5066 337AA	1	K, Y		52				[SDA, SDM]
2	4740.04544		IZ V						ISOLATOR, Spring
	4743 015AA	1	K, Y		52 52				
		1 1	K, Y C, D		53 53				
3		1	С, Б		55				BUMPER, Jounce
	4684 442	1	K, Y		52				BOWFER, Jourice
	4004 442	1	K, Y		53				
		1	C, D		53				
4		•	0, 5		00				SHIELD, Shock Absorber Dust
	4694 932AA	1	K, Y		52				,
		1	ĸ, Y		53				
		1	C, D		53				
5									SPRING, Front Coil
	5006 705AA	1	K, Y		52				[ZNE]
		1	K, Y		53				[ZNE]
	5006 706AA	1	K, Y		52				[ZNF]
		1	K, Y		53				[ZNF]
	5006 707AA	1	K, Y		52				[ZNG]
		1	K, Y		53				[ZNG]
	5006 708AA	1	K, Y		52				[ZNH]
		1	K, Y		53				[ZNH]
	5006 709AA	1	K, Y		52				[ZNJ]
	E000 7101:	1	K, Y		53				[ZNJ]
	5006 710AA	1	K, Y		52				[ZNK]
	F000 744 A A	1	K, Y		53				[ZNK]
	5006 711AA	1	K, Y		52 52				[ZNL]
	5006 726 4 4	1	K, Y		53 53				[ZNL]
	5006 726AA	1 1	K, Y		52 53				[ZAF]
		ı	K, Y		აა				[ZAF]


DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5006 727AA	1	K, Y		52				[ZAG]
		1	K, Y		53				[ZAG]
	5006 728AA	1	K, Y		52				[ZAH]
		1	K, Y		53				[ZAH]
	5006 729AA	1	K, Y		52				[ZAJ]
		1	K, Y		53				[ZAJ]
	5006 730AA	1	K, Y		52				[ZAK]
		1	K, Y		53				[ZAK]
	5006 731AA	1	K, Y		52				[ZAL]
		1	K, Y		53				[ZAL]
	5006 754AA	1	K, Y		52				[ZPD]
		1	K, Y		53				[ZPD]
	5000 75544	1	C, D		53				[ZPD]
	5006 755AA	1	K, Y		52				[ZPE]
		1	K, Y		53				[ZPE]
	5000 7 50 A A	1	C, D		53				[ZPE]
	5006 756AA	1 1	K, Y		52				[ZPF]
		-	C, D		53 53				[ZPF]
	5006 757AA	1 1	K, Y C, D		53 53				[ZPF]
	5006 /5/AA	1	С, D К, Y		53 53				[ZPG] [ZPG]
		1	K, Y		52				[ZPG]
	5006 758AA	1	K, Y		53				[ZPH]
	0000 700701	1	C, D		53				[ZPH]
		1	K, Y		52				[ZPH]
	5006 759AA	<u>·</u> 1	K, Y		52				[ZPJ]
		1	C, D		53				[ZPJ]
		1	K, Y		53				[ZPJ]
	5006 760AA	1	K, Y		53				[ZPK]
		1	C, D		53				[ZPK]
		1	K, Y		52				[ZPK]
	5006 775AA	1	C, D		53				[ZBE]
		1	K, Y		53				[ZBE]
		1	K, Y		52				[ZBE]
	5006 776AA	1	K, Y		53				[ZBF]
		1	C, D		53				[ZBF]
		1	K, Y		52				[ZBF]
	5006 777AA	1	K, Y		52				[ZBG]
		1	C, D		53				[ZBG]
		1	K, Y		53				[ZBG]
	5006 778AA	1	K, Y		53				[ZBH]

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	K V		50				[70] []
		<u>1</u> 1	K, Y C, D		52 53				[ZBH]
	5006 779AA	1	С, D К, Y		53 52				[ZBJ]
	3000 779AA	1	C, D		52 53				[ZBJ]
		1	С, D К, Y		53 53				[ZBJ]
	5006 780AA	<u>'</u> 1	C, D		53				[ZBK]
	0000 700701	1	K, Y		52				[ZBK]
		1	K, Y		53				[ZBK]
6		·	, .		00				ISOLATOR, Spring
	4694 934AA	1	K, Y		53				- 7 - 1 - 3
		1	K, Y		52				
		1	C, D		53				
7									ISOLATOR, Spring
	4743 043AA	1	K, Y		52				
		1	K, Y		53				
		1	C, D		53				
8									BEARING, Strut Mount
	4743 044AA	1	K, Y		52				
		1	K, Y		53				
		1	C, D		53				
9									MOUNT, Strut
	4766 116AA	1	K, Y		52				
		1	K, Y		53				
		1	C, D		53				
10	6502 698	2							NUT, Hex Flange Lock
11	6101 446	6							NUT AND WASHER, Strut Mount
12	0500 000	4							NUT, Hex Flange Lock
	6502 698	1							Strut To Knuckle
13	6505 664AA	4							Strut To Knuckle BOLT
14	0303 004AA	4							KNUCKLE, Front
14	4694 952AA	1							Right
	4694 953AA	1							Left
15	4641 517	1							HUB AND BEARING, Brake
-16	6102 115AA-	4							BOLT, Hex Head, M10x1.5x50,
	3.32 110,00	•							Bearing to Knuckle
17	6502 311	5							STUD, Wheel, Wheel Stud
18		-							ARM, Control
-	4743 376AA	1	C, D		53				Right Front
		1	ĸ, Y						[SDA] [SDC] [SDM], Right Front
	4743 377AA	1	ĸ, Y						[SDA] [SDC] [SDM], Left Front

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year


September 16, 2005


PART




DESCRIPTION

Suspension, Front Figure 002-145







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	les codes								
[AWD]=A	LL WHEEL DR	RIVE							
1									SHAFT, Axle Half
	4641 855AA	1	K, Y						With or Without ABS, Left Front
		1	C, D		53				Left Front
	4641 856AA	1	K, Y						With or Without ABS, Right Fron
	4641 894AA	1	C, D		53				Right Front
2									CIRCLIP, Half Shaft
	4797 704	1	K, Y						
		1	C, D		53				
3									BOOT KIT, Half Shaft, Inner
	4797 700	1	K, Y						Left
		1	C, D		53				Left
	5017 781AA	1	K, Y						Right
		1	C, D		53				Right
4									BOOT KIT, Half Shaft, Outer
	4641 181	1	K, Y						
		1	C, D		53				
5	4641 698	1	C, D		53				SHIELD, Wheel Bearing
6									WASHER, Flat, M23x38.0x405
	6503 352	2	K, Y						
		4	C, D		53				
7									NUT, Hub, M22x1.5
	6500 298	2	K, Y						
		4	C, D		53				
8									NUT AND WASHER PACKAGE,
									Front Hub
	4293 167	4	C, D		53				
		2	K, Y						
9									PIN, Cotter, M5x36.00
	6500 336	4	C, D		53				
		2	K, Y						


DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 003 Rear Axle






GROUP 3 - Rear Axle

Illustration Title	Group-Fig. No
Rear Axle	
Differential, Rear-All Wheel Drive	Fig. 003-115
Rear Differential Mounting-All Wheel Drive	Fig. 003-135
Rear Axle Shafts	
Shaft, Rear Axle-All Wheel Drive	Fig. 003-420

Differential, Rear-All Wheel Drive Figure 003-115



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'									_
1	5019 757AA	1	C, D		53				DIFFERENTIAL, Rear Axle
2	5102 199AA	2	C, D		53				FLANGE, Axle Output
3	4809 686AA	1	C, D		53				VENT
-4	5102 198AA-	2	C, D		53				RING, Retaining
5	5019 763AA	1	C, D		53				SEAL, Rear Axle Flange
6	5019 764AA	1	C, D		53				BDORC/VISCOUS UNIT KIT, Rear
									axle
7	5019 758AA	1	C, D		53				SEAL KIT, Rear Axle, Contains; 2-
									O'Rings, Nut, Vent
8	5102 108AA	1	C, D		53				O RING
9	5019 759AA	1	C, D		53				FLANGE, Driveshaft Yoke
10	5019 760AA	1	C, D		53				HOUSING, Oil Fill
11	5019 761AA	1	C, D		53				BEARING
12	5019 762AA	1	C, D		53				BDORC UNIT, AWD Rear Axle
13	5019 677AA	1	C, D		53				VISCOUS COUPLING
14	5019 617AA	1	C, D		53				TORQUE ARM, Rear Axle
15	5019 622AA	1	C, D		53				NUT, Flange
16	5019 775AA	1	C, D		53				VENT, Rear Axle Overrunning Clutch
-17	3420 1888	1	K, Y		52				SCREW, Hex Head, Actuator Rod to
									Axle

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Rear Differential Mounting-All Wheel Drive Figure 0



1 WASHER, Shipping Po (NOT REQUIRED) 2 4518 308 2 C, D 53 WASHER, Rear Axle I 3 4486 902 4 C, D 53 SLEEVE, Carrier Rubb 4 4486 903 2 C, D 53 WASHER, Rear Axle I 5 4486 901 4 C, D 53 BUSHING, Isolator 6 BOLT, M10x1.5-120.0,	PTION	DESCRIPTION	TRIM	TRANS	ENGINE	BODY	SERIES	LINE	QTY	PART NUMBER	TEM
(NOT REQUIRED) 2 4518 308 2 C, D 53 WASHER, Rear Axle I 3 4486 902 4 C, D 53 SLEEVE, Carrier Rubb 4 4486 903 2 C, D 53 WASHER, Rear Axle I 5 4486 901 4 C, D 53 BUSHING, Isolator 6 BOLT, M10x1.5-120.0,									4	1	
(NOT REQUIRED) 2 4518 308 2 C, D 53 WASHER, Rear Axle I 3 4486 902 4 C, D 53 SLEEVE, Carrier Rubb 4 4486 903 2 C, D 53 WASHER, Rear Axle I 5 4486 901 4 C, D 53 BUSHING, Isolator 6 BOLT, M10x1.5-120.0,	Purpose Only	WASHER, Shipping Purpos									1
2 4518 308 2 C, D 53 WASHER, Rear Axle I 3 4486 902 4 C, D 53 SLEEVE, Carrier Rubb 4 4486 903 2 C, D 53 WASHER, Rear Axle I 5 4486 901 4 C, D 53 BUSHING, Isolator 6 BOLT, M10x1.5-120.0,											
4 4486 903 2 C, D 53 WASHER, Rear Axle I 5 4486 901 4 C, D 53 BUSHING, Isolator 6 BOLT, M10x1.5-120.0,	Isolator	WASHER, Rear Axle Isolat				53		C, D	2	4518 308	2
5 4486 901 4 C, D 53 BUSHING, Isolator BOLT, M10x1.5-120.0,	ober	SLEEVE, Carrier Rubber				53		C, D	4	4486 902	3
6 BOLT, M10x1.5-120.0,	Isolator	WASHER, Rear Axle Isolat				53		C, D	2	4486 903	4
		BUSHING, Isolator				53		C, D	4	4486 901	5
SERVICED) (Not Se	0, (NOT	BOLT, M10x1.5-120.0, (NC									6
	erviced)	SERVICED) (Not Service									


DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Shaft, Rear Axle-All Wheel Drive Figure 003-420



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHAFT, Axle Half
	4641 896AA	1	C, D		53				Right
	4641 897AB	1	C, D		53				Left
2	6502 350	12	C, D		53				BOLT, Hex Flange Head, M10x1.
									50x25
3	5016 941AA	1	C, D		53				BOOT KIT, Half Shaft
4	6503 352	4	C, D		53				WASHER, Flat, M23x38.0x405
5	6500 298	4	C, D		53				NUT, Hub, M22x1.5
6	4293 167	4	C, D		53				NUT AND WASHER PACKAGE,
									Front Hub
7	6500 336	4	C, D		53				PIN, Cotter, M5x36.00
-8	6101 238	1	C, D		53				SCREW, Header Point, M10x1.
									50x25.00, Rear Axle Torque Arn

DODGE - CHRYSLER MINIVAN (RS) -

SERIES
L = Base/SE
H = LX, Sport
P = LXI, ES
S = Limited

E = EC


LINE
C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Group – 004 Parking Brake

GROUP 4 - Parking Brake









		PART								
ITE	M	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	4683 277AD	1							LEVER, Park Brake
	2									HANDLE, Parking Brake
		RV58 WL5AA	1							[L5]
		RV58 XT5AA	1							[T5]
		RV58 YQLAA	1							[QL]
	3	6100 584	2							BOLT AND CONED WASHER, Hex
										Head, M8x30x20
	4	6100 517	1							NUT, Hex Flange Lock, M8
										Phosphate, Park Brake Lever
										Mounting
	5	4683 544	1							RETAINER, Parking Brake Cable
(6	4683 478	1							PAD, Parking Brake Lever
-	7									LEVER, Locking Pin, (NOT
										SERVICED) (Not Serviced)
8	8									PIN, Auto Adjust Lockout Pin, (NOT
										SERVICED) (Not Serviced)
(9	4683 285	1							CABLE, Parking Brake
10	0	4685 395	1							SWITCH, Parking Brake
-1	1	0154 553	1							SCREW, Hex Head, .19-16x1, Park
										Brake Switch

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Cables, Parking Brake Figure 004-147

		PART							
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM DESCRIPTION
	Sales Cod		T DICC/	DEAD DD	1.15.4				
		OWER FRON WHEEL DISC		KEAR DR	UIVI				
		4683 285	1						CABLE, Parking Brake, Front
	2								CABLE, Parking Brake
		5066 144AA	1	K, Y		53			[BRB], Left
		4683 299AE 4721 027AK	1 1	K, Y		52 53			[BRB], Left
		4721 027AK 4721 029AK	1	K, Y		53 52			[BRE], Left [BRE], Left
$\overline{(4)}$		4683 286AD	1	, .					CABLE, Parking Brake, Intermediate
\prec	4								CABLE, Parking Brake
		4683 300AC	1	K, Y		53			[BRB], Right
		4683 298AD 4721 026AH	1 1	K, Y		52 53			[BRB], Right [BRE], Right
(5)		4721 020AIT	1	K, Y		52			[BRE], Right
		4683 496AB	2						BRACKET, Parking Brake Cable
	6	6502 468	2						SCREW, Hex Flange Head, M8x1.
									25x20, Parking Brake Cable Bracket Attaching
3	7	4683 287	1						EQUALIZER, Parking Brake Cable
		6503 543	2						BOLT AND CONED WASHER, Hex
									Head, M8x1.25x25, Parking Brake
									Cable to Adapter Plate Mounting [BRE]
									[BKL]
(2)									
5									
7									
(1)									
	DODGE OU	DVELED BUNNA	N (DC)						
	SERIES	RYSLER MINIVA LINE		BO	DY	ENGINE	0 0 11 1 2	T	RANSMISSION
	L = Base/SE H = LX, Spor	D = Dod	ysler(AWI lge(AWD)	53	= 113 WB = 119 WB	EGA = 3	0 = 2.4L 4 C .3L 6 Cyl.	D	GC, = 3 spd. Auto. (31TH) GL = 4 spd. Auto. (41TE)
	P = LXI. ES	Y = Chr	ysler(FWD lge(FWD)	D)		EGH, EG EGM = 3	60 = 3.8L 6 (3.3L 6 Cyl. F	Cyl. D FV	G0 = All Automatic Transm
	S = Limited E = EC	_ 50	J/						

Group – 005 Service Brakes




005–100 Front Brakes	005–200 Rear Brakes	005–300 Power Brake Booster	005–400 Brake Master Cylinder
005–500 Brake Lines and Hoses	005–600 Brake Pedals		
0000	The state of the s		

GROUP 5 - Service Brakes


Illustration Title	Group-Fig. No.
Front Brakes Brakes, Front	Fig. 005-155
Rear Brakes	J
Brakes, Rear Drum Brakes, Rear Disc	Fig. 005-210 Fig. 005-220
Power Brake Booster	
Booster, Power Brake	Fig. 005-343
Brake Master Cylinder	
Master Cylinder	Fig. 005-416
Anti Lock , Brake Control	Fig. 005-431
Brake Lines and Hoses	
Lines and Hoses, Front Brakes	Fig. 005-561
Lines and Hoses, Rear Brakes	Fig. 005-565
Lines and Hoses, Chassis	Fig. 005-569
Brake Pedals	
Pedal, Brake-Standard	Fig. 005-645
Pedal, Brake-Power Adjustable	Fig. 005-650

		PART							
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM DESCRIPTION
(5) (6) (7) (8)	Note:Sales								
		akes - Power							
	[BRE]=Bra	akes - 4-Whee	I Disc F	HEEL DISC					
(4)	1								PAD KIT, Front Disc Brake
		5019 984AA	1	K, Y					[BRB]
		5271 806AA	1						Mexico Only
	2	5019 804AA	I						[BRE] CLIP PACKAGE
		5019 985AB	4	C, Y					1 Side [BRB]
		0010 000	4	K, Y					1 Side [BRB]
	3	5019 878AA	1	,					CLIP, Brake Caliper, [BRE]
	4								CALIPER, Disc Brake
		5019 988AA	1	K, Y					[BRB], Right
		5019 989AA	1	K, Y					[BRB], Left
		5019 807AA	1						[BRE], Right
		5019 806AA	1						[BRE], Left
	5	=540,00444		14. 14					BOOT AND SEAL, Disc Brake
		5019 991AA	1	K, Y					[BRB]
		5066 379AA	7						[BRE]
	6	3780 788	1	K, Y					SCREW, Bleeder [BRB]
		4126 879	1	11, 1					[BRE]
		4238 717	1	K, Y					CAP, Bleeder, [BRB]
3	8			- ',					PISTON PACKAGE, Disc Brake
	1	5019 990AA	1	K, Y					[BRB]
	1	5019 736AA	1						[BRE]
		5019 987AA	1	K, Y					PIN KIT, Disc Brake, [BRB]
		4886 074AA	1						BUSHING, Caliper, [BRE]
		4886 075AA	1						PIN, Caliper, [BRE]
	12	=000 400 A A	4	17. 37					ADAPTER, Disc Brake Caliper
(16)		5066 428AA	1	K, Y					[BRB]
		5019 879AA 6507 152AA	1						[BRE] BOLT, Hex Flange Head, Knuckle to
		0001 10200	-						Caliper, Mounting
	14								ROTOR, Brake
(14)		4721 820AF	2						[BRE], Right or Left
		5019 981AA	2	K, Y					[BRB], Right or Left
15		4641 517AD	1						HUB AND BEARING, Brake, Right or
	40	0100 115	4						Left
	16	6102 115AA	4						BOLT, Hex Head, M10x1.5x50, Right
	17	6502 311	5						or Left STUD, Hub, Right or Left
	17	0002 011	J						STOD, Hub, right of Lot
18 (17)									
	DODGE CUI	CYCL ED MINIVAN	. (50)						
	SERIES	RYSLER MINIVAN LINE		ВО	DY	ENGINE	:	TI	RANSMISSION
	L = Base/SE H = LX, Sport	C = Chry	sler(AWD)	D) 52 :	= 113 WB = 119 WB	EDZ, ED	00 = 2.4L 4 C 3.3L 6 Cyl.	yl. D	GC, = 3 spd. Auto. (31TH) GL = 4 spd. Auto. (41TE)
	P = LXI, ES	Y = Chry	sler(FWD	0)	= 119 440	EGH, EC	30 = 3.8 L 6	Cyl. D	GO = All Automatic Transm
	S = Limited E = EC	K = Dodg	ge(FWD)			EGM = 3	3.3L 6 Cyl. F	FV	
		s roquirod							Sontombor 16, 2005

Brakes, Front Figure 005-155



Brakes, Rear Drum Figure 005-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4883 833AA	1	K, Y						SHOE AND LINING KIT, drum
2	4883 830AA	1	K, Y						CYLINDER, Wheel
3	4423 678	1	K, Y						BOLT, Wheel Cylinder
4									LEVER, Park Brake
	4856 302	1	K, Y						Right
	4856 303	1	K, Y						Left
5	4864 499	1	K, Y						SPRING, Brake Shoe Hold Down
6	5066 165AA	1	K, Y						PIN, Brake Shoe Hold Down
7	4797 664	1	K, Y						SPRING, Brake Shoe Anchor
8	4238 730	1	K, Y						SPRING, Brake Shoe Return
9									LEVER, Park Brake Adjusting
	4797 660	1	K, Y						Right
	4797 661	1	K, Y						Left
10	4797 668	1	K, Y						SOCKET, Self Adjuster
11									ADJUSTER, Brake Shoe
	4797 666	1	K, Y						Right
	4797 667	1	K, Y						Left
12									CLIP, Service in Adjuster Assembly
									Item # 10, (NOT SERVICED) (Not
									Serviced)
-13									LEVER KIT, Rear Wheel Brake
									Adjust Pivot
	4864 218AA-	1	K, Y						Right
	5010 878AA-	1	K, Y						Left
14	4797 663	1	K, Y						SPRING, Brake Auto Adjuster Level
15									BACKING PLATE, Rear Drum Brake
	5016 612AA	1	K, Y						Right
	5016 613AA	1	K, Y						Left
16	4798 458	1	K, Y						STRUT, Parking Brake
17									SPRING, Brake Shoe Return
	4797 662	1	K, Y						
	4238 730	1	K, Y						Orange
18	3780 788	1	K, Y						BLEEDER SCREW, Brake
-19									CAP, Bleeder, (NOT SERVICED)
									(Not Serviced)
20	5018 557AA	2	K, Y						PLUG, Brake Adjusting Hole
21									DRUM, Brake
	5019 407AA	2	K, Y						[BRB]
	4877 263AD	2	K, Y						[BRB,WCP]
22									WASHER, Flat, M23x38.0x405
	6503 352	2	K, Y						

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Brakes, Rear Drum Figure 005-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	C, D		53				
23									NUT, Hub, M22x1.5
	6500 298	2	K, Y						
		4	C, D		53				
24	4293 167	2	K, Y						NUT AND WASHER PACKAGE,
									Front Hub
25	6500 092	20							NUT, Wheel, M12x1.5
26	6500 336	2	K, Y						PIN, Cotter, M5x36.00
27									HUB AND BEARING, Brake
	4683 869AA	2	K, Y		52				without ABS
	4721 515AB	2	K, Y						with ABS
28	6503 835	5	K, Y						STUD, Hub
29	6504 450	8							SCREW AND WASHER, Hex Head,
									.312-18x1.00, Wheel Bearing to
									Axle
-30									NUT, Spring Push on Round with
									Teeth, (NOT SERVICED) (Not
									Serviced)

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Brakes, Rear Disc Figure 005-220


PART



Brakes, Rear Disc Figure 005-220



Booster, Power Brake Figure 005-343



ZER FRONT 21 721AA 21 613AA 96 354 01 445	1 1 1 4	K, Y			 BOOSTER, Power Brake [BRE] [BRB]
21 613AA 96 354 01 445	1	K, Y			[BRB]
96 354 01 445	1	K, Y			
01 445	-				
	4				SEAL, Brake Booster To Dash
23 391					NUT AND WASHER, Hex Nut-Cone
23 391					Washer, M8 x 1.25, Brake Booster
23 391					Mounting
	1				VALVE, Brake Booster Check
83 813AA	1				GROMMET, Brake Booster Check
					Valve
21 355AB	1	K, Y	52		HOSE, Brake Booster Vacuum, 2.4L
					Engine
33 269AB	1				HOSE, Brake Booster, 3.3L, 3.8L
					Engine
05 336AA-	3				SCREW AND WASHER, Head Head
					Lock, M8-1.25x30.00
66 599AA-	1				BOOT, Brake Booster Push Rod
66 599AA-		1			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

	WO
(3) VO (
4	
	(a)
5	
(2)	My e

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa									
	OWER FRON		REAR DR	UM					
	WHEEL DISC								
[BNM]=TF	RACTION CO	NTROL							
1									MASTER CYLINDER, Brake
	4721 447AB	1							[BRE]
	4683 264AD	1	K, Y						[BRB]
	4721 565AA	1	K, Y						[BRE] [BNM]
	6502 524	2							NUT, Hex Lock, M8x1.25
	5072 386AA	1							RESERVOIR, Brake Master Cylino
4	4683 656	1							CAP, Master Cylinder Reservoir
	4797 655	1							SWITCH, Brake Fluid Level
	4723 395	1							SEAL, Master Cylinder To Booster
	4723 394	1							PIN, Master Cylinder Reservoir
-8	4723 389	2							GROMMET, Master Cylinder
									Reservoir
									_
<mark>ODGE - CH</mark> ERIES	RYSLER MINIVA LINE	N (RS) —		DY	ENGINE	 =		TRANSM	ISSION
= Base/SE	C = Chr	ysler(AW	D) 52	= 113 WB	EDZ, EI	D0 = 2.4L4	Cyl. [$OGC_1 = 3$	spd. Auto. (31TH)
l = LX, Spoi	D = Dod	ge(AWD)	53	= 119 WB	EGA = 3	3.3L 6 Cyl.		OGL = 4	spd. Auto. (41TE) I Automatic Transm
= LXI, ES = Limited	r = Cnry K = Dod	ysler(FWI ge(FWD))		EGH, E EGM =	G0 = 3.8L 6 3.3L 6 Cyl. F		JGU = Al	TAUDITALIC TTAIISITI
= EC		5-()				,			

Anti Lock , Brake Control Figure 005-431

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 EW	NOMBER	Q I I	LINE	OLIVILO	БОБТ	LITOINE	IIIAIIO	IIXIM	DESCRIPTION
1									HYDRAULIC CONTROL UNIT, Anti-
									Lock Brake System
	5018 252AA	1							without Traction Control
	5018 253AA	1	K, Y						with Traction Control
2									CONTROL UNIT, Anti-Lock Brake
	5018 249AA	1							without Traction Control
	5018 250AA	1	K, Y						with Traction Control
3	5018 255AA	1							BRACKET, Hydraulic Control Unit
4	6505 336AA	3							SCREW AND WASHER, Head Head
									Lock, M8-1.25x30.00
5	4683 943AA	1	K, Y		52				JUNCTION BLOCK, Brake Tube,
									Front Disc, without ABS
6	6503 543	2							BOLT AND CONED WASHER, Hex
									Head, M8x1.25x25
7	4721 327AB	1							TUBE, Brake, Junction Block to Front
									Hose
8									TUBE, Brake
	4721 330AA	1	K, Y						Master Cylinder Secondary with
			•						Traction Control
	4721 328AA	1							Master Cylinder Secondary without
									Traction Control
9	4721 326AA	1							TUBE, Brake, Junction Block to Front
-									Hose Right
10									TUBE, Brake
	4721 331AA	1	K, Y						Master Cylinder Primary with
		•	, .						Traction Control
	4721 329AA	1							Master Cylinder Primary without
		•							Traction Control
11									TUBE, Junction Block to Valve
	4721 782AC	1			53				Right
	4721 702AO	1	K, Y		52				Right
12	7121 ZUUAA	ı	13, 1		52				TUBE, Junction Block to Valve
14	4721 201AA	1	K, Y		52				Left
	4721 201AA 4721 783AA	1	rx, i		53				Left
12					აა				
13	4683 736	2							CLIP

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Lines and Hoses, Front Brakes Figure 005-561



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4683 790AC	1							HOSE, Brake, Right Front
2	4683 791AC	1							HOSE, Brake, Left Front
3	6035 727	4							WASHER
4	6503 543	2							BOLT AND CONED WASHER, Hex
									Head, M8x1.25x25, Brake Hose to
									Cradle
5	6035 098	2							BOLT, Hex Head, .437-20x.937,
									Brake Hose, Mounting
6	4721 326AA	1							TUBE, Brake, Junction Block to Righ
									Front Hose
7	4683 449	1							CLIP, Tube, Front Tube to Engine
									Cradle
8	4721 327AB	1							TUBE, Brake
9									TUBE, Brake
	4721 329AA	1							Master Cylinder Primary, without
									Traction Control
	4721 330AA	1	K, Y						Master Cylinder Primary, with
									Traction Control
10									TUBE, Brake
	4721 328AA	1							Master Cylinder Secondary, without
									Traction Control
	4721 331AA	1	K, Y						Master Cylinder Secondary, with
			,						Traction Control
11									SENSOR, Anti-Lock Brakes
	4683 470AB	1							Right
	4683 471AB	1							Left
12	6100 557	2							BOLT AND CONED WASHER, Hex
									Head, M6x20x14, Sensor To Strut
13	6102 132AA	4							SCREW, Hex Head, M6x1x20, Fron
-	<u> </u>								Sensor Bracket to Rail
14	6506 111AA	2							SCREW, Hex Head, Front Sensor
		_							Attaching
-15	4683 665	1							CLIP, Brake, Front hose right side

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Lines and Hoses, Rear Brakes Figure 005-565



IOTE:S	Sales codes					 	
BRB]=	POWER FRON	T DISC/	REAR DF	₹UM			
3RE]=	4-WHEEL DISC	;					
1							HOSE, Brake
	4721 322AA	1	K, Y			 	 [BRB], Right
	4721 323AA	1	K, Y				[BRB], Left
2	6102 153AA	2	K, Y				SCREW, Tapping, M8x20
3	5066 353AA	2	K, Y				SENSOR, Anti-Lock Brakes
4	4683 654AE	2				 	 CLIP, Brake Tube Sensor
5	6100 293	2				 	 BOLT AND CONED WASHER, He
							Head, M8x14x17, Brake Tube,
							Sensor Clip
6						 	 HOSE, Brake
	4721 324AA	1	K, Y				 [BRE], Right
	4721 325AA	1	K, Y				[BRE], Left
7	6035 727	4					WASHER
8	6035 098	2				 	 BOLT, Hex Head, .437-20x.937
9	5066 353AA	2	K, Y				SENSOR, Anti-Lock Brakes
10	4683 654AE	2					CLIP, Brake Tube Sensor
11	6100 293	2					BOLT AND CONED WASHER, He
							Head, M8x14x17
12	6102 153AA	2	K, Y				SCREW, Tapping, M8x20
13							HOSE, Brake
	4683 792AB	1	C, D		53		[BRE], Right
	4683 793AB	1	C, D		53	 	 [BRE], Left
14	6035 098	2					BOLT, Hex Head, .437-20x.937
15	6035 727	4					WASHER
16	6100 293	2	C, D		53		BOLT AND CONED WASHER, H
						 	 Head, M8x14x17
17	4683 654AE	2				 	 CLIP, Brake Tube Sensor
18							SENSOR, Anti-Lock Brakes
	4721 042AC	1	C, D		53		Right
	4721 043AC	1	C, D		53	 	 Left
	5086 651AA	2	K, Y			 	 Right or Left
19	2208 893	2	C, D		53		LOCK, Brake Hose, [BRE]
20	4683 878AA	1	C, D		53		TUBE, Brake, Right
21	4683 449	2				 	 CLIP, Tube
22	4877 730AE	1	_		_	_	VALVE, Proportioning
23	5083 258AA	1	K, Y				SNAP RING, Wheel Hub, Connec
							Sensors to Hub and Bearing
-24	4721 440AC-	1	K, Y			 	 TUBE, Brake, Valve to Rear Hose
						 	 Right


DODGE -SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

R MINIVAN (RS) LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Lines and Hoses, Chassis Figure 005-569



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4683 541AB	2							CLIP, Tube
2									CLIP, Bracket and Fuel Tube
	4683 511AB	6			53				
		5	K, Y		52				
3	4877 730AE	1							VALVE, Proportioning
4	4721 782AC	1			53				TUBE, Junction Block to Valve, Right
5	4721 783AA	1			53				TUBE, Junction Block to Valve, Left
6	6503 858	2	C, D		53				SCREW AND WASHER, Hex Head,
									M10x1.50x35, Bracket Valve to
									Crossmember
7	4721 200AA	1	K, Y		52				TUBE, Junction Block to Valve, Right
8	4721 201AA	1	K, Y		52				TUBE, Junction Block to Valve, Left
9									SCREW, M8x1.25x25, (NOT
									SERVICED) (Not Serviced)
10	4877 731AA	1	K, Y		52				VALVE, Height Sensing Brake, with
									Rod and Bracket

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Pedal, Brake-Standard Figure 005-645

4	3	8
5		7

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1000 7 04AD	4							TERM AND DRACKET DRAKE
1	4683 734AB	1							PEDAL AND BRACKET, BRAKE
2	2467 770 6503 543	2							BUSHING, Pedal Shaft
3	6503 543	3							BOLT AND CONED WASHER, H
4	6101 445	3							Head, M8x1.25x25 NUT AND WASHER, Hex Nut-Co
	0101 775								Washer, M8 x 1.25
5	4019 660	1							PAD, Pedal
6	4685 718AA	1							BRACKET, Stop Lamp Switch
7	56045 043AE								SWITCH, Stop Lamp
8	4294 036	1							CLIP, Brake Pedal Booster Push
									Pin

DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Pedal, Brake-Power Adjustable Figure 0



4721 621AC 1 MODULE, Brake Pedal 5083 861AA- 1 CONTROL, Electronic 5083 857AA- 1 PEDAL AND PAD 4306 150 1 ISOLATOR, Throttle Cable 5083 858AA- 1 PAD, Brake Pedal 5083 862AA- 3 FASTENER 5083 863AA- 1 SENSOR, Brake Pedal 5083 859AA- 1 HARNESS 5083 860AA- 1 WIRING, Jumper	650									
4721 621AC 1 MODULE, Brake Pedal 5083 861AA- 1 CONTROL, Electronic 5083 857AA- 1 PEDAL AND PAD 4306 150 1 ISOLATOR, Throttle Cable 5083 858AA- 1 PAD, Brake Pedal 5083 862AA- 3 FASTENER 5083 863AA- 1 SENSOR, Brake Pedal 5083 859AA- 1 HARNESS 5083 860AA- 1 WIRING, Jumper	TEM		OTV	LINE	SEDIES	PODV	ENGINE	TDANS	TDIM	DESCRIPTION
5083 861AA- 1 CONTROL, Electronic 5083 857AA- 1 PEDAL AND PAD 4306 150 1 ISOLATOR, Throttle Cable 5083 858AA- 1 PAD, Brake Pedal 5083 862AA- 3 FASTENER 5083 863AA- 1 SENSOR, Brake Pedal 5083 859AA- 1 HARNESS 5083 860AA- 1 WIRING, Jumper	I CIVI	NOWIDER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	I KIIWI	DESCRIPTION
5083 861AA- 1 CONTROL, Electronic 5083 857AA- 1 PEDAL AND PAD 4306 150 1 ISOLATOR, Throttle Cable 5083 858AA- 1 PAD, Brake Pedal 5083 862AA- 3 FASTENER 5083 863AA- 1 SENSOR, Brake Pedal 5083 859AA- 1 HARNESS 5083 860AA- 1 WIRING, Jumper	1	4721 621AC	1							MODI II E Braka Padal
5083 857AA- 1 PEDAL AND PAD 4306 150 1 ISOLATOR, Throttle Cable 5083 858AA- 1 PAD, Brake Pedal 5083 862AA- 3 FASTENER 5083 863AA- 1 SENSOR, Brake Pedal 5083 859AA- 1 HARNESS 5083 860AA- 1 WIRING, Jumper	<u>-2</u>									
4306 150 1 ISOLATOR, Throttle Cable 5083 858AA- 1 PAD, Brake Pedal 5083 863AA- 3 FASTENER 5083 863AA- 1 SENSOR, Brake Pedal 5083 859AA- 1 HARNESS 5083 860AA- 1 WIRING, Jumper	-3									
5083 858AA- 1 PAD, Brake Pedal 5083 862AA- 3 FASTENER 5083 863AA- 1 SENSOR, Brake Pedal 5083 859AA- 1 HARNESS 5083 860AA- 1 WIRING, Jumper	-4									
5083 862AA- 3 FASTENER 5083 863AA- 1 SENSOR, Brake Pedal 5083 859AA- 1 HARNESS 5083 860AA- 1 WIRING, Jumper	-5									
5083 859AA- 1 HARNESS 5083 860AA- 1 WIRING, Jumper	-6	5083 862AA-	3							
5083 860AA- 1 WIRING, Jumper	-7	5083 863AA-	1							SENSOR, Brake Pedal
	-8									
4685 801AB- 1 SWITCH, Adjustable Peda	-9									
	-10	4685 801AB-	1							SWITCH, Adjustable Pedals

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 007 Cooling




007–100 Radiator and Related Parts	007–200 Water Pump and Related Parts	007–300 Tank, Coolant Engine	007–400 Pulleys and Related Parts
007–500 Drive Belts	007–600 Lines, Transmission Oil Cooler		

GROUP 7 - Cooling

mustration Title	Group	-rig. in
Radiator and Related Parts		
Radiator and Related Parts 2.4L Engine	Fig. 0	07-105
Radiator and Related Parts 3.3L - 3.8L Engine	Fig. 0	07-175
Water Pump and Related Parts		
Water Pump and Related Parts 2.4L Engine	Fig. 0	07-207
Water Pump and Related Parts 3.3L - 3.8L Engine	Fig. 0	07-225
Tank, Coolant Engine		
Coolant Reserve Tank	Fig. 0	07-330
Pulleys and Related Parts		
Pulleys and Related Parts 2.4L Engine	Fig. 0	07-404
Pulleys and Related Parts	Fig. 0	07-425
Drive Belts		
Drive Belts 2.4L Engine	Fig. 0	07-520
Drive Belts	Fig. 0	07-530
Lines, Transmission Oil Cooler		
Trans. Oil Cooler and Lines	Fig. 0	07-630

Radiator and Related Parts 2.4L Engine Figure 007-105



	PART	OT)		055150	DODY.				DEGODINE OF
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE-S	ales Codes:								
	3-Speed Autom	natic Tr	ansmissior	n. 31TH					
-	Speed Automa								
-	2.4L 4 Cyl DOH		,						
1	4809 180AD	2	K, Y			EDZ	DGC		ISOLATOR, Radiator
2			,						RADIATOR, Engine Cooling
	4880 237AC	1	K, Y			EDZ	DGC		
	4809 238AC	1	K, Y			EDZ	DGC		Heavy Duty Cooling
3	4881 147AB	1	K, Y			EDZ			HOSE AND CLAMP, Radiator Inlet
4	4881 148AC	1	K, Y			EDZ			HOSE AND CLAMP, Radiator Outle
-5	4809 254AA-	1	K, Y			EDZ			CLIP, Radiator Hose
6	4644 269	1	K, Y			EDZ	DGC,		DRAINCOCK, Radiator
							DGL		
7	52079 880AA	1	K, Y			EDZ	DGC		CAP, Radiator
8	4573 560AB	1				EDZ			THERMOSTAT, Water Pump, 195
									Degrees
9	4781 661AA	1				EDZ			GASKET, Thermostat
10	6101 452	1							SCREW AND WASHER, Hex Head
									M8x1.25x20
11	4781 489AA	1				EDZ			CONNECTOR, Water Outlet
12									FAN MODULE, Radiator Cooling
	4809 170AC	1	K, Y			EDZ	DGC		Right
	4809 171AC	1	K, Y			EDZ	DGC		Left
13									SEAL, Radiator Side Air
	4809 276AC	1	K, Y			EDZ	DGC		Right
	4809 275AB	1	K, Y			EDZ	DGC		Left
-14	4809 277AC-	1	K, Y			EDZ	DGC		SEAL, Radiator, Top
15									RETAINER, Condenser Seal
	4676 881	4	K						
		4	Υ						
-16									SUPPORT, Radiator, With Lower
									Isolators
	4809 273AC-	1	K, Y			EDZ	DGC		Right
	4809 274AC-	1	K, Y			EDZ	DGC		Left
-17	5083 873AA-	1	K, Y			EDZ	DGC,		ROD KIT, Fan Shroud Stabilizer
_							DGL		
-18	4546 145	1							CLIP, Radiator Fan Shroud
-19	6503 245	2							RIVET, Fan Shroud attaching

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Radiator and Related Parts 3.3L - 3.8L Engine Figure 007-175

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes:								
	4 Speed Autom	atic Tra	ansmission	, 41TE					
	3.3L V6 SMPI								
	3.8L V6 SMPI								
	3.3L V6 SMPI								BARMATOR E : O !!
1	4000 40040	4				50 4	DOL		RADIATOR, Engine Cooling
	4809 168AC	1				EGA,	DGL		Module 4809824AG - 4881001A
						EGH,			
	4900 240AD	1				EGM	DCI		Madula 4900926AC
	4809 219AD	1				EGA,	DGL		Module 4809826AG
						EGH, EGM			
	4809 225AC	1				EGM EGA,	DGL		Module 4809825AG
	1 009 225A0					EGH,	DOL		Widdle 4003023AG
						EGM			
2	52079 880AA	1				EGA,	DGL		CAP, Radiator
_		-				EGH,			,
						EGM			
-3	4644 269	1				EGA,	DGL		DRAINCOCK, Radiator
						EGH,			
						EGM			
-4	5005 519AC-	1							ISOLATOR, Crossmember,
									Condenser, Lower
5									FAN MODULE, Radiator Cooling
	4809 170AC	1				EGA,	DGL		Right
						EGH,			
	4000 47440	,				EGM	D.C.		
	4809 171AC	1				EGA,	DGL		Left
						EGH,			
6	E166 924AA	2				EGM	DGL		CLID Shroud
-6	5166 824AA-	2				EGA, EGH,	DGL		CLIP, Shroud
						EGM			
7	4809 180AD	2				EGA,	DGL		ISOLATOR, Radiator
•	1000 100/12	_				EGH,	DOL		100E/TOTA, Radiator
						EGM			
8	5072 263AA	2				EGA,	DGL		ISOLATOR, Radiator, Lower
						EGH,			- ,,
						EGM			
9									SUPPORT, Radiator




DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Radiator and Related Parts 3.3L - 3.8L Engine Figure 007-175



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q 11	LINE	OLIVIEG		LIVOINE	TIVANO	111111	DESSIGN NON
	4809 274AC	1				EGA,	DGL		Right
		•				EGH,			
						EGM			
	4809 273AC	1				EGA,	DGL		Left
						EGH,			
						EGM			
-10									SEAL, Radiator Side Air
	4809 276AC-	1				EGA,	DGL		Right
						EGH,			
						EGM			
	4809 275AB-	1				EGA,	DGL		Left
						EGH,			
						EGM			
-11	4809 277AC-	1				EGA,	DGL		SEAL, Radiator, Top
						EGH,			
						EGM			
12									HOSE, Drain, (NOT SERVICED)
40	4000 000 4 4	4				E0.4	DOL		(Not Serviced)
13	4809 389AA	1				EGA,	DGL		CLIP, Coolant Recovery Hose
						EGH, EGM			
-14						EGIVI			SCREW, M6X1.0X21.7, (NOT
• •									SERVICED) (Not Serviced)
-15									NUT, M12 STUD, (NOT SERVICED)
. •									(Not Serviced)
-16	J400 4262	7				EGA,	DGL		PIN, Push, .15x.41
						EGH,			, , -
						EGM			
17	4881 100AD	1				EGA,			HOSE AND CLAMP, Radiator Outlet
						EGH,			With 2 Clamps
						EGM			
18	4809 395AB	1				EGA,			CLAMP, Radiator
						EGH,			
						EGM			
19	4809 394AB	1				EGA,			CLAMP, Radiator
						EGH,			
						EGM			
20	4881 101AB	1				EGA,			HOSE AND CLAMP, Radiator Inlet,
						EGH,			With 2 Clamps
						EGM			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year



Radiator and Related Parts 3.3L - 3.8L Engine Figure 007-175



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	4809 395AB	1				EGA,			CLAMP, Radiator
						EGH,			
						EGM			
22	4809 394AB	1				EGA,			CLAMP, Radiator
						EGH,			
						EGM			
23									HOUSING, Thermostat
	4781 387AA	1				EGA,			
						EGM			
		1				EGH			
24									GASKET, Water Outlet
	4781 674AA	1				EGA,			
						EGM			
		1				EGH			
25									SCREW AND WASHER, Hex Head
	0404 044	0				FO 4			M8x1.25x25
	6101 611	2				EGA, EGM			
		2							
26		2				EGH			THERMOSTAT Water Dump 105
20									THERMOSTAT, Water Pump, 195 Degrees
	4573 560AC	1				EGA,			Degrees
	4 373 300A0	'				EGM			
		1				EGH			
27		•				2011			SCREW AND WASHER, M6X1.
									00X22.00, (NOT SERVICED) (No
									Serviced)
-28	4546 145	1							CLIP, Radiator Fan Shroud
-29	6503 245	2							RIVET, Fan Shroud

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Water Pump and Related Parts 2.4L Engine Figure 007-207

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NUMBER	QII	LINE	SERIES	ВОДТ	ENGINE	IKANS	IKIW	DESCRIPTION
NOTE:Sa	ales Codes:								
[EDZ] = 3	2.4L 4 CYL DO	HC 16\	/						
1	4694 307AB	1				EDZ			PUMP, Water
2	6503 255	4				EDZ			BOLT, Hex Head, M6x1.0x22
3	4621 564	1				EDZ			SEAL, Water Pump Body
4	6503 180	1				EDZ			O RING, Water Inlet Tube
5	4621 491	1				EDZ			TUBE, Water Inlet
6	6100 274	2				EDZ			BOLT AND CONED WASHER, Hex
									Head, M6x14x14



DODGE - CHRYSLER MINIVAN (RS) -


SERIES
L = Base/SE
H = LX, Sport
P = LXI, ES
S = Limited

E = EC

LINE
C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Water Pump and Related Parts 3.3L - 3.8L Engine Figure 007-225



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:S	ales Codes:								
[EGA] =	3.3L V6 SMPI								
[EGH] =	3.8L V6 SMPI								
[EGM] =	3.3L V6 SMPI								
1									SCREW AND WASHER, Hex Hea
									M6x1x25
	6101 451	5				EGA,			
						EGM			
		5				EGH			
2	6101 682	4							BOLT AND CONED WASHER, He
									Head, M6x1.0x20
3	4704 4774 4					50 4			PUMP, Water
	4781 157AA	1				EGA,			
		4				EGM			
4		1				EGH			DILLEY Water Dump
-4	4612 172AB-	1				EGA,			PULLEY, Water Pump
	4012 172AD-	- 1				EGA, EGM			
		1				EGH			
-5		Į.				LOIT			PLUG, Water Pump Reservoir
9	4694 134	1				EGA,			1 200, Water I amp Reservoir
		<u> </u>				EGM			
		1				EGH			
6									SEAL, Water Pump To Front Cove
	4781 172AA	1				EGA,			
						EGM			
		1				EGH			
7									NIPPLE, Pump
	4621 652AC	1				EGA,			
						EGM			
		1				EGH			
-8									TUBE, Water Inlet
	4781 537AA-	1				EGA,			with Engine Oil Cooler
						EGH,			
						EGM			
	4781 608AA-	1				EGA,			
						EGH,			
						EGM			
-9	6503 180	1				EGA,			O RING, Water Inlet Tube
						EGH,			
						EGM			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Coolant Reserve Tank Figure 007-330

5 7 6

		PART								
ITE	EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
										_
	1	6101 956	1							NUT, U, M6x1
	2									SCREW AND WASHER, M6X1.
										00X22.00, (NOT SERVICED) (Not
										Serviced)
	3									SCREW AND WASHER, M6X1.
										00X25.00, (NOT SERVICED) (Not
										Serviced)
	4	4682 294AD	1							BOTTLE, Coolant Reserve
	5	4682 828	1							CAP, Coolant Reserve Tank
	6	4266 423	1							HOSE, Overflow, Roll Stock
	7	2448 761	1							CLAMP, Hose
-	-8	4809 343AA-	1							CLIP, Coolant Reserve Bottle to
										Battery Tray
	9 .	4809 378AA-	1							LABEL, Coolant Warning
1	0									CLIP
		4809 389AA	1				EGA,			
							EGH,			
							EGM			
			1	K, Y			EDZ	DGC,		
								DGL		

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Pulleys and Related Parts 2.4L Engine Figure 007-404

4

	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
NOTE:Sa	NOTE:Sales Codes:										
[EDZ] = 2	[EDZ] = 2.4L 4 CYL DOHC 16V										
1	4694 268	1				EDZ			DAMPER, Engine Vibration		
2	6503 553	1				EDZ			BOLT, Hex Flange Head, M12x1.		
									75x87.50		
3	4861 514AA	1				EDZ			TENSIONER, Belt		
4	6101 998	1				EDZ			SCREW AND WASHER, Hex		
-5	4857 511AA-	1				EDZ			SHIELD, Accessory Drive		
-6	2811 825	1				EDZ,			PLUG, Splash Shield		
						EGF					
7	4861 550AA	1				EDZ			BRACKET, Alternator		
8	6101 668	2				EDZ			BOLT AND WASHER, Hex Head,		
									M10x1.5x90		
9	6101 514	1				EDZ			BOLT AND WASHER, Hex Head,		
									M10x1.5x35		
10	6101 980	1				EDZ			SCREW AND WASHER, Hex Head,		
									M8x1.25x45		
11	4612 383	1				EDZ			PULLEY, Power Steering Pump		
-12	6101 998	1				EDZ			SCREW AND WASHER, Hex,		
									Tensioner attaching		

DODGE - CHRYSLER MINIVAN (RS) -

SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Pulleys and Related Parts Figure 007-425

3		
2 4		
8	7	9

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•						•	•	
NOTE:Sa	NOTE:Sales Codes:								
	[EGA] = 3.3L V6 SMPI								
	B.8L V6 SMPI								
	3L V6 SMPI								
	4861 277AB	1				EGA,			TENSIONER, Belt
						EGH,			
						EGM			
2	6102 121AA	1				EGA,			BOLT, Hex Head, M8x1.25x70,
						EGH,			Tensioner to Chain cAse Cover
						EGM			
3	6101 448	2				EGA,			NUT AND WASHER, Hex Nut-Coned
						EGF,			Washer, M10 x 1.5
						EGH,			
						EGM			
4									PULLEY, Idler
	4792 581AA	1				EGA,			
						EGM			
		1				EGH			
-5									BUSHING, Idler Pulley
	3300 2201	1				EGA,			
						EGM			
		1				EGH			
6									BRACKET, Engine Mount
	4861 353AA	1				EGA,			
						EGM			
		1				EGH			
7									DAMPER, Crankshaft
	4448 886	1				EGH			Includes Pulley
		1				EGA,			Includes Pulley
						EGM			
8									SCREW AND WASHER, Hex Head
									Special Point, M8x1.25x17
	6502 280	3				EGA,			
						EGM			
		3				EGH			
9									PULLEY, Water Pump
	4612 172AB	1				EGA,			
						EGM			
		1				EGH			

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Pulleys and Related Parts Figure 007-425

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-10	4857 510AA-	1				EGA,			SHIELD, Accessory Drive
						EGH,			
						EGM			



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Drive Belts 2.4L Engine Figure 007-520

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				OLIVILO	5051	LITOINE	IIIAIIO	1111111	DECORAL HOR
OTE-Sa	lles Codes:								
		110 40	,						
DZ] = Z	2.4L 4 CYL DO	HC 161	/						
1	4861 401	1				EDZ			BELT, Power Steering
2	4861 733AA	1				EDZ	BELT, Alternator Drive		



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Drive Belts Figure 007-530

eits 7-530										
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
NOTE:Sa	les Codes:									
[EGA] = 3.3L V6 SMPI [EGH] = 3.8L V6 SMPI										
	3L 6 Cyl SMP 4861 322AB					EGA,			BELT, A/C Compressor	
						EGH, EGM				

DODGE - CHRYSLER MINIVAN (RS) —

SERIES
L = Base/SE
H = LX, Sport
P = LXI, ES
S = Limited

E = EC

LINE
C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Main

Drive

3.8L 3.3L ENGINE


Trans. Oil Cooler and Lines Figure 007-630



N	0 1								
Note:Sale	s Codes: 3 Speed Auton	ootio T-	onomicaia:	0 21 T □					
	Speed Auton Speed Autom								
	: Speed Adion			14116					
	3.3L 6 Cyl SMF		•						
	3.5L High Outp								
[EGH] = 3	3.8L 6 Cyl SMI	기							
[EGM] = 3	3.3L 6 Cyl SM	PI							
1									COOLER, Oil
	4809 272AD	1	K, Y			EDZ	DGC		Heavy Duty
		1				EGA, EGH	DGL		Heavy Duty
	4809 271AD	1	K, Y			EDZ	DGC		
	4009 ZI IAD	<u>'</u> 1	17, 1			EGA,	DGL		
		•				EGH,	202		
						EGM			
2									HOSE, Transmission Oil Cooler
	4809 179AD	1				EGA,	DGL		
						EGH,			
						EGM	DOL		
3	4809 313AC	1 1	K, Y			EDZ EDZ	DGL DGC		HOSE, Transmission Oil Cooler
-4	52079 631AA		rx, i			EGF	DGC		CLAMP, Oil Cooler Tube
- 4 -5	32019 03 IAA	- 1				LGI	DGL		CONNECTOR KIT, Transmission
									Cooler Line
	5016 918AA-	1				EGA,	DGL		
						EGF,			
						EGH,			
						EGM	- DOI		
		1				EDZ	DGL		
ODGE - CH SERIES	RYSLER MINIVA	N (RS) —	BC	DDY	ENGINI	 E		TRANSM	
		/sler(AW		= 113 WB	EDZ, E	D0 = 2.4L 4	Cyl.		spd. Auto. (31TH)
		(^ \ ^ / ^ /		440 14/0	F ^ ^	0.01.0.0.1	•		
= Base/SE I = LX, Spor P = LXI, ES		/sler(FWI	D)	= 119 WB	EGH, E	3.3L 6 Cyl. G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl.	DGL = 4	spd. Auto. (41TE) (1) I Automatic Transm

Group – 008

Electrical



008–100	008–200	008-400	008–500
Starters	Alternators	Modules	Relays
	Salana and and and and and and and and and		
008-600	008–700	008-800	008-900
Sensors	Single Board Engine Controllers	Switches	Horns

Group – 008


Electrical


008–1000 Battery Tray and Cables	008–1100 Lamps – Front, Rear and Courtesy	008–1200 Wiring–Engine & Related Parts	008–1300 Wiring–Headlamp to Dash
		A CONTRACTOR	
008–1400 Wiring–Instrument Panel	008-1500 Wiring-Body & Accessories	008–1600 Wiring Repair	008–1900 Spark Plugs–Cables–Coils
WIRING INSTR. PANEL	willing-Body & Accessories	WIRING REPAIR PKG.	Spark Flugs-Cables-Colls


GROUP 8 - Electrical	
Ilustration Title	Group-Fig. No
Starters Starter	Fig. 008-105
Alternators	1 ig. 000 100
Alternators Alternator [2.4L EDZ Engine]	Fig. 008-205 Fig. 008-215
Modules ModulesElectronic	Fig. 008-405
Relays	
Power Distribution Center,Relays & Fuses	Fig. 008-505
Sensors	
Sensors, Engine 2.4 (EDZ)	Fig. 008-605
Sensors, Engine 3.3, 3.8 (EGA,EGH, EGM)	Fig. 008-615
Sensors, Transmission	Fig. 008-620
Sensors, Body	Fig. 008-625
Single Board Engine Controllers Single Board Engine Controllers (Powertrain Control Module	Fig. 008-705
	1 lg. 000-703
Switches Switches, Instrument Panel and Console	Fig. 008-805
Switches, Powertrain	Fig. 008-803
Switches, Body	Fig. 008-815
Horns	g. 000 0 .c
Horn	Fig. 008-905
	1 ig. 000 300
Battery Tray and Cables Battery Tray and Shield	Fig. 008-1005
	Fig. 008-1003
Lamps - Front, Rear and Courtesy	F:- 000 440F
_amps -Front	Fig. 008-1105 Fig. 008-1110
_ampsRear _ampsCargo-Dome-Courtesy-Reading	Fig. 008-1110
Bulbs	Fig. 008-1120
Wiring-Engine & Related Parts	
Wiring-Engine & Related Farts Wiring-Engine & Related Parts 2.4 [EDZ]	Fig. 008-1205
Wiring-Engine and Related Parts 3.3 [EGA, EGM], 3.8 [EGH]	Fig. 008-1210
Wiring-Headlamp to Dash	5 :
Wiring, Headlamp to Dash Wiring, Headlamp to Dash	Fig. 008-1305
	. 19. 000 1000
Wiring-Instrument Panel Wiring Instrument Panel	Fig. 000 4405
wiiiiu, iiisiiuiiieiil Paliei	Fig. 008-1405

GROUP 8 - Electrical Illustration Title Group-Fig. No. Wiring-Body & Accessories Wiring, Body, Doors and Liftgate Misc. Wiring Wiring Repair Wiring Harness Repair Pkg. Spark Plugs-Cables-Coils Spark Plugs-cables-coils Fig. 008-1905

Starter Figure 008-105







	PART	0.TV		050150	Denv				DECODIDE
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
FD7- 24	IL 4 CYL DOH	C 16V 9	SMPI						
	5L V6 High Ou		JIVII I						
	3L V6 MPI	rpat							
	BL V6 FFV								
	L V6 MPI								
	SPD. AUTOMA	TIC.41	TE						
	SPEED AUTO								
1									STARTER, Engine
	4686 045AC	1				EGA,	DGL		, g
						EGH,			
						EGM			
	4686 111AC	1				EDZ	DGC		
2	4531 484	1				EGA,	DGL		SHIELD, Starter
						EGF,			
						EGH,			
						EGM			
3	6502 980	1				EDZ	DGC		SCREW, Hex Head, M10x1.5x50
4									SCREW AND WASHER, Hex Hea
									M10x1.5x53
	6502 954	1				EGA,			
						EGH,			
						EGM			
		1				EGF			
5	4593 525	1				EGF			SLEEVE, Starter Shield
-6									STUD, Double Ended, M10 x 1.50
									M8 x 1.25 x 78.60
	6506 956AA-	1				EGA,			Starter mounting
						EGF,			
						EGH,			
						EGM			
		1				EDZ			
-7	6101 820	1				EDZ			NUT, Hex Flange Lock, Ground to Starter

DODGE - CHRYSLER MINIVAN (RS) -


SERIES
L = Base/SE
H = LX, Sport
P = LXI, ES
S = Limited

E = EC

LINE
C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Alternator [2.4L EDZ Engine] Figure 008-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[EDZ=2.	4L 4 CYL DOH	C 16V S	SMPI]						
1	4727 324AB	1				EDZ			ALTERNATOR
2	4861 550AA	1				EDZ			BRACKET, Alternator
3	6101 983	3				EDZ			SCREW
4	6101 668	2				EDZ			BOLT AND WASHER, Hex Head,
									M10x1.5x90
5	6101 514	1				EDZ			BOLT AND WASHER, Hex Head,
									M10x1.5x35
6	4861 733AA	1				EDZ			BELT, Alternator Drive
7	4781 569AA	1				EDZ			PULLEY, Idler
-8	6101 980	1				EDZ			SCREW AND WASHER, Hex Head,
									M8x1.25x45, Alternator Bracket to
									Right Side Engine Mount

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Alternator [3.3L, 3.8L EGA, EGH, EGM Engines] Figure 008-215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						•	•		
[EGA= 3	3L V6 MPI]								
_	.8L V6 MPI]								
	.3L V6 FFV]								
1									ALTERNATOR
	4868 430AB	1				EGA,			160 Amp
						EGH,			
						EGM			
	4868 431AB	1				EGA,			140 Amp
						EGH,			
						EGM			
2									PULLEY, Idler
	4792 581AA	1				EGA,			
						EGM			
		1				EGH			
3	6102 172AA	3				EGA,			SCREW AND WASHER, Hex Head,
						EGH,			M10x1.5x50
						EGM			
4									COVER PACKAGE, Engine Timing
	5019 333AA	1				EGA,			with Alternator mounting
						EGM			
		1				EGH			with Alternator mounting
5	4861 277AB	1				EGA,			TENSIONER, Belt
						EGH,			
0	0400 40444	4				EGM			DOLT Have Hand Moved Office
-6	6102 121AA-	1				EGA,			BOLT, Hex Head, M8x1.25x70,
						EGH,			Tensioner mounting
7	4004 202AD	4				EGM			DELT. A/C Communication
7	4861 322AB	1				EGA, EGH,			BELT, A/C Compressor
						EGH,			
8	4861 506AB	1				EGN,			PULLEY, Alternator
O	4001 300AB	'				EGA, EGH,			FULLET, Alternator
						EGH,			
9	5264 914AA	1				EGA,			CAP, Alternator Pulley
3	3204 314AA	'				EGH,			OAI, Alternator Fulley
						EGH,			
						LOW			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Modules--Electronic Figure 008-405




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-							
Note:									
DGL=4-S	Speed Automati	c Trans	mission, 4	1TE					
EGA=3.3	BL 6 Cyl SMPI								
EGF=3.5	L High Output,	V6							
EGH=3.8	BL 6 Cyl SMPI								
EGM=3.	3L 6 Cyl SMPI								
1	4727 530AA	1					DGL		MODULE, EATX
2									BRACKET, EATX, serviced in left
									frame rail, (NOT SERVICED) (Not
									Serviced)
3	6504 284	3					DGL		SCREW, Hex Head, M4.8x1.59x68.
J	0001201	Ū					DOL		00
-4	6505 877AA-	3					DGL		CLIP, Mounting, EATX Mounting
5	0303 011AA-						DGL		MODULE, Anti-lock Brakes
5	5018 249AA	4							WODULE, AITH-IOCK BIAKES
		1	IZ V						with Traction Control
	5018 250AA	1	K, Y						with Traction Control
6	4869 000AJ	1							MODULE, Front Control
7									MODULE, Power Distribution
	4869 200AM	1							With Power Distribution Center
									[Highline]
	4869 201AM	1					DGL		With Power Distribution Center
									[Midline]
	4869 202AM	1					DGC		With Power Distribution Center
									[Lowline]
8	4686 683AA	1							MODULE, Seat Memory
9	5016 884AA	1							MODULE, Heated Seat
10	4686 686AE	1							MODULE, Sliding Door, Power
									Sliding Door
11	4686 748AF	2							MODULE, Side Air Bag
-12	6505 838AA-	6							SCREW, Hex Head, M6 x 1.00 x 17.
									50, Side Air Bag Module attaching
-13	4868 457AA-	2							PLUG, Dummy, Used without Side
-10	1000 107781	_							Air Bags
14	4686 687AH	1							MODULE, Liftgate
15	4686 602AG	1							MODULE, Occupant Restraint
-16	6507 308AA-	AR							SCREW, Occupant Restraint Module
-16	0007 300AA-	AK							
47									attaching
-17	4505 740 4 4	,							LABEL, Air Bag Warning
	4595 748AA-	1							
	4595 749AA-	1							Canada
	4787 437AA-	2							Canada, Visor
18									MODULE, Body Controller

E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Modules--Electronic Figure 008-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4727 070AC	1							
	4727 072AC	1							with Power Locks
	4748 075AA	1							with Power Liftgate
-19	4868 077AC-	1							BRACKET, Instrument Panel, Body
									Control Module mounting
20	4686 665AB	1							MODULE, Immobilizer
21									MODULE, Message Center
	SN46 WL8AC	1				EGA,			[L5]
						EGF,			
						EGH,			
						EGM			
	SN46 XTMAC	1				EGA,			[T5]
						EGF,			
						EGH,			
						EGM			
	SN46 YQLAC	1				EGA,			[QL]
						EGF,			
						EGH,			
						EGM			
22	4686 669AB	1							MODULE, Keyless Entry Receiver
23									TRANSMITTER, Keyless Entry
	4686 481AC	2							
	4686 797AB	2							with Power Sliding Doors and
									Liftgate

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Power Distribution Center, Relays & Fuses Figure 008-505

PART



Sensors, Engine 2.4 (EDZ) Figure 008-605




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
EDZ=2.4I	4 CYL								
DGC=3 S	PEED AUTON	/ATIC 1	ΓRANS						
1	5269 870AB	1				EDZ			SENSOR, Coolant Temperature
2	5269 547	1				EDZ			CAM MAGNET, Target
3	4882 851AB	1				EDZ			SENSOR PACKAGE, Camshaft
4	4884 111AA	1				EDZ			SEAL, Camshaft Sensor
5	4557 667	1				EDZ			SENSOR, Knock
6	5269 703	1				EDZ			SENSOR, Crankshaft Position
7	4608 303	1				EDZ			SWITCH, Oil Pressure
8	4686 935AB	1							SENSOR, Oxygen, Downstream
9	4727 436AA	1				EDZ			SENSOR, Oxygen, Upstream
10	4686 684AA	1				EDZ			SENSOR, Map
11	4686 360	1				EDZ	DGC		SENSOR, Throttle Position
12	4606 487AB	1				EDZ			SENSOR, Charge Air Temp

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Sensors, Engine 3.3, 3.8 (EGA,EGH, EGM) Figure 008-615



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	M]=3.3L 6 CYL								
[EGF]=3.5									
[EGH]=3.8									
1	4686 935AB	1							SENSOR, Oxygen, Downstream
2	1000 000 1 D								SENSOR, Oxygen
	4686 938AB	1				EGA,			Upstream
		4				EGM			Unatraga
3		1				EGH			Upstream SENSOR, Coolant Temperature
	5269 870AB	1				EGA,			SENSOR, Coolant Temperature
	3209 670AB	'				EGA, EGM			
		1				EGH			
4		'				LOIT			SENSOR, Map
· ·	56041 018AB	1				EGA,			CENTOCIN, Map
	00011 010/12	•				EGM			
		1				EGH			
-5	6506 653AA-	AR				EGA,			SCREW, Strip-Out Repair, Map
						EGM			Sensor Screw Repair
6	4606 487AB	1				EGA,			SENSOR, Charge Air Temp
						EGH,			
						EGM			
7									HOSE, Air Cleaner to T/Body, [see
									Group 14], (NOT SERVICED) (Not
									Serviced)
8									THROTTLE BODY, [see Group 14],
									(NOT SERVICED) (Not Serviced)
9									SENSOR, Throttle Position
	4686 360	1				EGA,			
						EGM			
		1				EGH			
10									SWITCH, Oil Pressure
	4608 303	1				EGA,			
						EGM			
4.4		1				EGH			CENCOD DIS Complete
11									SENSOR, D.I.S. Camshaft Reference
	4686 353	1				EGA,			IZEIEIEIICE
	7000 333	- 1				EGA, EGM			
		1				EGH			
12	4686 362AB	1				EGH			SENSOR, Knock
	. 300 002, 12								

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Sensors, Engine 3.3, 3.8 (EGA,EGH, EGM) Figure 008-615



Sensors, Transmission Figure 008-620

5-30-6	


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	M=3.3L 6 CYL								
	L 6 CYL.								
	BL 6 CYL.								
	SPEED AUTOM	MATIC I	RANS						OFNICOR Transmission leaves Or and
1	4800 878	1	K, Y			EGA,	DGL		SENSOR, Transmission Input Speed
	4600 676	Į	N, I			EGA, EGM	DGL		
		1	K, Y			EGF,	DGL		
		•	17, 1			EGH	DOL		
		1	C, D		53	EGH	DGL		
2			- ,						O RING, Trans Speed Sensor
	6501 657AB	1	K, Y			EGA,	DGL		•
						EGM			
		1	K, Y			EGF,	DGL		
						EGH			
		1	C, D		53	EGH	DGL		
3									SENSOR, Transmission Range
	4659 676AC	1	C, D		53	EGH	DGL		
		1	K, Y			EGA,	DGL		
4						EGM			SEAL Manual Value Basitian Sansar
4	4659 678	1	C, D		53	EGH	DGL		SEAL, Manual Valve Position Sensor
	4039 070	1	С, D К, Y		55	EGA,	DGL		
		•	17, 1			EGM,	DOL		
5						20			SENSOR, Transmission Output
									Speed
	4800 879	1	K, Y			EGA,	DGL		·
						EGM			
		1	K, Y			EGF,	DGL		
						EGH			
		1	C, D		53	EGH	DGL		
6									O RING, Trans Speed Sensor
	6501 658AB	1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGF,	DGL		
			0.5		=0	EGH	D .O.I.		
		1	C, D		53	EGH	DGL		

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SENSOR, Anti-Lock Brakes
	4683 470AB	1							Right Front
	4683 471AB	1							Left Front
2									SENSOR, Anti-Lock Brakes
	4721 042AC	1	C, D		53				Right Rear
	4721 043AC	1	C, D		53				Left Rear
	5066 353AA	2	K, Y						Rear
3	4685 819AC	1							SENSOR AND BRACKET, Ambient
									Temperature
4	5604 2395	1							SENSOR, Ambient Temperature
-5	6504 055	1							SCREW, Hex Head, M6x1x16,
									Ambient Temp Sensor Mounting
									Bracket attaching
6	5019 246AA	1				EDZ,			SENSOR, Washer Fluid Level
						EGA,			
						EGH,			
						EGM			
7									SENSOR, Pinch
	4894 032AC	1							Right
	4894 033AC	1							Left
8	0154 819	2							SCREW AND WASHER, Round
									Head, .164-15x.625, pinch sensor
									attaching
9	52088 990AC	5							SENSOR, Tire Pressure, valve stem
10	52088 961AA	5							NUT

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Single Board Engine Controllers (Powertrain Control Module Figure 008-705

2	
1	

	PART	1		1							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
Note:											
	PEED AUTOM	JATIC									
DGL=4-SF	PD. AUTOMA	TIC,41T	ſΕ								
EDZ= 2.41	L 4 CYL DOH	C 16V :	SMPI								
EGA=3.3L	₋ V6 MPi										
EGF= 3.5	L V6 High Out	tput									
EGH=3.8L	EGH=3.8L V6 MPI										
EGM= 3.3	EGM= 3.3L V6 FFV										
NAA=Fed	NAA=Federal Emissions										
NAE=Calif	fornia Emissio	กร									
NAM=Mex	xico Emissions	s									
NAS=U.S.	50 Sta										
1									MODULE, Powertrain Control		
	4727 423AD	1				EGM	DGL		With EGR Valve		
	4727 423AE	1				EGM	DGL		Without EGR Valve		
	4727 425AD	1	K, Y			EGH	DGL		With EGR Valve Front Wheel Drive		
	4727 425AE	1	K, Y			EGH	DGL		Without EGR Valve, Front Wheel		
									Drive		
	4748 420AD	1				EDZ	DGC,				
							DGL				
	4748 422AD	1				EGA	DGL		With EGR Valve		
	4748 422AE	1				EGA	DGL		Without EGR Valve		
	4748 427AD	1	C, D		53	EGH	DGL		With EGR Valve, All Wheel Drive		
	4748 427AE	1	C, D		53	EGH	DGL		Without EGR Valve, All Wheel		
									Drive		
_	4727 424AF	1	K, Y			EGA	DGL		Without EGR Valve, Mexico		
	4727 426AF	1				EGH	DGL		Without EGR Valve, Mexico, Front		
									Wheel Drive		
	4727 424AD	1	K, Y	_	_	EGA	DGL		With EGR Valve, Mexico		
	4727 426AD	1	K, Y			EGH	DGL		With EGR Valve, Mexico, Front		
									Wheel Drive		
2									SCREW, (NOT SERVICED) (Not		
									Serviced)		
-3	4669 020	1							LABEL, Authorized Software Update,		
									For reprogramable Controllers		

DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Switches, Instrument Panel and Console Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NOWIBER	QII	LINE	JERIES	ВОВТ	ENGINE	IKANS	IKIM	DESCRIPTION
Note:									
	.4L 4 CYL DOF	IC 16V	SMPI						
	.5L V6 High Օւ		OWN 1						
	3L V6 MPI								
	3.3L V6 FFV								
EGH = 3	.8L V6 MPI								
1									SWITCH, Mirror
	4685 317	1							
		1			53				
2	4685 711AA	1							SWITCH, Multifunction
3	4685 713AB	1							HOUSING, Steering Column, Mult
	1005 71011								Function Switch Mounting
4	4685 712AA	1							CLOCKSPRING
5 -6	4685 719AB 6035 021	1							SWITCH, Ignition
-0	0035 021	1							SCREW, Pan Head Tapping, .125 40x.437, Ignition switch mounting
7									LAMP, Ignition, (NOT REQUIRED
8	4685 774AA	1							TRIM RING, Ignition Key Cylinder
9	1000 11 11 11	·							SWITCH, Rear Wiper/Washer and
-									Hazard
	4685 925AA	1		P, S	53				
		1	K, Y	H, L					
		1		Χ	53				
10									SWITCH, Rear Wiper/Washer,
									Hazard and Heated Seat
	4685 842AA	1	C, Y	P, S	53				
44	4505.000	1	D, K	P, S	53				CIMITOLI AND LAND OLIVE DEV
11	4565 022	1							SWITCH AND LAMP, Glove Box,
12	56045 043AE	1							Glove Boc SWITCH, Stop Lamp
13	30043 043AL	'							BRACKET, Stop Lamp Switch
10	4685 718AA	1							Brotoner, dop Lamp Owner
	4683 882AB	1							With adjustable pedals
-14	6500 274	1							LOCK NUT, M6x1.0x6, Stop Lamp
									Switch Mounting Bracket
15									SWITCH AND BEZEL, Lighting
									Control
	TG09 1L5AA	1							with Fold Away Mirrors [L5]
	TG09 1QLAA	1							with Fold Away Mirrors [QL]
	TG09 1T5AA	1							with Fold Away Mirrors [T5]
	UQ65 1L5AA	1							with Power Heated Mirrors, Fog

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited


52 = 113 WB 53 = 119 WB

BODY

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Switches, Instrument Panel and Console Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UQ65 1QLAA	1							with Power Heated Mirrors, F
		•							Lamps [QL]
	UQ65 1T5AA	1							with Power Heated Mirrors, F
									Lamps [T5]
	UQ69 1L5AA	1			53				with Auto Day/Night Mirror [Li
	UQ69 1QLAA	1			53				with Auto Day/Night Mirror [Q
	UQ69 1T5AA	1			53				with Auto Day/Night Mirror [T
	UR43 1L5AA	1							with Power Fold Away Mirrors
									without Fog Lamps [L5]
	UR43 1QLAA	1							with Power Fold Away Mirrors
									without Fog Lamps [QL]
	UR43 1T5AA	1							with Power Fold Away Mirrors
									without Fog Lamps [T5]
16	4685 395	1							SWITCH, Parking Brake
17									SWITCH, Speed Control
	5026 007AA	1	D, K						Left
		1	C, Y		53				Left
		1	Υ		52				Left
18									SWITCH, Speed Control
	5026 006AA	1	D, K						Right
		1	C, Y		53				Right
		1	Υ		52				Right
19	4685 762AB	1			53				SWITCH, Traction Control
20									SWITCH, Remote Radio
	4685 728AB	1							Right
	4685 729AB	1							Left

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
1	3747 361	1				EDZ	DGC		SWITCH, Neutral, Safety, Back U
2	4000 202	4				FC 4			SWITCH, Oil Pressure
	4608 303	1				EGA, EGM			
		1				EGH			
		1				EDZ			



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport
P = LXI, ES
S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

	12)
(4) (5) (3) (3) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (4) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5	11)
15) 16	
9 1 2 3 8	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				!					
1	4707 875AB	1							SWITCH, Underhood
2	4685 727AA	1							SWITCH, Door Lock
3	4000 727701	•							SWITCH, Power Window
0	4685 732AA	1		H, L					Left
	1000 702701	1		P.	53				[JPD], Left
		. 1	C, Y	S	53				[JPD], Left
	4685 753AA	1	-, -	H, L					[JPD], Right
		1		Р	53				[JPD], Right
		1	C, Y	S	53				[JPD], Right
	4685 844AA	1	,						Without One Touch, Left
	4685 845AA	1							Without One Touch, Right
4									BEZEL, Power Window Switch
	SA75 WL5AB	1		H, L, X					[L5], Left
	SA75 XT5AB	1		H, L, X					[T5], Left
	SA75 YQLAB	1		H, L, X					[QL], Left
	SA76 WL5AB	1		H, L, X					[L5], Right
	SA76 XT5AB	1		H, L, X					[T5], Right
	SA76 YQLAB	1		H, L, X					[QL], Right
	SA78 WL5AB	1		Р	53				[L5], Left
	SA78 XT5AB	1		Р	53				[T5], Left
	SA78 YQLAB	1		Р	53				[QL], Left
	SA79 WL5AB	1		Р	53				[L5]
	SA79 XT5AB	1		Р	53				[T5]
	SA79 YQLAB	1		Р	53				[QL]
	SA80 AAAAB	1	C, Y	S	53				woodgrain with memory, Left
5	TQ11 AAAAB	1	C, Y	S	53				BEZEL, Power Window/Door Lock
									Switch, woodgrain, Right
-6	0505 00044	•		_	=0				CLIP, Bezel
	6505 660AA-	3		P	53				
7	469E 900	3	CV	H, L, X	5 2				SWITCH Momony Solostor
7	4685 800AA 4685 841AA	1	C, Y	S	53				SWITCH, Memory Selector SWITCH, Key Position
8 9	4000 041AA	2							SWITCH, Key Position SWITCH, Sliding Door
9	SE45 1L5AB	1			53				[L5], Left
	SE45 1QLAB	1			53 53				[QL], Left
	SE45 1T5AB	1			53 53				[T5], Left
	SE50 1L5AB	1			55				[L5], Right
	SE50 1QLAB	1							[QL], Right
	SE50 1T5AB	1							[T5], Right
10	3_00	•							SWITCH, Rear Blower
	4685 797AA	1		Н	53				


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1		X	53				
			1		М	53				
			1		L	53				
	11	4685 807AA	1							SWITCH, Key Position, liftgate
	12	5019 037AA	1							SWITCH, Lift Motor
	13	5019 203AA	1							SWITCH, Liftgate Release, liftgate
										handle
	14									SWITCH, Seat
		4601 756AB	1							Right
		4601 757AB	1							Left
	15									KNOB
		4685 379	1							adjuster, Left Seat
		4685 380	1							adjuster, Right Seat
	16									KNOB, Power Seat Switch
		4685 381	1							recliner, Left
		4685 382	1							recliner, Right
	-17	4797 655	1							SWITCH, Brake Fluid Level
	-18									SWITCH, Liftgate, Serviced in Latch
										Assembly [Ajar], (NOT SERVICED)
										(Not Serviced)
	-19									SWITCH, Door Ajar, Serviced in
										Latch assembly [Ajar], (NOT
										SERVICED) (Not Serviced)
	-20									SWITCH, Door Ajar, Serviced in
										Latch assembly [Ajar], (NOT
										SERVICED) (Not Serviced)

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Horn Figure 008-905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4685 664AC	1							HORN AND BRACKET, Dual



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Battery Tray and Shield Figure 008-1005



	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
NOTE: Battery wiring serviced in engine harness										
1									TRAY, Battery	
	4860 474AC	1							with Speed Control Reservoir	
	4860 858AB	1								
2	4860 965AA	1							BRACKET, Battery Tray, Tray to	
									Side Rail	
3	6504 572	1							NUT AND WASHER, Hex Nut-Coned	
									Washer, M8 x 1.25, Battery Tray	
									Hold Down	
4									SCREW AND WASHER, Hex Head,	
									M8x1.25x25, (NOT SERVICED)	
									(Not Serviced)	
5	5020 087AD	1							TUBE, Drain	
6	4490 878	1							RETAINER, Battery Hold Down	
7	6504 572	1							NUT AND WASHER, Hex Nut-Coned	
									Washer, M8 x 1.25	
8	4364 944	1							BATTERY, [BCE]	
9	4364 945	1							BATTERY, [BCD]	
10	4686 879AB	1							SHIELD, Battery, Thermal	
11	6100 048	1							NUT, Hex, M6x1.00	
-12	5235 267AB-	1							COVER, Battery	
-13	6503 478	AR							SCREW, Tap, M9x1.25x26, Battery	
									Tray attaching	
-14	6100 841	1							PUSH NUT, M8, Plate Assembly to	
									Battery Tray	

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Lamps--Front Figure 008-1105

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									LAMP Headlems
1	4857 700AB	1							LAMP, Headlamp Right
	4857 700AB	1							Left
2	4857 156AA	2							VENT, Headlamp
3	0154 544	1							BULB, Headlamp, 9007, Right & Lef
4	4857 353AA	1							RETAINER, Headlamp Bulb, Right &
4		'							Left
5	L000 03157A	1							BULB, 3157A, Right & Left
6	4857 327AA	1							SOCKET, turn signal bulb, Right &
									Left
-7	6506 032AA-	6							SCREW, Hex Flange Head, M6 x
									1.00 x 14.00, Headlamp mounting
-8	6101 916	2							NUT, Hex Weld, M8x1.25, Headlam
									Mounting Reinforcement
9	4857 359AA	3							SCREW, Headlamp Extension
10	4857 361AA	1							BOOT, Headlamp, Right & Left
11	4857 365AA	3							U-NUT, Headlamp, Right & Left
12	4857 358AA	1							EXTENSION, Headlamp, Right &
									Left
13									WIRING, Headlamp
	4869 540AF	1							
	4869 541AF	1							with Fog Lamps
14									LAMP, Fog
	4805 046AC	2	D, K	Н					
	4857 266AA	1	C, Y	Р	53				Right
	4857 267AA	1	C, Y	Р	53				Left
	4805 046AC	2	D, K	Р					
15	4857 377AA	3	C, Y	Р	53				STUD, Fog Lamp Mounting
-16	4857 156AA-	1	C, Y	Р	53				VENT, Headlamp, fog lamp
17	L000 9040	1	C, Y	Р	53				BULB, Fog Lamp, 50 Watt, Right &
									Left
18	4676 511	3	C, Y	Р	53				SCREW, Cluster PC Board, Fog
									Lamp Bulb Retaining
-19	4857 375AA-	1	C, Y	Р	53				RETAINER, Fog Lamp Bulb, Fog
									Lamp Bulb Retaining


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Lamps--Rear Figure 008-1110



TEM	PART	OTV	I	eedies	BODY	ENGINE	TDANG	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMD Toil Cton Turn
1	4857 600AF	1							LAMP, Tail Stop Turn Right
	4857 601AF	1							Left
2	4857 345AA	4							FASTENER, Tail Lamp, .190-16 x
2	400/ 340AA	4							.625, [.190-16X.625]
-3	6507 487AA-	1							CLIP, Tail Lamp
-3 -4	0001 401 AA	'							SOCKET, Tail, Stop, and Turn Lan
									Lamp assembly only, (NOT
									SERVICED) (Not Serviced)
5	L000 3057	3							BULB, 3057, Right & Left
6	4676 350	2							GROMMET, Lamp, Taillamp Attach
7	4857 214AA	1							LAMP, Liftgate Chmsl
8	4717 899AA	1							NOZZLE, Washer, Liftgate
9	6506 058AA	2							NUT, U-Type, For M4.8x1.59 Screv
ی	0000 000	_							CHMSL Mounting
10	6036 163AA	2							SCREW, .19-16x1.00, CHMSL
10	0030 103AA	_							Mounting
-11	4857 378AA-	1							SOCKET, CHMSL Lamp
-12	L092 1KW16W								BULB, Liftgate Chmsl
13	LUGZ IIVVIOVV	ı							HANDLE, Liftgate
10	5019 202AA	1							Chrome, with power liftgate,
	0010 202, 01	<u> </u>							winged emblem
	5019 199AA	1		L					Williged Citizien.
	5019 200AA	1		L					With Power Locks
	5019 201AA	1		P					With Power Liftgate
		<u>·</u> 1		<u>.</u> Н					With Power Liftgate
	5019 202AA	1		-					With Power Liftgate, Chrome
-14	4574 844	1							MEDALLION, Radiator Grill, Light
									Bar
15	6504 990AA	2							NUT, Rivet, handle attaching
16									LAMP, License Plate
	4857 322AB	1							Right
	4857 323AB	1							Left
17					-				WIRING, License Lamp
	5019 204AA	1		L					•
	5019 205AA	1							With Power Locks
	5019 206AA	1							With Power Liftgate also contains
				-			-		Chimes
-18									SCREW, Hex Flange Head, .25-14
									625, License Lamp attaching, (No
									SERVICED) (Not Serviced)


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Lamps--Rear Figure 008-1110



Lamps--Cargo-Dome-Courtesy-Reading Figure 008-1115



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Reading
- 1	SK70 TL2AA	1	K, Y	L	52				LAIMF, Reading
	OKTO TEETUV	1	K, Y	H	52				
		1	13, 1	H	53				
		1		L	53				
2									LENS, Reading Lamp
_	5016 936AA	1		S	53				Right
		1		P	53				Right
		1		H	53				Right
-	5016 937AA	1		S	53				Left
		1		P	53				Left
		1		Н	53				Left
	5016 936AA	1		X	53				Right
	5016 937AA	1		Х	53				Left
-3	5016 935AA-	2		Н	53				LENS, Diffuser
-4	L000 0578	2							BULB, 578
5									LAMP, Dome
	SK69 TL2AA	1	K, Y	Н	52				
		1		Н	53				
		1		L	53				
		1		Χ	53				
6									LENS, Dome Lamp
	5016 933AA	1	K, Y	Н	52				
		1		L	53				
		1		H	53				
		1		Χ	53				
		1		M	53				
-7	L000 0578	2							BULB, 578
8									LAMP, Cargo
	SK68 TL2AA	2	K, Y	Н	52				
	SK68 1L2AA	1		Н	53				
		1		X	53				
		1		Р	53				
9									LENS, Cargo Lamp
	5016 934AA	1	K, Y	H	52				
		1	K, Y	L	52				
		1		<u>H</u>	53				
		1		P	53				
	1 000 0===	1		Х	53				DIN D. 570
-10	L000 0578	2							BULB, 578
11	4685 678AA	2							LAMP, Liftgate Flood Lamp
12	5016 932AA	2							LENS, LIFTGATE FLOOD LAMP


DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Lamps--Cargo-Dome-Courtesy-Reading Figure 008-1115



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-13	L000 0578	2							BULB, 578
14	4685 676AA	2							LAMP, Door
15	5016 931AA	2							LENS, Door Lamp
-16	L000 0578	2							BULB, 578, Door Courtesy Lamp
17									REFLECTOR, Door Trim Panel
	4685 790AA	1							Right
	4685 791AA	1							Left
18									HANDLE, Grab, With Reading lamp
	SH74 TL2AA	2		S	53				Right
		2		Р	53				Right
	SH75 TL2AA	2		S	53				Left
		2		Р	53				Left
19									LENS, w/Grab Handle
	5019 809AA	1		Р	53				Right & Left
		1		S	53				Right & Left
-20	L000 0578	2							BULB, 578

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Bulbs Figure 008-1120

*	3	

2


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGL=4 S	Speed Automation	c Trans	mission, 4	1TE					
1	L000 PC74	8					DGL		BULB, PC74, cluster
2	L000 3057	3							BULB, 3057, tail, stop and turn
3	0154 544	1							BULB, Headlamp, 9007
-4	L000 03157A	1							BULB, 3157A, park turn signal
-5									BULB, Fog Lamp, 50 Watt
	L000 9040	1	C, Y	Р	53				
		1	C, Y	S	53				
		1	D, K	Н					
-6									BULB, PC579
	L000 0PC579	2	K, Y	Н	52				Over Head Console
		2		Н	53				Over Head Console
		1		Х	53				Over Head Console
-7									BULB, Sunvisor
	6501 966	1		Р	53				
		1		Н	53				
		1		Х	53				
		1		S	53				
-8	L000 0194	1							BULB, 194, Glove Box, Floor
									Console
-9	L000 0578	2							BULB, 578, door courtesy, liftgate
									pull handle lamps
-10									BULB, 168
	L000 0168	1		Н					
		1		Х					
		1		L					
		2		Р					
-11									BULB AND SOCKET
	5016 320AA-	1		Н	53				
		1		Χ	53				

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Wiring--Engine & Related Parts 2.4 [EDZ] Figure 008-1205




70-1203									
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EDZ= 2.4L 4 CYL DOHC 16V SMPI									
EGF= 3.5I	L 6 CYL High	Output							
	BL V6 FFV								
EGA=3.3L									
EGH=3.8L									
	PEED AUTON								
	PD. AUTOMA ⁻			_					
	attery wiring se	∍rviced	in engine h	narness					
1									WIRING, Engine, with Battery Wiring
	4869 532AF	1	K, Y		52	EDZ	DGC		with ABS
	4869 533AF	1	K, Y		52	EDZ	DGC		W 400
	4869 536AB	1	K, Y		52	EDZ	DGL		with ABS
	4869 537AB 4868 333AD	1 1	K, Y		52	EDZ EDZ	DGL		WIRING, Fuel Rail
	4557 686	1				EDZ			HEATER, Engine Block
	4686 948AA	1				EDZ			CORD, Engine Block Heater
	6503 096	1				EDZ			O RING, Engine Block Heater
	4641 780	1				EDZ			STRAP, Tie
	4707 289	1				EDZ			BRACKET, Engine Wiring
•	7101 200	•				LD2			DITACILET, Engine Trining

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Wiring-Engine and Related Parts 3.3 [EGA, EGM], 3.8 [EGH] Figure 008-1210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[EGA] =3	3.3L V6 MPI								
	BL V6 MPI								
DGC=3-	SPEED AUTON	MATIC							
DGL=4-S	SPD. AUTOMA	TIC,41T	Έ						
NOTE: E	Battery wiring se	erviced	in engine h	narness					
1									WIRING, Engine, with Battery Wirir
	4869 530AH	1				EGA,	DGL		with ABS
						EGH,			
						EGM			
	4869 531AH	1	K, Y		52	EGA,	DGL		
						EGH,			
						EGM			
2	4868 408AC	1				EGA,			WIRING, Fuel Rail
•						EGM			
3	1000 005					-0-			HEATER, Engine Block
	4609 325	1				EGF			
	4609 550	1				EGA,			
						EGH, EGM			
4	4686 947AA	1				EGM EGA,			CORD, Engine Block Heater
4	4000 947AA	1				EGA, EGH,			CORD, Engine Block Heater
						EGM			
-5	6501 445	AR				EGA,			O RING, Engine Block Heater
J	0001 440	7111				EGH,			o Kirto, Eligino Block Floater
						EGM			
-6	4641 780	1							STRAP, Tie
7	4868 377AA	1				EGA,			BRACKET, Wiring, Engine Wiring
						EGH,			Crossover
						EGM			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Wiring, Headlamp to Dash Figure 008-1305

	2	
		3
	1)
8000	00 00	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
NOTE: T	he Headlamp t	o Dash	Wiring is	included in	the Unified	d Body, Wi	rings		
1									WIRING, Headlamp to Dash, See
									Illus.1505, (NOT SERVICED) (No
2	4869 100AG	1							Serviced) POWER DISTRIBUTION CENTER
3	4869 100AG 4869 106AE	1							COVER, Power Distribution Center
4	4868 278AC	1							BRACKET, Module
									 -,
ODGE - C	HRYSLER MINIVA	N (RS) —							
ODGE - CI ERIES = Base/SI	LINE			DDY := 113 WB	ENGINE EDZ, EI			TRANSMI DGC, = 3	
ERIES	$\begin{array}{ccc} & & \text{LINE} \\ \hline E & & C = \text{Chry} \\ \hline \text{ort} & D = \text{Dod} \end{array}$	N (RS) — ysler(AWD) ysler(FWD)	D) 52 53		EDZ, EI EGA = :	E D0 = 2.4L 4 (3.3L 6 Cyl. :G0 = 3.8L 6	Cyl. [DGC, = 3 DGL = 4 s	ISSION s spd. Auto. (31TH) spd. Auto. (41TE) I Automatic Transm

Wiring, Instrument Panel Figure 008-1405

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QII	LINE	SERIES	БООТ	ENGINE	IKANS	I KIIVI	DESCRIPTION
ED7_ 2 /I	4 CYL DOH	C 16\/ 9	SMDI						
	V6 High Out		JIVII I						
EGA=3.3L	-	iput							
EGM= 3.3									
EGH=3.8L									
1	VO IVII I								WIRING, Instrument Panel
-	4868 995AB	1	K, Y	Х	53				Wiltino, instrument i anei
	4869 345AB	1	K, Y	L	33	EGA,			with AM/FM Cassette
•	4009 343AB	'	ΙΧ, Ι	L		EGM,			With AWA W Cassette
	4869 450AB	1	K, Y	L	52	EDZ			without Power Mirrors or Power
_	+000 +00/LD	•	13, 1	_	02	LDZ			Heated Mirrors
4	4869 451AB	1	K, Y	L	52	EDZ			with Power Mirrors, or Power
_	+000 +017LD	•	13, 1	_	02	LDZ			Heated Mirrors
	4869 452AB	1	K, Y	L		EGA,			with Power Mirrors, or Power
_	+000 +02/\D	•	13, 1	_		EGM			Heated Mirrors
4	4869 453AB	1		Н		LOW			with Keyless Entry, Sentry Key
	1000 100/12	•							Theft Deterrant, Infinity
		1	K, Y	L		EGA,			with Keyless Entry, Sentry Key
		•		_		EGM			Theft Deterrant, Infinity
4	4869 454AB	1		Н		20			with 3 Zone Temp A/C
	4869 457AB	1		P, S					mar o Zono Tomp 700
	4869 550AF	1	K, Y	L	52	EDZ			with AM/FM Cassette
	4869 551AF	1	K, Y	L	52	EDZ			with AM/FM Cassette, Power
			,		-				Mirrors, or Power Heated Mirro
4	4869 552AF	1	K, Y	L		EGA,			with AM/FM Cassette, Power
			•			EGM			Mirrors, or Power Heated Mirro
		1		Н		-			with AM/FM Cassette, Power
									Mirrors, or Power Heated Mirro
4	4869 553AF	1	K, Y	L		EGA,			with AM/FM Cassette, Keyless



DODGE - CHRYSLER MINIVAN (RS) -BODY **ENGINE** TRANSMISSION **SERIES** LINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD) DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm 52 = 113 WB L = Base/SEH = LX, Sport P = LXI, ES 53 = 119 WB S = Limited K = Dodge(FWD)E = EC

EGM

Н

H, M

H, M

H, L, M

H, M

H, L, M

4869 452AC

4869 453AC

4869 454AC

4869 553AG

4869 554AF

Entry, Sentry Key Theft Deterrant

with AM/FM Cassette, Keyless Entry, Sentry Key Theft Deterrant

With Keyless Entry, Sentry Key Theft Deterrant, Infinity

With AM/FM Cassette & with 3

With AM/FM Cassette, Keyless

With AM/FM Cassette & 3 Zone


Entry, Sentry Key Theft Deterrant

Zone Temp A/C

Temp A/C

Wiring, Instrument Panel Figure 008-1405

				•			
		1		H, M			[HAG,RAS]
	4869 550AG	1	K, Y	E, L			with AM/FM Cassette
2	1869 551AG	1	K, Y	E, L			[RAS,GTS,GTN]



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
U Cariaa m	acana I V Can	. mt							
	eans LX,Spo eans Base/S								
		E							
P-Series M									
X-Series M	eans ES								WIDING Haifford Dodge
11	000 004 AD		1/						WIRING, Unified Body
4	868 681AB	1	K	L	53				with Side Air Bags, Power
		4			50				Windows
		1		Н	53				with Side Air Bags, Power
	000 000 4 D								Windows
	868 682AB	1		H	53				with 3 Zone Air Conditioning
4	868 683AB	1		Н	53				with 3 Zone Air Conditioning,
				_					Power Liftgate
		1		P	53				with 3 Zone Air Conditioning,
				_					Power Liftgate
4	868 684AB	1		Р	53				without Side Air Bags, Power
									Liftgate
4	868 685AB	1		H	53				with 3 Zone Air Conditioning,
									Air Bags
		1		Р	53				with 3 Zone Air Conditioning,
									Air Bags
4	868 686AB	1		Р	53				[JRC,CU9]
		1	K, Y	Χ	53				Standard
	868 687AB	1	C, Y	S	53				
	868 970AB	1	K, Y	L	52				
	868 971AB	1	K, Y	L	52				with Side Air Bags
	868 972AB	1	K, Y	L	52				with ABS
	868 973AB	1	K, Y	L	52				with ABS, Side Air Bags
4	868 974AB	1	K, Y	Н	52				With Power Windows up to 0-
									02
		1	K, Y	L	52				With Power Windows up to 04
									02
4	868 975AB	1	K, Y	Н	52				with Power Windows, Power
4	869 042AB	1	K	L	53				without Side Air Bags, Power
									Windows
4	868 685AB	1		M	53				with 3 Zone Air Conditioning,
									Air Bags
4	868 974AC	1	K, Y	E, L	52				With Power Windows after 04
									02
		1	K, Y	Н	52				With Power Windows after 04
									02
4	868 690AB	1		Н	53				Without Side Air bags, with 3



DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

A/C, Power Liftgate

(10)	5	8	
21)	7	12 13	
	1		
2	9	3	

ITE**	PART	OTY	1 1615	erpire.	DODY	ENGINE	TDANO	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4		Б	50				With and Cirls Air barra
		1		P	53				Without Side Air bags
	4000 000 A D	1		Х	53				Without Side Air bags
	4868 686AB	1		H	53				[HAG,JRC,CU9]
		1		H	53				[HAG,JRC,CU9,CGS]
	4868 689AB	1		H	53				[HAG]
_		1		L	53				[HAG]
	4868 074AA	1							COVER, Wiring Protector, Front
	4868 075AA	1							COVER, Wiring Protector, Rear
-4									CLIP, Floor Pan Cover Button
	4707 616	3	K, Y		52				
		4			53				
-5	4868 349AA-	2							PUSH NUT, Body Harness to Sill
6									WIRING, Dome Lamp
	4869 250AC	1	K, Y	L	52				w/o Overhead Console, Illuminated
									Visor, Right Side Power Sliding
									Door
		1		Н	53				w/o Overhead Console, Illuminated
									Visor, Right Side Power Sliding
									Door
	4869 251AC	1	K, Y	Н	52				w/ Overhead Console, Illuminated
									Visor, w/o Right Side Power
									Sliding Door
		1		Н	53				w/ Overhead Console, Illuminated
									Visor, w/o Right Side Power
									Sliding Door
	4869 251AD	1		Х	53				w/ Overhead Console, Illuminated
		-							Visor, w/o Right Side Power
									Sliding Door
	4868 475AA	1		L	53				Chang Door
7	1000 170701	•							WIRING, Air Conditioning Dome
•									Jumper
	4869 258AC	1		Н	53				A/C w/ Rear Heat
	4003 Z30AC	1		X	53				A/C w/ Rear Heat
8		!			- 33				WIRING, Liftgate
0	4960 262AD	1		μр	5 2				_
	4869 262AD	1		H, P	53				w/Power Locks, w/o Power Seat,
									Security, Right Side Power
	4960 20445			н в с	F2				Sliding Door
	4869 264AD	1	V.V	H, P, S	53				with Power Liftgate
	4869 260AD	1	K, Y	L					w/o Rear Defogger, Power Locks,
									Power Seat, Security, Right Side
									Power Sliding Door

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



(10)	Se -		8
21)	7	(12) (19)	13
	J. J.	(3)	
2	9 4	(1	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4000 004 A D	4	IZ . V						w/ Para Pafanana w/a Pawa
	4869 261AD	1	K, Y	L					w/ Rear Defogger, w/o Power
									Locks, Power Seat, Security,
	1000 00711		14. 14						Right Side Power Sliding Door
	4868 637AA	1	K, Y	E, L	=0				With Rear Defogger, Power Locks
		1	K, Y	H	52				With Rear Defogger, Power Locks
		1		M	53				With Rear Defogger, Power Locks
_		1		Н	53				With Rear Defogger, Power Locks
9		_							WIRING, Front Door
	4869 517AE	1		H, P					w/Courtesy Lamps, Infinity, w/o
		_							Security, Left
	4869 519AE	1		H, P					w/ Security, Left
	4869 521AE	1		S					for S Series, Left
	4869 515AE	1	K, Y	M, X	53				Standard, Left
	4869 511AE	1	K	L	53				Standard, Left
	4869 515AE	1		Н					Standard, Left
	4869 523AB	1	K, Y	L	52				Power Windows, Left
	4869 513AE	1	K, Y	L	52				Power Locks, Left
		1	K	L	53				Power Locks, Left
10									WIRING, Front Door
	4869 516AE	1		H, P					w/ Door Courtesy Lamps, Infinity,
									w/o Security, Right
	4869 514AE	1		Н					Base, Right
		1	K, Y	L	52				Base, Right
		1	K, Y	M, X	53				Base, Right
	4869 510AE	1	K, Y	E, L					Base, Right
	4869 512AE	1	K, Y	E, L					Power locks, Right
	4869 518AE	1	C, Y	S	53				Security, Right
		1		H, P					Security, Right
		1	K, Y	L	52				Security, Right
11	4869 529AF	1		P, S	53				WIRING, Sliding Door Left
12	4869 528AF	1							WIRING, Sliding Door Right
13									WIRING, License Lamp
	5019 204AA	1		L					
	5019 205AA	1							with Power Locks
	5019 206AA	1							with Power Liftgate
-14									WIRING, A/C and HEATER
	4885 526AA-	1	K, Y	H, L					with Air Conditioning
	4885 527AA-	1		H, P, X					with Air Conditioning Dual Zone
	4885 528AA-	1		P, S	53				with Air Conditioning 3 Zone
	5019 190AA-	1		H, P	53				with Air Conditioning 3 Zone
									Auxilary Unit

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



(10)	Ser-		8
21)	7	19	13
			M
2	9	(3)	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	itobz.it	۷		0220	2021		110410	1	
	5019 196AA-	1		P, S	53				with Air Conditioning 3 Zone
	0010 100/01			1,0					Auxilary Unit
	5073 231AA-	1		P, S	53				with Air Conditioning, 3 Zone
-15	0070 201701	•		1,0	00				WIRING, Power Seat
.0	4856 016	1							Left
	4856 017	1							Right
-16	5016 885AA-	1							WIRING, Heated Seat
-17									WIRE TRACK, Sliding Door Right
	4868 118AB-	1							W/o power Sliding Door
	4868 122AB-	1							w/ Power Sliding Door
-18									WIRE TRACK, Sliding Door Left
	4868 117AB-	1							W/o power Sliding Door
	4868 121AB-	1			53				w/ Power Sliding Door
19	4868 383AA	1							WIRING, Trailer Tow Package
-20									BRACKET, Connector
	4868 281AA-	1							B Pillar Wiring Connector, Left
	4868 282AA-	1							B Pillar Wiring Connector, Right
21									HARNESS, Seat Wiring
	5066 609AB	1							w/Memory, Side Air Bags, Left
	5066 612AB	1							w/o Side Air Bags, Right
	5066 613AB	1							w/o Side Air Bags, Left
	5066 614AB	1							w/Side Air Bags, Right
	5066 615AB	1							Left
	5066 617AB	1							w/Heated Seat, Memory, Side Air
									Bags, Left
	5066 618AB	1							w/Power Seats, Side Air Bags,
									Right
	5066 620AB	1							w/Heated Seat, Side Air Bags,
									Right
	5066 619AB	1							w/Power Seats, Side Air Bags, Le
	5066 621AB	1							w/Heated Seat, Side Air Bags, Le
	5066 622AB	1							w/Heated Seat, w/o Side Air Bags
									Right
	5066 626AB	1							w/Power Seats, w/o Side Air Bags
									Right
	5066 627AB	1							w/Power Seats, w/o Side Air Bags
									Left
	5066 623AB	1							w/Heated Seat, w/o Side Air Bags
									Left
-22	4868 182AA-	1							WIRING, Radio Adapter, Steering
									Wheel Radio Control Wiring

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



(10)	Ser -	8
21)	7	13
2	9"	(3)

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-23									WIRING, Air Conditioning Dome
									Jumper
	4869 258AC-	1		Н	53				
		1		Χ	53				
		1		М	53				
		1		L	53				
	4869 259AC-	1		S	53				
		1		Р	53				
-24	5102 001AA-	1							HARNESS PACKAGE, Wiring,
									Passenger Air Bag Jumper
-25	5101 927AA-	1							HARNESS PACKAGE, Wiring, Sea
									Belt
-26									WIRING, Door Jumper
	5032 891AA-	1	K, Y	E, L					Mexico Door Switch Repair
									Jumper, Right
	5032 892AA-	1	K, Y	E, L					Mexico Door Switch Repair
									Jumper, Left
-27									WIRING, Jumper
	5032 893AA-	1	K, Y	Н	52				Mexico Overhead Console Repair
		1		Н	53				Mexico Overhead Console Repair
		1		М	53				Mexico Overhead Console Repair
		1		Х	53				Mexico Overhead Console Repair

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Wiring Harness Repair Pkg. Figure 008-1605


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•	•	•	•	•	•	•	•	MUDING DACKAGE Underhood
	1									WIRING PACKAGE, Underhood Connector Repair, For Electrical Connector Repair Information visit the World Wide Web at http://dto. vftis.com/mopar/disclaimer.asp
	-2	5013 930AC 5083 235AA	- 1							Update kit STRAP, Tie
	-3	4641 780 4856 502 6016 155 4734 709	AR 1 1							Black nylon 11 1/2' long Trailer tow wiring CLIP, Wiring
	-4 -5	5073 300AA 4809 374AA				53				CONNECTOR, Wiring, Floor console STRAP, Ground, Fuel Filler Tube
	-6	5082 000AA 4274 258	1	K, Y		52				STRAP, Radio Noise Suppression TAPE, Radio Connector, Foam
For Electrical Connector Repair Information visit	-8 -9	4124 300 4364 375	1				EGA,			TERMINAL, Eyelet, Radio ground TUBE, Convoluted
the World Wide Web at		4397 809	1				EGH, EGM EDZ			
	-10	6016 076	1				EGA, EGH, EGM			TIE STRAP, Wiring at exhaust crossover
http://dto.vftis.com/mopar/disclaimer.asp	-11 -12 -13	5083 237AA 5014 757AD 5083 236AA	- 1							BOX, Connector Repair MANUAL, Connector Repair INSERT, Manual
	-14 -15		- 1					DGL		STRAP, Tie, A/C Wiring Tie Back SCREW, Hex Flange Head, M6 x 1.00 x 59.8, 8 Way Trans
	-16	6505 171AA	- 1	K, Y			EGA, EGH,			Connector NUT, U Multi Thread, M6 x 1.00 Ground Strap Strut Bracket to Boo attaching
			1	C, D		53	EGM			Ground Strap Strut Bracket to Boo attaching
	DODGE - C SERIES L = Base/S H = LX, Sp P = LXI, ES S = Limited E = EC	$\begin{array}{ll} \text{port} & D = Dc \\ S & Y = Ch \end{array}$	AN (RS) - rysler(AW dge(AWE rysler(FW dge(FWD	/D) 52)) 53 /D)	DDY = 113 WB = 119 WB	EGA = EGH, E	E D0 = 2.4L 4 3.3L 6 Cyl. :G0 = 3.8L 6 3.3L 6 Cyl. I	Cyl. [Cyl. [DGL = 4	ISSION spd. Auto. (31TH) spd. Auto. (41TE) I Automatic Transm

>>

Wiring Harness Repair Pkg. Figure 008-1605

	ITEM	PAR NUMB		LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			3AA- 1							SCREW AND WASHER, Self
	-18	6506 26	0AA- 4							Tapping, M6x1x22, Instrument Panel Ground SCREW AND WASHER, Hex Head
										Tapping, M4.8 x 1.59 x 16.00, B Pillar Connector Bracket attaching
For Electrical Connector Repair Information visit										
the World Wide Web at										
http://dto.vftis.com/mopar/disclaimer.asp										
	DODGE - CH SERIES L = Base/SE H = LX, Spor P = LXI, ES S = Limited E = EC	LI E C ort D Y	NE = Chrysler(AW = Dodge(AW = Chrysler(FV = Dodge(FWI	BO VD) 52 D) 53 VD)	DDY 2 = 113 WB 3 = 119 WB	EGA = EGH, E	E D0 = 2.4L 4 (3.3L 6 Cyl. :G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. D Cyl. D	OGL = 4 s	ISSION spd. Auto. (31TH) spd. Auto. (41TE) Automatic Transm

Spark Plugs--cables--coils Figure 008-1905



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
	HOWIDER	QII	LINE	SERIES	ВОВТ	LINGINE	TRANS	LIXIIVI	DESCRIPTION			
ED7 0.41	EDZ. O. AL. A. O.VI. DOLIO AOV. OMDI											
	EDZ= 2.4L 4 CYL DOHC 16V SMPI EGF= 3.5L V6 High Output											
EGF= 3.3L	-	pui										
EGM= 3.3												
EGH=3.8L												
		s not us	se ignition	cables, ea	ch cylinder	and spark	plug have	individ	ual coils that plug directly into the			
	harness.		· · · · · · · · · · · · · · · · · ·		,		F10.9 110.10		and the proof of the same of t			
-	5018 394AB	1				EDZ			CABLE KIT, IGNITION			
	5033 003AD	4				EDZ			CABLE, Ignition			
3									CABLE PACKAGE, Ignition			
	5019 593AA	1				EGA,						
						EGM						
		1				EGH						
4									CABLE, Ignition			
	4686 710AA	1				EGA,			Cylinder 1			
						EGM						
	4686 734AA	1				EGA,			Cylinder 2			
						EGM						
	4686 737AA	1				EGA,			Cylinder 3			
						EGM						
	4686 738AA	1				EGA,			Cylinder 4			
	4000 74044					EGM			0.11.1.5			
	4686 740AA	1				EGA,			Cylinder 5			
	4686 741AA	4				EGM			Cylinder 6			
	4000 /41AA	1				EGA, EGM			Cylinder 6			
5						LGIVI			CABLE, Ignition			
	4686 710AA	1				EGH			Cylinder 1			
	4686 734AA	1				EGH			Cylinder 2			
	4686 737AA	1				EGH			Cylinder 3			
	4686 738AA	1				EGH			Cylinder 4			
	4686 740AA	1				EGH			Cylinder 5			
	4686 741AA	1				EGH			Cylinder 6			
6									SPARK PLUG, RE-14-PLP5			
	SPRE1 4PLP5	5 6				EGA,						
						EGM						
		6				EGH						
	SPRE1 4MCC	5 4				EDZ			SPARK PLUG			
8									COIL, Ignition			
	5269 670	1				EDZ						

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Spark Plugs--cables--coils Figure 008-1905



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56032 520AB	1				EGA,			
						EGM			
_		1				EGH			
-9	0500 00444	•				F04			SCREW
	6506 201AA-	2				EGA,			Ignition Coil attaching
		2				EGM			Ignition Cail attaching
10	6502 921	2				EGH EDZ			Ignition Coil attaching SCREW, Ignition Coil Mounting
-10 -11	0002 921	4				EDZ			SCREW, Ignition Coll Mounting SCREW AND WASHER, Hex Hea
-11									Special Point, M8x1.25x17
	6502 280	1				EGA,			Cable Seperator mounting
	0302 200	'				EGM,			Cable Seperator mounting
		1				EGH			Cable Seperator mounting
12	4686 247	<u>_</u>				EDZ			SHIELD, Coil
13	1000 2 17	•				LDZ			SEPERATOR, Ignition Cable
. •	5233 610	2				EGA,			
	0_00					EGM			
		2				EGH			
14									BRACKET, Ignition Wire Seperator
	4686 862AA	1				EGA,			•
						EGM			
		1				EGH			
15									BRACKET, Ignition Wire Seperator
	4686 864AA	1				EGA,			
						EGM			
		1				EGH			
-16	4609 133AA-	1				EGF			CAPACITOR, Ignition
17									WIRING, Engine, see engine wirin
									(NOT SERVICED) (Not Serviced
18									COIL, Ignition, (NOT REQUIRED)
19	4040.004	•				F.O.F.			BOLT, (NOT REQUIRED)
-20 -21	4648 604	6				EGF			TUBE, Spark Plug
-21	4621 851	4				EDZ			SEAL, Spark Plug Tube
	4621 851	3				EGF			
-22	1 111 042	3				LGF			STUD, Double Ended
<i></i>	6506 202AA-	2				EGA,			Ignition Coil attaching
	3300 Z0Z/A*					EGM,			iginion con attaching
		2				EGH			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Group – 08A

Instrument Panel and Radios and Consoles






GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No
Instrument Panel Instrument Panel Panelsilencerscovers	Fig. 08A-105
Instrument Panel Cluster ClusterInstrument Panel	Fig. 08A-205
Radio, Antenna, and Speakers	
Radios	Fig. 08A-305
Speakers-Antenna	Fig. 08A-310
Rear Entertainment Center	Fig. 08A-315
Consoles	
Consoles-Overhead	Fig. 08A-405
Consoles Floor and Instrument Panel	Fig. 08A-410

Instrument Panel Panel--silencers--covers Figure 08A-105



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER, Instrument Panel
	RR39 WL8AB	1							[L5]
	RR39 XTMAB	1							[T5]
	RR39 YQLAB	1							[QL]
	XA75 WL8AA	1							[L5] Without Speaker Seals
	XA75 XTMAA	. 1							[T5] Without Speaker Seals
	XA75 YQLAA	1							[QL] Without Speaker Seals
-2	4678 693	1							CHANNEL, Instrument Panel Top
									Cover
-3	6504 232	8							CLIP, Molding, Instrument Panel Top
									Cover Retaining
4									MODULE, Message Center
	SN46 WL8AC	1							[L5]
	SN46 XTMAC	; 1							[T5]
	SN46 YQLAC	1							[QL]
-5									BEZEL, Instrument Panel
	TA50 WL8AA	- 1							[L5] Plug for vehicles without
									Message Center
	TA50 XTMAA	- 1							[K5] Plug for vehicles without
									Message Center
	TA50 YQLAA	- 1							[QL] Plug for vehicles without
									Message Center
6	RW20 DX9AA	. 1							BEZEL, Instrument Cluster
7	5000 10011								BEZEL, Instrument Panel, Center
	5066 126AA	1	17. 17		53				Woodgrain
	5066 125AA	1	K, Y						
0	E000 0E6	1	D, K, Y						MAT Instrument Denal Din Met
8	5009 056AA 5009 055AA	1							MAT, Instrument Panel, Bin Mat
<u>9</u> -10	6503 204	1 11							BIN, Instrument Panel, Center Cubby FASTENER, Door Trim Panel,
-10	0303 204	11							Center Bezel Retaining
11	5066 124AA	1	K, Y						OUTLET, Air Conditioning & Heater,
	3000 12 1 AA	1	17, 1						Center Bezel
12	4680 530AD	1							AIR BAG, Passenger
13	1000 000/12	•							CONTROL, A/C And Heater
.0	5005 000AD	1							w/o Rear Defogger
	5005 001AD	1	K, Y						w/ Rear Defogger
		1	C, Y		53				w/ Rear Defogger
14			,		-				RADIO, see 8A 305, (NOT
									SERVICED) (Not Serviced)
-15	SA35 DX9AA	- 1							BEZEL, Instrument Panel, Lower
									Cluster above Column


52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Instrument Panel Panel--silencers--covers Figure 08A-105



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									SWITCH AND BEZEL, Lighting
									Control
	UQ65 1L5AA	1							[L5] w/Heated Seats, With Fog
									Lamp
	UQ65 1QLAA	1							[QL] w/Heated Seats, With Fog
									Lamp
	UQ65 1T5AA	1							[T5] w/Heated Seats, With Fog
									Lamp
	UQ69 1L5AA	1			53				[L5] w/Auto Day/Night Mirror
	UQ69 1QLAA	1			53				[QL] w/Auto Day/Night Mirror
	UQ69 1T5AA	1			53				[T5] w/Auto Day/Night Miirors
	TG09 1L5AA	1							[L5] w/Foldaway Mirrors
	TG09 1QLAA	1							[QL] w/Foldaway Mirrors
	TG09 1T5AA	1							[T5] w/Foldaway Mirrors
	UR43 1L5AA	1							[L5] w/Power Foldaway Mirros
	UR43 1QLAA	1							[QL] w/Power Foldaway Mirros
	UR43 1T5AA	1							[T5] w/Power Foldaway Mirros
17	D\/50\\40 \A/\								HANDLE, Parking Brake
	RV58 WL5AA								[L5]
	RV58 XT5AA	1							[T5]
10	RV58 YQLAA	1							[QL] PANEL, Instrument Panel
18	UR18 1L5AA	1							
	OKTO ILSAA	'							[L5] With structure, and ducts, airbag door
	UR18 1T5AA	1							[T5] With structure and ducts,
	01(10 110/0)	'							airbag door
	UR18 YQLAA	1							[QL] With structure and ducts, air
		-							bag door
-19	5009 115AA-	2	K, Y		52				COVER, Instrument Panel Opening,
									Speaker Opening
20									PAD AND PANEL, Instrument Upper
	UQ74 1L5AA	1							[L5] Pad and panel only
	UQ74 1T5AA	1							[T5] Pad and panel only
	UQ74 YQLAA	. 1							[QL] Pad and panel only
-21									PAD, Instrument Panel
	SC86 WL8AA	- 1							[L5] Cover and foam
	SC86 XTMAA	- 1							[XT] Cover and foam
	SC86 YQLAA	- 1							[QL] Cover and foam
22									SWITCH, Rear Wiper/Washer and
									Hazard, see 8 805, (NOT
									SERVICED) (Not Serviced)

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SE H = LX, Sport P = LXI, ES S = Limited

E = EC

BODY

52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year






Instrument Panel Panel--silencers--covers Figure 08A-105



Instrument Panel Panel--silencers--covers Figure 08A-105



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								<u>!</u>	
	RR44 WL5AA	. 1							[L5]
	RR44 XT5AA								[T5]
	RR44 YQLAA								[QL]
-40	5017 597AA-	1							SPINDLE, CUPHOLDER
41	3017 337700	•							HANDLE, Grab
	UQ62 WL5AA	. 1							[L5] Cup Holder
	UQ62 XT5AA								[T5] Cup Holder
	UQ62 YQLAA								[QL] Cup Holder
42									BRACE, Instrument Panel to Floor
	5009 006AA	1							Floor to Center Dash Stack, Right
	5009 007AA	1							Floor to Center Dash Stack, Left
-43									FILLER, Lower Instrument Panel
	SH20 WL5AA	- 1							[L5]
	SH20 XT5AA-	- 1							[T5]
	SH20 YQLAA	- 1							[QL]
-44	5009 009AA-	1							SILENCER, Instrument Panel Left
45									END CAP, Instrument Panel
	WS30 WL5AA	\ 1							[L5], Right
	WS30 XT5AA	. 1							[T5], Right
	WS30 YQLAA	1							[QL], Right
-46	4678 680	2							CLIP, Instrument Panel, End Caps
									Attaching
47									OUTLET, Air Conditioning & Heater
	SC91 WL8AA								[L5], Left,Outboard
	SC91 XTMAA								[T5], Left,Outboard
	SC91 YQLAA	. 1							[QL], Left,Outboard
48									OUTLET, Air Conditioning & Heater
	SC95 WL8AA								[L5], Right,Outer
	SC95 XTMAA								[T5], Right,Outer
40	SC95 YQLAA	. 1							[QL], Right,Outer
49	D)//// \/// 5AD								COVER, Instrument Panel Brace
	RV41 WL5AB	1							[L5] with Bin
	RV41 XT5AB	1							[T5] with Bin
F 0	RV41 YQLAB								[QL] with Bin
-50	4793 554AB-	1							POWER OUTLET, Mounted in Instrument Panel Brace Cover
-51	4685 668AA-	1							MOUNT, Power Outlet, 6 Amp
<u>-01</u>	4000 000AA-	ı							mounted in Instrument Panel Brace
									Cover
-52	4678 230	1							LABEL, Air Bag, Passenger Air Bag
02	.0.0 200	'							Glove Box

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SE H = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year



Instrument Panel Panel--silencers--covers Figure 08A-105



TRIM			PART								
to Instrument Panel ASH RECEIVER, Instrument Panel ASH RECEIVER, Instrument Panel ASH RECEIVER, Instrument Panel CLIP, Instrument Panel, Silencer attaching SMOKERS KIT, Ash Receiver With Lighter RS79 WL5AA- 1 RS79 XT5AA- 1 RS79 YQLAA- 1 [T5] RS79 YQLAA- 1 [QL] -57 6503 490 2 STUD, M10-1.50x44, Instrument Panel Support BOLT AND CONED WASHER, Hex Head, M8x25x20, Instrument Panel to Cowl Side Bracket To 6100 840 2 BOLT AND CONED WASHER, Hex Head, M8x25x20, Instrument Panel to Cowl Side Bracket AST RIVET, .197 Grip187375, VIN Plate attaching For 60 6032 217 2 RIVET, .197 Grip187375, VIN Plate attaching For 60 6034 848 2 BRACKET, VIN Plate attaching BRACKET, VIN Plate attaching Upper Cowl Cowl Side Bracket AST RIVET, .197 Grip187375, VIN Plate attaching Upper Cowl AST RIVET, .197 Grip187375, Instrument Panel Console Brace Cover AST RIVET, Blnd, .125, VIN Bracket attaching Upper Cowl CREW, Instrument Panel Stack to Floor Brace Brace SCREW, Instrument Panel Stack to Floor Brace CREW, Instrument Panel Stack to Floor Brace SCREW, Instrument Panel Center Stack to Lower Reinforcement		ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
to Instrument Panel ASH RECEIVER, Instrument Panel ASH RECEIVER, Instrument Panel ASH RECEIVER, Instrument Panel CIP, Instrument Panel, Silencer attaching SMOKERS KIT, Ash Receiver With Lighter RS79 WL5AA- 1 RS79 YT5AA- 1 RS79 YQLAA- 1 [I5] RS79 YQLAA- 1 [GL] STUD, M10-1.50x44, Instrument Panel ASH RECEIVER, Panel End Support BOLT AND CONED WASHER, Hex Head, M8x25x20, Instrument Panel to Cowl Side Bracket ASH BOLT AND CONED WASHER, Hex Head, M8x25x20, Instrument Panel to Cowl Side Bracket ASH Panel End Stander BOLT AND CONED WASHER, Hex Head, M8x25x20, Instrument Panel to Cowl Side Bracket ASH Panel End Stander BRIVET, 197 Grip-187-375, VIN Plate attaching BRACKET, VIN Plate attaching Upper Cowl BRACKET, VIN Plate ASH Panel Console Brace Cover NUT AND WASHER, Hex, M6x1.0, Instrument Panel Stack to Floor Brace BRACKER, Instrument Panel Center SCREW, Instrument Panel Center Stack to Lower Reinforcement											
-54 5009 066AA- 1 -55 4678 509 4 -56 CLIP, Instrument Panel, Silencer attaching -56 SMOKERS KIT, Ash Receiver With Lighter RS79 WL5AA- 1 RS79 YT5AA- 1 RS79 YQLAA- 1 RS79		-53	4868 077AC-	1							BRACKET, Instrument Panel, Body
CLIP, Instrument Panel, Silencer attaching	-										to Instrument Panel
Autaching		-54	5009 066AA-	1							ASH RECEIVER, Instrument Panel
-56 SMOKERS KIT, Ash Receiver With Lighter RS79 WL5AA- 1 RS79 YT5AA- 1 RS79 YCLAA- 1 RS79 YCLAA- 1 PS70 KD4A- 1 RS79 YCLAA- 1 RS79 YCLAA- 1 RS79 YCLAA- 1 PS70 KD4A- 1 PS70 KD4- 1 PS70 K		-55	4678 509	4							CLIP, Instrument Panel, Silencer
Lighter											attaching
RS79 WL5AA- 1	_	-56									SMOKERS KIT, Ash Receiver With
RS79 XT5AA- 1											Lighter
RS79 YQLAA- 1			RS79 WL5AA	- 1							[L5]
-57 6503 490 2 STUD, M10-1.50x44, Instrument Panel End Support -58 6100 583 2 BOLT AND CONED WASHER, Hex Head, M8x25x20, Instrument Panel to Cowl Side Bracket -59 6100 840 2 NUT, Spring, Stud Plate Instrument Panel Center Stack Brace -60 6032 217 2 RIVET, .197 Grip187375, VIN Plate attaching -61 6034 848 2 RIVET, Blind, .125, VIN Bracket attaching -62 4860 890AA- 1 BRACKET, VIN Plate attaching Upper Cowl -63 6034 833 4 CLIP, Push, .164-7.5, Instrument Panel Console Brace Cover -64 6102 126AA- 2 NUT AND WASHER, Hex, M6x1.0, Instrument Panel Stack to Floor Brace -65 6503 940 1 SCREW, Instrument Panel Center Stack to Lower Reinforcement	_		RS79 XT5AA-	· 1							[T5]
Panel End Support -58 6100 583 2 BOLT AND CONED WASHER, Hex Head, M8x25x20, Instrument Panel to Cowl Side Bracket -59 6100 840 2 NUT, Spring, Stud Plate Instrument Panel Center Stack Brace -60 6032 217 2 RIVET, .197 Grip187375, VIN Plate attaching -61 6034 848 2 RIVET, Blind, .125, VIN Bracket attaching -62 4860 890AA-			RS79 YQLAA	- 1							[QL]
BOLT AND CONED WASHER, Hex Head, M8x25x20, Instrument Panel to Cowl Side Bracket -59		-57	6503 490	2							STUD, M10-1.50x44, Instrument
Head, M8x25x20, Instrument Panel to Cowl Side Bracket -59 6100 840 2 NUT, Spring, Stud Plate Instrument Panel Center Stack Brace -60 6032 217 2 RIVET, .197 Grip187375, VIN Plate attaching -61 6034 848 2 RIVET, Blind, .125, VIN Bracket attaching -62 4860 890AA-											Panel End Support
to Cowl Side Bracket NUT, Spring, Stud Plate Instrument Panel Center Stack Brace 60 6032 217 2 RIVET, .197 Grip187375, VIN Plate attaching 61 6034 848 2 RIVET, Blind, .125, VIN Bracket attaching 62 4860 890AA- 1 BRACKET, VIN Plate attaching Upper Cowl 63 6034 833 4 CLIP, Push, .164-7.5, Instrument Panel Console Brace Cover 64 6102 126AA- 2 NUT AND WASHER, Hex, M6x1.0, Instrument Panel Stack to Floor Brace 65 6503 940 1 SCREW, Instrument Panel Center Stack to Lower Reinforcement	_	-58	6100 583	2							BOLT AND CONED WASHER, Hex
NUT, Spring, Stud Plate Instrument Panel Center Stack Brace Panel Center Stack Brace -60 6032 217 2 RIVET, .197 Grip187375, VIN Plate attaching -61 6034 848 2 RIVET, Blind, .125, VIN Bracket attaching -62 4860 890AA-											
Panel Center Stack Brace -60 6032 217 2 RIVET, .197 Grip187375, VIN -61 6034 848 2 RIVET, Blind, .125, VIN Bracket -62 4860 890AA-											
-60 6032 217 2 RIVET, .197 Grip187375, VIN Plate attaching -61 6034 848 2 RIVET, Blind, .125, VIN Bracket attaching -62 4860 890AA- 1 BRACKET, VIN Plate attaching Upper Cowl -63 6034 833 4 CLIP, Push, .164-7.5, Instrument Panel Console Brace Cover -64 6102 126AA- 2 NUT AND WASHER, Hex, M6x1.0, Instrument Panel Stack to Floor Brace -65 6503 940 1 SCREW, Instrument Panel Center Stack to Lower Reinforcement		-59	6100 840	2							
Plate attaching RIVET, Blind, .125, VIN Bracket attaching -62	_										
-61 6034 848 2 RIVET, Blind, .125, VIN Bracket attaching -62 4860 890AA- 1 BRACKET, VIN Plate attaching Upper Cowl -63 6034 833 4 CLIP, Push, .164-7.5, Instrument Panel Console Brace Cover -64 6102 126AA- 2 NUT AND WASHER, Hex, M6x1.0, Instrument Panel Stack to Floor Brace -65 6503 940 1 SCREW, Instrument Panel Center Stack to Lower Reinforcement		-60	6032 217	2							
attaching BRACKET, VIN Plate attaching Upper Cowl Upper Cowl CLIP, Push, .164-7.5, Instrument Panel Console Brace Cover Panel Console Brace Cover NUT AND WASHER, Hex, M6x1.0, Instrument Panel Stack to Floor Brace SCREW, Instrument Panel Center Stack to Lower Reinforcement Stack to Lowe											_
-62 4860 890AA- 1 BRACKET, VIN Plate attaching Upper Cowl -63 6034 833 4 CLIP, Push, .164-7.5, Instrument Panel Console Brace Cover -64 6102 126AA- 2 NUT AND WASHER, Hex, M6x1.0, Instrument Panel Stack to Floor Brace -65 6503 940 1 SCREW, Instrument Panel Center Stack to Lower Reinforcement		-61	6034 848	2							
Upper Cowl -63 6034 833 4 CLIP, Push, .164-7.5, Instrument Panel Console Brace Cover -64 6102 126AA- 2 NUT AND WASHER, Hex, M6x1.0, Instrument Panel Stack to Floor Brace -65 6503 940 1 SCREW, Instrument Panel Center Stack to Lower Reinforcement	_										
-63 6034 833 4 CLIP, Push, .164-7.5, Instrument Panel Console Brace Cover -64 6102 126AA- 2 NUT AND WASHER, Hex, M6x1.0, Instrument Panel Stack to Floor Brace -65 6503 940 1 SCREW, Instrument Panel Center Stack to Lower Reinforcement		-62	4860 890AA-	1							_
Panel Console Brace Cover				_							• •
-64 6102 126AA- 2 NUT AND WASHER, Hex, M6x1.0, Instrument Panel Stack to Floor Brace -65 6503 940 1 SCREW, Instrument Panel Center Stack to Lower Reinforcement		-63	6034 833	4							
Instrument Panel Stack to Floor Brace -65 6503 940 1 SCREW, Instrument Panel Center Stack to Lower Reinforcement	_		0400 4004 4								
-65 6503 940 1 Brace SCREW, Instrument Panel Center Stack to Lower Reinforcement		-64	6102 126AA-	2							
-65 6503 940 1 SCREW, Instrument Panel Center Stack to Lower Reinforcement											_
Stack to Lower Reinforcement		0.5	0500 040	4							
	-	-65	6503 940	1							
-00 0000 900AA- 2 SCREW AND WASHER, HEX HEAU,		66	6506 06644	2							
MC v 4 00 v 22 20 Instrument		-00	0000 900AA-	2							
M6 x 1.00 x 23.30, Instrument Panel Floor Brace to Floor											
-67 COVER, Instrument Panel Brace	-	-67									
		-07	\\\DA3 \\\ E^ \	_ 1							
WR43 WL5AA- 1 [L5] WR43 YQLAA- 1 [QL]											
WINTO I QLOTTO			WIN45 I QLAP	v − I							[&c]


DODGE - CHRYSLER MINIVAN (RS) -

SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SE H = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Cluster--Instrument Panel Figure 08A-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLUSTER, Instrument Panel
	4685 748AC	1							[JA9,JCB][DGL] Up to 07/05/0
	4685 748AI	1							[JA9,JCB][DGL] After 07/05/0
	4685 742AI	1							[JCB,JA6][DGL]
	4685 744AI	1							[JA9,DHD,JCB][DGL]
	4685 745AI	1							[JA9, DHD,JDC][DGL]
	4685 749AI	1							[JA9,JDC][DGL]
	4685 843AI	1							[JDC,JA6][DGL]
	4685 940AI	1							[JCB, JA1][DGC]
	4685 952AB	1							[JCB,JA1][DGL]
	4685 741AH	1							[JDC,JA1][DGC]
	4685 954AB	1							[JDC,JA1][DGL]
2									LENS, Instrument Cluster
	5017 505AA	1							[JCB, JA6, JA9]
	5018 776AA	1							[JDC, JA1]
		1							[JCB, JA1]
-3	L000 PC74	1							BULB, PC74, 8 required
4	5017 506AB	1							INDICATOR, PRNDL


DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Radios Figure 08A-305




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: F	or warranty re	pair ord	er on func	tion 11 <i>7</i> 60)38531AF				
	DIO - AM/FM				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
	DIO - AM/FM			QUALIZER					
	DIO - AM/FM								
	DIO - AM/FM								
RDW= C	HANGER 4 DI	SC CD							
1	56038 931AE	3 1							RADIO, AM/FM Cassette
2	56038 555AE	1							RADIO, AM/FM with CD and
									Cassette, [RAZ]
3	56038 588AH	H 1							RADIO, AM/FM/Cassette With CD
									Control, [RBB]
4	56038 589AI	1							RADIO, AM/FM with CD and
									Equalizer, [RBK]
5	56038 531AE	1							CHANGER, CD, See note, [RDW]
6	56038 620AF	1							RADIO, AM/FM/Cassette With CD,
									[RBU]
-7	56038 586AI	· 1							RADIO, AM/FM/Cassette With CD,
									[RBP]
-8	4671 841AA-	1							WIRING, Compact Disc Changer,
									[RDW]
-9	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05, Radio and CD Change
									mounting
-10									WIRING KIT, Audio System Adapte
	8220 7523	1							Used when installing 7 way
									connector radios to vehicles that
									have a 22 way radio connector
	8220 7541	1							Used when installing radios with
									way connector to vehicles that
									have a 7 way radio connector
	HRYSLER MINIVA	N (RS) —		NDV				TD 4 N O 4	UCCIONI
SERIES . = Base/SI	LINE E C = Chr	ysler(AW	_	DY = 113 WB	ENGINI EDZ, E	= D0 = 2.4L 4 (TRANSM DGC, = 3	IISSION 3 spd. Auto. (31TH)
I = LX, Spo	ort D = Doo	ige(AWD)	53	= 119 WB	EGA =	3.3L 6 Cyl.	ا	DGL = 4	spd. Auto. (41TE)
! = LXI, ES ! = Limited		ysler(FWI lge(FWD)				G0 = 3.8L 6 3.3L 6 Cyl. F		∪GU = Al	I Automatic Transm
= EC	= 200	J-(D)				5 571	-		

Speakers-Antenna Figure 08A-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								-	
RCE= Inf	finity Speakers								
RCG = 6	Speaker								
RCD = 4	Speaker								
1	4685 920AC	2							SPEAKER, Instrument Panel, [RCE]
2	4685 822AB	2							SPEAKER, Instrument Panel, [RCG]
-3	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05, Speaker Mounting
4									SPEAKER, Front Door
	4685 855AE	2							[RCE]
•	4685 935AD	2							[RCD]
	4685 945AD	2							[RCG] Up to 4/01/02
-5	6506 752AA-	4							NUT, Snap In, M4.2 x 1.41, Door
									Speaker mounting
6									SPEAKER
	5082 418AA	2							[RCG] After 04/01/02, Front Door
		2							[RCD] After 04/01/02, Front Door
		2							[RCG,RCD] After 04/01/02, Rear
7	4685 755AC	2							SPEAKER, Rear, 6x9, [RCE]
8	4685 710AC	2							SPEAKER, Rear, 6x9, [RCG,RCD]
									Up to 04/01/02
9	4685 950AC	2							SPEAKER, Tweeter, [RCE], Rear
-10	4754 136	2							COVER, Speaker Opening
11									BRACKET, Speaker, serviced in D
									Pillar Moulding, (NOT SERVICED)
									(Not Serviced)
12									BRACKET, Speaker, serviced in D
									Pillar Moulding, (NOT SERVICED)
									(Not Serviced)
13	4685 702AA	1							CHOKE, Speaker
14									COVER, Radio Opening, (NOT
									SERVICED) (Not Serviced)
15	4685 759AC	1							CABLE, Antenna Extension
16									STRAP, Ground
	4685 816AA	1							engine mount to body
	4809 514AA	1							engine ground left
17	6035 165	1							SCREW, Tapping, .19-16x.75
18	4685 498	1							SHROUD, Antenna Cap Nut
19	4685 301	1							CAP NUT, Antenna, Black
20	4685 764AA	1							ADAPTER, Antenna
21	4685 574	1							MAST, Antenna, Black
22	4685 574AD	1							MAST, Antenna, Bright
23	4685 765AB	1							BODY AND CABLE, Antenna
	HRYSLER MINIVA	N (RS) —						TD A NION 4	ICCION
SERIES L = Base/SE	LINE C = Chry	vsler(AW		DY = 113 WB	ENGINI EDZ, E	= D0 = 2.4L 4 (TRANSM DGC. = 3	ISSION spd. Auto. (31TH)
H = LX, Spc	ort D = Dod	ge(AWD)	53	= 119 WB	EGA =	3.3L 6 Cyl.		DGL = 4	spd. Auto. (41TE)
P = LXI, ES S = Limited	Y = Chry K = Dode					G0 = 3.8L 6 3.3L 6 Cyl. F		DG0 = Al	I Automatic Transm
E = EC	17 = D00	9~(1 VV D)			LOW -	0.02 0 Oyı. I	. •		

Speakers-Antenna . Figure



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-24	4685 489	1							STRAP, Radio Noise Suppression
-25	6035 165	1							Radio to Body SCREW, Tapping, .19-16x.75, S
26	4685 936AA	2							to Radio HEADPHONES, Wireless Infrare
27	4685 923AA	1							AUDIO KIT, Rear
-28	4685 937AA-	1							TRANSMITTER, Audio Control
-29	5083 190AA-	1							REMOTE, Wireless Infrared


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Rear Entertainment Center Figure 08A-315



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•							
Note 1: f	or replacement	s order	75082005	AR DVD o	r 75080711	2AA Video	Cassette		
	These parts are							rv Cata	alog
1	5080 685AA	1				g		,	PLAYER, DVD - Single Play, See
									Notes
2	5080 712AA	1							PLAYER, Video Cassette, See Notes
3	5080 707AA	1							MONITOR, Media System, Screen
-4									LATCH KIT, Video Screen, (NOT
									SERVICED) (Not Serviced)
5									BRACKET ASSY, REAR SEAT
									VIDEO, (NOT SERVICED) (Not
									Serviced)
6	5080 714AA	1							WIRING, DVD to Radio
7	5096 052AA	1							WIRING, DVD to Auxiliary Jack
8	5096 053AA	1							WIRING, DVD to Screen
9	5072 871AA	1							CONSOLE, Overhead
10									BEZEL, Overhead Console, (NOT
									REQUIRED)
11	4685 936AB	2							HEADPHONES, Wireless
12	5083 190AA	1							REMOTE, Wireless Infrared
	HRYSLER MINIVA	N (RS) —							100101
SERIES . = Base/S I = LX, Sp ' = LXI, ES	ort $D = Dod$ Y = Chry	sler(FWI	D) 52) 53 D)	DDY = 113 WB = 119 WB	EGA = : EGH, E	D0 = 2.4L 4 0 3.3L 6 Cyl. G0 = 3.8L 6	Cyl. [Cyl. [OGL = 4 :	ISSION spd. Auto. (31TH) spd. Auto. (41TE) I Automatic Transm
S = Limited E = EC	K = Dod	ge(FWD))		EGM =	3.3L 6 Cyl. F	FV		

Consoles-Overhead Figure 08A-405

	8
	3
9	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NUMBER	QII	LINE	SERIES	БОЛТ	ENGINE	IKANS	IKIM	DESCRIPTION
Note:									
	/3 Zone Tempe	erature	Control						
HBB = R	ear w/Heater								
1									MODULE, Electronic, Overhead
									Console
	5016 285AA	1			53				with Compass/Temperature Unit
	5073 495AA	1			53				with Tire Pressure Monitoring
	5016 282AC	1			53				With Electronic Vehicle Info
									Center, Universal Garage Door
									Opener
	5016 283AD	1			53				With Compass/Temperature Unit,
									Garage Door Opener
2									SWITCH, Overhead Console,
									Buttons
	5016 272AA	1			53				with Electronic vihicle Info Center,
									Universal Garage Door Opener
	5016 273AA	1			53				with Compass/Temperature Unit
		1	K, Y		52				with Compass/Temperature Unit
	5016 275AA	1			53				with Compass Mini Trip, Universal
									Garage Door Opener
	5016 277AA	1			53				right and left Power Sliding Door
	5016 278AA	1			53				right Power Sliding Door, Power
									Liftgate
	5016 279AA	1			53				Right and left Power Sliding Door.
									Power Liftgate, Security
	5016 276AA	1	K, Y		52				right Power Sliding Door
	5016 276AB	1			53				right Power Sliding Door
3									LENS, Reading Lamp
	5016 936AA	1			53				Right
	5016 937AA	1			53				Left
4									HOUSING, Bulb
	5016 286AC	1			53				Includes bulb/socket assembly and
									switches after 10/30/01
		1	K, Y		52				Includes bulb/socket assembly and
									switches after 10/30/01
	5016 286AB	1			53				Includes bulb/socket assembly and
									switches up to 10/30/01
		1	K, Y		52				Includes bulb/socket assembly and
									switches up to 10/30/01
-5	5028 069AA-	1							BRACKET, Overhead Console
-6									WIRING, Dome Lamp

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Consoles-Overhead Figure 08A-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4869 250AC-	1	K, Y		52				Base
		1			53				Base
	4869 251AC-	1	K, Y		52				Midline
		1			53				Midline
	4869 252AC-	1			53				Premium
•	4869 253AC-	1			53				Luxury
	4869 251AD-	1			53				X Series ONLY
-7	4869 258AC-	1			53				WIRING, Air Conditioning Dome
									Jumper, [HBB]
8	5016 287AA	1			53				BEZEL, Overhead Console
9									FACE PLATE, Console
	5016 264AA	1			53				with Power Sliding Doors
	5016 266AA	1			53				without Power Sliding Doors
-10									BULB, PC579
	L000 0PC579	2	K, Y		52				
		2			53				
-11									RETAINER
	5028 057AA-	1			53				Front
		1	K, Y		52				Front
		1			53				Rear
	5028 058AA-	2			53				Rear
-12	6034 195	1							SCREW AND WASHER, Oval Head,
									.19-16x.75, Overhead Console
									mounting

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Consoles Floor and Instrument Panel Figure 08A-410



Consoles Floor and Instrument Panel Figure 08A-410



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
	-20	5028 365AA-	1							MAT, Floor Console
	21	5028 070AD	2							BRACKET, Console Tray
	22									TRAY, Floor Console
		UN14 1L5AA	1							[L5]
		UN14 1QLAA	1							[QL]
		UN14 1T5AA	1							[T5]
	-23	6101 969	8							SCREW, Console Tray to Bracket
	-24	5028 364AA-	1							RETAINER, Phone Holder
	-25									FACE PLATE, Console
		5016 264AA-	1			53				
		5016 266AA-	1	K, Y		52				
	-26	4678 382	1							BUMPER, Floor Console Bin
	-27									DOOR, Instrument Panel Console
		UQ64 WL5AA	1							[L5]
		UQ64 XT5AA	- 1							[T5]
		UQ64 YQLAA	- 1							[QL]
	-28	5073 300AA-	1							CONNECTOR, Wiring, Underside of
_										floor console held in by 3 screws

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 009 Engine Mounting






GROUP 9 - Engine Mounting

Illustration Title	Group-Fig. No.
Engine Mounting	
Engine Mounts 2.4L [EDZ] 4 Cylinder DOHC 16V SMPI	Fig. 009-140
Engine Mounts 3.3L-3.8L [EGA],[EGH],[EGM]	Fig. 009-160
Engine Mounts Power Transfer Unit AWD	Fig. 009-170

Engine Mounts 2.4L [EDZ] 4 Cylinder DOHC 16V SMPI Figure 009-140



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
NOTE: S	Sales Code								
	41TE/41AE 4 S	Speed A	utomatic T	ransmissio	n				
	2.4L 4 Cylinder	-							
1	4861 395AB	1		•		EDZ			SUPPORT, Engine Mount
2	4861 391AB	1				EDZ			BRACKET, Engine Mount
3		•							SUPPORT, Engine Mount
	4861 394AA	1				EDZ	DGC		
	4861 478AB	1				EDZ	DGL		
4	4861 459AA	1				EDZ,			BRACKET, Engine Mount
						EGA,			, 3
						EGF,			
						EGH			
5	4861 399AA	1				EDZ	DGC		SUPPORT, Transmission
6	4861 574AC	1				EDZ			BRACKET, Engine Mount
7	4861 430AB	1				EDZ			SUPPORT, Engine Mount
8	4861 574AC	1				EDZ			BRACKET, Engine Mount
9	6504 386	2				EDZ			SCREW, Hex Flange Head
10	6101 503	2				EDZ			SCREW AND WASHER, Hex Head,
									M10x1.5x25
11	6506 927AA	3							BOLT
12	6501 741	4							SCREW AND WASHER, Hex Head,
									M12x1.75x30
13	6505 475AA	1							SCREW AND WASHER, Hex Head
14	6102 170AA	3							BOLT AND WASHER, M10x35
15	6507 210AA	1							SCREW AND WASHER, Hex Head
16	4861 268AB	1							SHIELD, Engine Mount
17	6505 655AA	2							SCREW AND WASHER, Hex Head
18	6503 119	3				EDZ			SCREW AND WASHER, Hex Head,
									M10x1.5x40
19	6101 755	3				EDZ	DGC		SCREW AND WASHER, Hex Head,
									M10x1.5x53
20	6503 341	1							BOLT, Hex Head, M10x1.50x125
21	6101 623	2				EDZ			SCREW AND WASHER, Hex Head,
									M10x1.5x105
22	6502 979	1				EDZ			NUT AND WASHER, Hex, M10x1.5
-23	4792 251AC-	1				EDZ			COLLAR, Structural, Oil Pan To
	0500 040 0 0								Transmission
-24	6506 019AA-	2				EDZ			BOLT AND WASHER, Hex Head,
25	4961 201 AP	4				ED7			M10x1.5x30
-25	4861 391AB-	1				EDZ			BRACKET, Engine Mount, Right side
									engine

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Engine Mounts 2.4L [EDZ] 4 Cylinder DOHC 16V SMPI Figure 009-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 =	HOMBER		LIITE	OLIVIES		LINGINE	INAIG	1111111	DEGGINI TOTAL
-26	6505 371AA-	1				EDZ			ROLT Engine Mount Bracket to
-20	6505 37 TAA-								BOLT, Engine Mount Bracket to Block
-27	6102 226AA-	2				EDZ			SCREW AND WASHER, Hex Hear Engine Mount Front to Block


DODGE -SERIES L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

R MINIVAN (RS) LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Engine Mounts 3.3L-3.8L [EGA],[EGH],[EGM] Figure 009-160




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sa	ales Codes								
	3.3L V6 SMPI	Engine							
EGH] = 3	3.8L V6 SMPI	Engine							
[EGM] = 3	3.3L V6 SMPI	Flex Fu	el Engine						
[DGL] = 4	11TE/41AE 4 S	Speed A	utomatic T	ransmissio	n				
1									SUPPORT, Engine Mount
	4861 271AD	1	K, Y			EGA,			
						EGH,			
						EGM			
	4861 272AE	1	C, D						
2									BRACKET, Engine Mount
	4861 353AA	1				EGA,			
						EGM			
		1				EGH			
3									SUPPORT, Engine Mount
	4861 269AB	1	K, Y			EGA,			
						EGH,			
						EGM			
	4861 270AB	1	C, D			EGH			
4	4861 459AA	1				EDZ,			BRACKET, Engine Mount
						EGA,			
						EGF,			
_						EGH			
5	4861 273AA	1				EGA,			SUPPORT, Transmission
						EGH,			
•	1001 10015	_				EGM			DDAOKET E : M
6	4861 433AD	1				E0.4			BRACKET, Engine Mount
7	4861 295AB	1				EGA,			SUPPORT, Engine Mount
						EGH,			
0	4861 298AD	4				EGM			DDACKET Francisco Marriet
8	4001 290AD	1				EGA,			BRACKET, Engine Mount
						EGH, EGM			
9	6503 523	1				EGA,			BOLT, Hex Head, M12-1.75x60
3	0000 020	ı				EGA, EGH,			DOLT, FIEA FIEAU, WITZ-1.75X00
						EGH,			
10	6502 130	2				EGA,			SCREW AND WASHER, Hex Hea
10	0002 100					EGH,			M10x1.5x40
						EGH, EGM			W10A1.3A+0
11	6506 927AA	3				LOW			BOLT
12	6500 927AA 6501 741	3 4							SCREW AND WASHER, Hex Hea
14	0301741	-+							M12x1.75x30

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Engine Mounts 3.3L-3.8L [EGA],[EGH],[EGM] Figure 009-160



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4.0	0505 4754 4								
13	6505 475AA	1							SCREW AND WASHER, Hex Head
14	6102 170AA	3							BOLT AND WASHER, M10x35
15	6505 475AA	1							SCREW AND WASHER, Hex Head
16	4861 268AB	1							SHIELD, Engine Mount
17 18	6505 655AA 6503 119	2				EGA,			SCREW AND WASHER, Hex Head SCREW AND WASHER, Hex Head
10	0303 119	2				EGA, EGH,			M10x1.5x40
						EGH, EGM			W10x1.3x40
19	6101 755	4				EGIVI	DGL		SCREW AND WASHER, Hex Head,
10	0101 733						DOL		M10x1.5x53
20	6503 341	1							BOLT, Hex Head, M10x1.50x125
21	6101 623	1				EGA,			SCREW AND WASHER, Hex Head
۷.	0101 020	•				EGH,			M10x1.5x105
						EGM			WTOXT.SXTOS
22	6502 979	1				EGA,			NUT AND WASHER, Hex, M10x1.5
	0002 0.0	•				EGH,			THE TARIE TO THE TOTAL TO THE TARIE
						EGM			
23	4861 573AA	1				EGA,			BRACE, Transmission
						EGH,			,
						EGM			
24	4531 633	1	K, Y			EGA,			BRACE, Transmission
						EGH,			
						EGM			
25	6500 399	2	K, Y			EGA,			BOLT, Hex Head, M10x1.5x20
						EGH,			
						EGM			
-26									BOLT
	6102 097AA-	1				EGA,			Engine Mount to Block
						EGM			
		1				EGH			Engine Mount to Block
-27									BOLT
	6102 122AA-	2				EGA,			Engine Mount to Block
						EGM			
		2				EGH			Engine Mount to Block
-28									BOLT
	6102 123AA-	1				EGA,			Engine Mount to Chaincase Cover
						EGM			
		1				EGH			Engine Mount to Chaincase Cover
-29	6506 439AA-	3							BOLT AND WASHER, M10x60,
									Engine Mount to Block

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Engine Mounts Power Transfer Unit AWD Figure



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4518 738	1	C, D						BRACKET, Power Transfer Unit
2	4641 665	1	C, D						BRACKET, Power Take Off
3	6503 131	5	C, D						BOLT, Hex Flange Head, M8x1. 25x30
4	6100 940	2	C, D						BOLT, Hex Flange Head, M10x1.
									5x50
-5	6504 257	3	C, D						BOLT, Hex Head, M8x1.25x70

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 2.4L


Engine 2.4L Four Cylinder



2.4L-100 Engine Identification	2.4L-200 Cylinder Head	2.4L-300 Cylinder Block	2.4L–400 Crankshaft, Piston, and Drive Plate
X Model Year Manifecturing Component Manth/Day Sarial Code/Usage Lost digit Scalation S Engine Loct 8 Digits of Model Transco K 3.3. — 3.8. Usage Pass Car PC Track T Code Code Code Code Code Code Code Code			
2.4L-500 Camshafts and Valves	2.4L-600 Timing Belt and Cover	2.4L-700 Engine Oiling	2.4L-800 Manifolds

Group – 2.4L

Engine 2.4L Four Cylinder



GROUP 2.4L - Engine 2.4L Four Cylinder

Illustration Title	Group-Fig. No.
Engine Identification I.D. Location 2.4L [EDZ]	Fig. 2.4L-110
Cylinder Head Cylinder Head 2.4L [EDZ]	Fig. 2.4L-210
Cylinder Block Cylinder Block 2.4L [EDZ] Heater Block [EDZ]	Fig. 2.4L-310 Fig. 2.4L-320
Crankshaft, Piston, and Drive Plate Crankshaft and Pistons 2.4L[EDZ]	Fig. 2.4L-410
Camshafts and Valves Camshaft and Valves 2.4L [EDZ]	Fig. 2.4L-510
Timing Belt and Cover Timing Belt and Cover 2.4L [EDZ]	Fig. 2.4L-610 Fig. 2.4L-620
Engine Oiling Engine Oiling 2.4L [EDZ]	Fig. 2.4L-710
Manifolds Manifolds, Intake and Exhaust 2.4L [EDZ]	Fig. 2.4L-810
Crankcase Ventilation Crankcase Ventilation 2.4L [EDZ]	Fig. 2.4L-910

I.D. Location 2.4L [EDZ] Figure 2.4L-110

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Engine ID	is located on	the left	bank at th	e rear of th	ne block ju	st below th	e head.		
1									LABEL, Engine Identification,
									ENGINE IDENTIFICATION
									NUMBER IS LOCATED ON THE
									LEFT REAR OF THE CYLINDER
									BLOCK BEHIND THE STARTER
									***, (NOT SERVICED) (Not
									Serviced)
-									
-									



DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE L = Base/SE


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) H = LX, Sport P = LXI, ES S = Limited E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

ENGINE IDENTIFICATION LOCATION

Cylinder Head 2.4L [EDZ] Figure 2.4L-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; S	Sales Codes								
EDZ] =	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
-1	4773 717AD-	1				EDZ			GASKET PACKAGE, Engine
-2	5083 919AA-	1				EDZ			GASKET PACKAGE, Engine Uppe
3	4781 492AB	1				EDZ			COVER, Cylinder Head
4	4781 639AB	1				EDZ			GASKET, Valve Cover
5	4621 851	4				EDZ			SEAL, Spark Plug Tube
6	4621 850AB	8				EDZ			ISOLATOR, Cylinder Head Cover,
									Grommet And Bolt
7	4648 831AA	1				EDZ			CAP, Oil Filler
8	4777 086	2				EDZ			SEAL, Camshaft
9	4667 088AC	1				EDZ			HEAD, Cylinder
10	4884 443AB	1				EDZ			GASKET, Cylinder Head
11	4556 020	2				EDZ			PLUG, Core, 1.25 Diameter
12	6504 033	10				EDZ			BOLT, Cylinder Head
13	6504 170	2				EDZ			STUD, M8x1.25x44.80
14	6100 918	18				EDZ			BOLT, Hex Flange Head, M6x1.
									00x35
15	6101 527	6				EDZ			SCREW, Hex Flange Head, M8x1.
									25x40
16	4667 731	1				EDZ			PLUG, Camshaft
17	4556 018	1				EDZ			PLUG, Cylinder Block Oil Hole
-18	4694 535AB-	1				EDZ			ISOLATOR, Cylinder Head Cover,
									Grommet And Stud

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Cylinder Block 2.4L [EDZ] Figure 2.4L-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	ales Code								
[EDZ] = 2	.4L 4 Cylinder	DOHC	16V SMP	Engine					
-1	4773 717AD-	1				EDZ			GASKET PACKAGE, Engine
-2	5083 919AA-	1				EDZ			GASKET PACKAGE, Engine Upper
3	5080 524AA	1				EDZ			BLOCK, Short, Contains: Block, Bed
									Plate, Crank, Rods, Pistons, Rings,
									Balance Shafts, Oil Pump, Oil Pan
4	4448 856	2				EDZ			DOWEL, Block To Cylinder Head
5	6036 020AA	6				EDZ			PLUG, Pipe
6	5240 849	2				EDZ			DOWEL, Block To Clutch Housing
7	4694 106	2				EDZ			DOWEL, Engine Block To Bedplate
8	6503 387	10				EDZ			BOLT, Main Bearing Cap
9	6504 257	3	C, D						BOLT, Hex Head, M8x1.25x70
10	4621 939AB	1				EDZ			SEAL, Rear Main Crankshaft
11	4556 020	2				EDZ			PLUG, Core, 1.25 Diameter
-12	6034 804	4				EDZ			PLUG, Core, 1.39 Diameter
13	6503 096	1				EDZ			O RING, Engine Block Heater
14	4557 686	1				EDZ			HEATER, Engine Block
15	4686 948AA	1				EDZ			CORD, Engine Block Heater
16	4556 018	1				EDZ			PLUG, Cylinder Block Oil Hole
-17	4663 942	1				EDZ			PLUG, Core, 1.50 Diameter

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

W W
3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
[EDZ] = 2	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
1	4557 686AB	1				EDZ			HEATER, Engine Block, Cylinder
									Block
-2	6503 096	1				EDZ			O RING, Engine Block Heater
3	4686 948AA	1				EDZ			CORD, Engine Block Heater
-4	4641 780	1				EDZ			STRAP, Tie
DODGE - CI	HRYSLER MINIVA	N (RS) —							
SERIES L = Base/SE	LINE			DY = 113 WB	ENGINE	E D0 = 2 41 4 4	רעו די	TRANSM	
H = LX, Spc	ort $D = Dod$	ysler(AWI lge(AWD)	53	= 113 WB = 119 WB	EGA =	D0 = 2.4L 4 (3.3L 6 Cyl.	[DGL = 4	spd. Auto. (31TH) spd. Auto. (41TE)
P = LXI, ES S = Limited	Y = Chry	ysler(FWI ge(FWD)	D)		EGH, E	G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. [DG0 = All	Automatic Transm
S = Limited E = EC	K = D00	ge(FWD)			LGIVI =	J.JL U CYI. F	ı V		

Crankshaft and Pistons 2.4L[EDZ] Figure 2.4L-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
[DGC] =	3 Speed Auton	natic Tra	ansmissior	1					
[DGL] =	41TE/41AE 4 S	Speed A	utomatic T	ransmissio	n				
[EDZ] =	2.4L 4 Cylinder	r DOHC	16V SMF	PI Engine					
[EGA] =	3.3L V6 SMPI	Engine							
[EGH] =	3.81 V6 SMPI E	Engine							
[EGM] =	3.3L V6 SMPI	Flex Fu	el Engine						
1	5012 588AA	AR				EDZ			BEARING KIT, Connecting Rod,
									Standard
2	5012 589AA	AR				EDZ			BEARING KIT, Connecting Rod, .025
									mm U/S
3	5012 590AA	AR				EDZ			BEARING KIT, Connecting Rod, .25
									mm U/S
4	5012 585AB	1				EDZ			BEARING KIT, Crankshaft Thrust,
									Std
5	5012 586AB	1				EDZ			BEARING KIT, Crankshaft Thrust,
									.025mm Undersize
6	5012 587AB	1				EDZ			BEARING KIT, Crankshaft Thrust,
									.25mm Undersize
7	5012 582AA	1				EDZ			BEARING KIT, Crankshaft, Standard
8	5012 583AA	AR				EDZ			BEARING KIT, Crankshaft, .025mm
									Undersize
9	5012 584AA	AR				EDZ			BEARING KIT, Crankshaft, .25mm
									Undersize
10	4621 917	1				EDZ			CRANKSHAFT
11	6035 473	1				EDZ			KEY, Crankshaft Sprocket
12	4621 939AB	1				EDZ			SEAL, Rear Main Crankshaft
13	6503 465	8					DGC,		BOLT, Drive Plate and Flywheel
							DGL		
14	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.20
15	4567 143	1				EDZ			PLATE, Drive Plate
16	5018 956AB	1				EDZ			CONVERTER PACKAGE, Torque
17	4471 933	1					DGC,		PLATE, Drive Plate Backing
							DGL		
18	5073 524AA	1				EDZ			PISTON RING SET, COMPLETE
									ENGINE, STD.
19	5066 565AA	4				EDZ			PISTON PIN AND ROD
20	6503 116	8				EDZ			BOLT, Connecting Rod

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Camshaft and Valves 2.4L [EDZ] Figure 2.4L-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
[EDZ] = 2	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
1	4777 898AA	8				EDZ			VALVE, Exhaust, Standard
-2	4777 899AA-	AR				EDZ			VALVE, Exhaust, .015" O/S
3	4667 969AB	8				EDZ			VALVE, Intake, Standard
-4	4667 970AB-	8				EDZ			VALVE, Intake, .015" O/S
5	4781 678AA	1				EDZ			CAMSHAFT, Intake
6	4781 679AA	1				EDZ			CAMSHAFT, Exhaust
7	4777 086	2				EDZ			SEAL, Camshaft
8	4667 731	1				EDZ			PLUG, Camshaft
9	4777 050AC	32				EDZ			LOCK, Valve Spring Retainer
10	4648 682AB	16				EDZ			RETAINER, Valve Spring
11	4621 530	16				EDZ			SPRING, Valve
12	4648 619	16				EDZ			SEAL, Valve Guide
13	4667 411	AR				EDZ			GUIDE, Intake/Exhaust Valve, 7mm
									Oversize
14	4884 042AA	16				EDZ			ROCKER ARM, Valve Roller
15	4777 976AA	16				EDZ			ADJUSTER, Valve Lash
16	6100 997	1				EDZ			PIN, Dowel
17	5269 547	1				EDZ			CAM MAGNET, Target
18	4884 111AA	1				EDZ			SEAL, Camshaft Sensor
19	6503 688	1				EDZ			BOLT, Hex Flange Head, M6x1. 00x40
-20	6101 331	1				EDZ			BOLT, M6x1.00x20, Camshaft

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


SERIES L = Base/SE H = LX, Sport P = LXI, ES S = Limited

E = EC

LINE
C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Timing Belt and Cover 2.4L [EDZ] Figure 2.4L-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: S	Sales Code								
EDZ1 =	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
1	4781 592AB	1				EDZ			COVER, Timing Belt, Outer upper
2	4621 592AC	1				EDZ			COVER, Timing Belt, Outer lower
3	6035 957AA	2				EDZ			SCREW
4	4694 318AE	1				EDZ			COVER, Timing Belt, Inner
5	4621 844	1				EDZ			BELT, Timing
6	4667 609	2				EDZ			GEAR, Camshaft
-7	6100 997	1				EDZ			PIN, Dowel
8	5010 371AA	1				EDZ			TENSIONER PACKAGE, Belt
9	6501 405	2				EDZ			BOLT, Hex Head, M12x1.50x52
10	6503 438	2				EDZ			WASHER, Flared, 13x35.00x4.70
11	4781 569AA	1				EDZ			PULLEY, Idler
12	4694 268	1				EDZ			DAMPER, Engine Vibration
13	6503 553	1				EDZ			BOLT, Hex Flange Head, M12x1.
									75x87.50
14	6035 473	1				EDZ			KEY, Crankshaft Sprocket
15									BOLT AND WASHER, Hex Head,
									M10x1.50x62, (NOT SERVICED
									(Not Serviced)
16	4621 918	1				EDZ			GEAR, Crankshaft

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Balance Shafts 2.4L [EDZ] Figure 2.4L-620



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; S	Sales Codes								
[DGC] =	3 Speed Autor	natic Tr	ansmissior	า					
[EDZ] =	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
1	4621 996	1				EDZ			CHAIN, Balance
2	4621 519AC	1				EDZ			CARRIER, Balance Shaft
3	4323 043	1				EDZ			COVER, Balance Shaft Carrier
4	4621 517	1				EDZ			SHAFT, Balance
5	4621 518	1				EDZ			SHAFT, Balance
6	4621 952	1				EDZ			GEAR, Balance Shaft Driver
7	4621 951	1				EDZ			GEAR, Balance Shaft Driven
8	4323 039	1				EDZ			COVER, Balance Shaft Gear
9	4343 662	1				EDZ			TENSIONER, Chain
10	4323 041AD	1				EDZ			TROUGH, Carrier Cover
11	4343 660	1				EDZ			GUIDE, Balance Shaft Chain
12	4483 485	1				EDZ			GEAR, Balance Shaft
13	6505 188AA	1				EDZ			STUD, M6x1.00x40.00
14									KEY, Crankshaft Sprocket
	6035 473	1				EDZ			
	6500 150	2				EDZ			Balance Shaft
15	6100 047	1				EDZ			NUT AND WASHER, Hex Nut-Con
									Washer, M6 x 1.00
16	6501 404	2				EDZ			SCREW AND WASHER, Hex Head
									M8x1.25x25
17	6100 279	1				EDZ			SCREW AND WASHER, Hex Head
									M6x1x35
18	6501 714	1					DGC		SCREW AND WASHER, Hex Head
									M6x1x18
19	4621 541	1				EDZ			GEAR, Crankshaft
20	6100 271	2				EDZ			BOLT AND CONED WASHER, He
									Head, M6x45x12.5
21	6503 389	2				EDZ			BOLT, Hex Flange Head, M10x1.
									50x108
22	6504 878AA	2				EDZ			BOLT


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Engine Oiling 2.4L [EDZ] Figure 2.4L-710



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
	2.4L 4 Cylinder	DOHC	16\/ SMP	I Engine					
1	4781 454AA	1	TOV CIVII	Linginie		EDZ			PUMP, Engine Oil
2	6506 214AA	1				EDZ			PLUG, Oil Drain
3	4694 525AB	1				EDZ			PAN, Engine Oil
4	6101 451	13				EDZ			SCREW AND WASHER, Hex Hea
7	0101 431	13				LUZ			M6x1x25
5	4781 491AA	1				EDZ			TUBE, Engine Oil Indicator
6	4781 490AA	1				EDZ			INDICATOR, Engine Oil Level
7	4621 579	<u>'</u> 1				EDZ			GASKET, Oil Pan
8	6505 388AA	5				EDZ			SCREW, Flange Head, M6x1x18
9	4792 304	1				EDZ			TUBE, Oil Pickup
10	6032 920	1				EDZ			SEAL, Oil Pick Up Tube
11	6500 070	<u>'</u> 1				EDZ			SCREW AND WASHER, Hex Hea
• • •	0000 070	•				LDZ			M8x1.25x25
12	4105 409	1				EDZ			FILTER, Engine Oil
-13	4694 119	1				EDZ			CONNECTOR, Oil Filter Adapter
14	0618 621	1				EDZ			CAP, Oil Pressure Relief Valve
15	4777 062	1				EDZ			GASKET, Oil Pump Relief Valve
16	1737 744	1				EDZ			SPRING, Oil Pressure Relief Valve
17	2843 208	1				EDZ			PLUNGER, Oil Pressure Relief Va
18	4773 672	1				EDZ			ROTOR SET, Oil Pump
19	4621 523	1				EDZ			COVER, Oil Pump Back
20	4483 444AB	1				EDZ			O RING, Front Cover Oil Inlet
21	4667 198	1				EDZ			SEAL, Front Main Crankshaft
22	6504 171	1				EDZ			SCREW, Hex Flange Head, M8x1.
									25x32
23	6100 296	3				EDZ			BOLT, Hex Head
-24	6503 257	2				EDZ			BOLT, Hex Head, M8x1.25x37.50
-25	4800 019AA-	 1				EDZ	DGC		SEAL, Oil Cooler By-Pass Valve


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Manifolds, Intake and Exhaust 2.4L [EDZ] Figure 2.4L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
[EDZ] = 2	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
1	4781 278AA	1				EDZ			GASKET, Intake Manifold
2	4781 255AA	1				EDZ			GASKET, Exhaust Manifold
3	4781 276AA	1				EDZ			MANIFOLD, Intake
4	4781 253AA	1				EDZ			MANIFOLD, Exhaust
5									GASKET, Intake Manifold, Service
									With Sealer, (NOT SERVICED)
									(Not Serviced)
6	6503 131	8				EDZ			BOLT, Hex Flange Head, M8x1.
									25x30
7	6504 171	1				EDZ			SCREW, Hex Flange Head, M8x1.
									25x32
8	6101 452	1							SCREW AND WASHER, Hex Head
									M8x1.25x20
9	6101 611	1				EDZ			SCREW AND WASHER, Hex Head
									M8x1.25x25
10	6100 274	2				EDZ			BOLT AND CONED WASHER, He
									Head, M6x14x14
11	6504 170	2				EDZ			STUD, M8x1.25x44.80
12	6506 929AA	1							NUT, Hex Flange Lock, M8x1.25
13	4781 479AA	1				EDZ			PLENUM, Manifold
-14	4781 482AA-	1				EDZ			STRUT, Engine
-15	4781 275AA-	1				EDZ			STRUT, Intake Manifold
-16	4861 235AA-	1				EDZ			CONNECTOR, Manifold Vacuum
-17	4861 596AA-	1				EDZ			CONNECTOR, Manifold Vacuum
-18	6500 363	2				EDZ			NUT, Hex Flange Lock, M8x1.25,
									Intake Strut mounting

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Crankcase Ventilation 2.4L [EDZ] Figure 2.4L-910

			PART								
		ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		NOTES)-l 0 '								
			Sales Code 4L 4 Cylinder	DOHC	16\/ SMDI	I Engine					
			4781 288AA		10V SIVIFI	i Engine		EDZ			HOSE, PCV Valve To intake
		2	4777 240AC	1				EDZ			Manifold /ALVE, PCV
			6502 017	1				EDZ			CLAMP, Heater Hose
		4	4387 304	1				EDZ		١	NIPPLE, Crankcase Vent
(4)	(3)———										
	M										
9	\ \										
	(2)										
	T										
											_
		DODGE CUI	OVELED MINIVA	ıl (De)							
		L = Base/SE	RYSLER MINIVAI LINE C = Chry	vsler(AWE	BO 52	DY = 113 WB	ENGINE EDZ, EI	00 = 2.4L 4 (T Cyl.	FRANSMISS DGC, = 3 sr	SION od. Auto. (31TH)
		H = LX, Spor P = LXL FS	C = Chry D = Dod Y = Chry K = Dod	ge(AWD) sler(FWD	53	= 119 WB	EGA = 3 EGH, E	- 00 = 2.4L 4 (3.3L 6 Cyl. G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl.	DGL = 4 spo DG0 = All A	od. Auto. (31TH) d. Auto. (41TE) utomatic Transm
		S = Limited E = EC	K = Dod	ge(FWD)			EGM =	3.3L 6 Cyl. F	FFV		

Group – 3.3L6T


Engine 3.3L Six Cylinder





Group – 3.3L6T

Engine 3.3L Six Cylinder



GROUP 3.3L6T - Engine 3.3L Six Cylinder


Illustration Title	Group-Fig. No.
Engine Identification	
I.D. Location 3.3L [EGA],[EGM]	Fig. 3.3L6T-110
Cylinder Head Cylinder Head 3.3L [EGA],[EGM]	Fig. 3.3L6T-210
Cylinder Block	
Cylinder Block 3.3L [EGA],[EGM]	Fig. 3.3L6T-310
Heater Block [EGA],EGM]	Fig. 3.3L6T-320
Crankshaft, Pistion and Torque Converter Crankshaft and Pistons 3.3L [EGA],[EGM]	Fig. 3.3L6T-410
Camshafts & Valves	
Camshaft & Valves, 3.3L [EGA], [EGM]	Fig. 3.3L6T-510
Timing Chain and Cover	
Timing Chain and Cover 3.3L [EGA],[EGM]	Fig. 3.3L6T-610
Engine Oiling	
Engine Oiling 3.3L EGA-EGM Engine	Fig. 3.3L6T-710
Manifolds	
Manifolds, Intake and Exhaust 3.3L EGA-EGM Engine	Fig. 3.3L6T-810
Crankcase Ventilation	
Crankcase Ventilation 3.3L EGA-EGM Engine	Fig. 3.3L6T-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Engine ID	is leasted as	41 1-44	h a a l . a £ £la	£ th	bll:::	a4 la a l a 4la			
Engine ID	is located on	tne lett	bank at th	e rear of tr	те віоск ји	st below th	e nead		LABEL, Engine Identification,
									REFERENCE ENGINE
									IDENTIFICATION LOCATION **
									(NOT SERVICED) (Not Serviced

GENERAL INFORMATION 3.3L

ENGINE IDENTIFICATION NUMBER OR CODE

The engine identification number is located on the rear of the cylinder block just below the cylinder head.



Engine Identification 3.3 L

DODGE - CHRYSLER MINIVAN (RS) -

SERIES LINE L = Base/SE H = LX, Sport P = LXI, ES

S = Limited


E = EC

C = Chrysler(AWD)D = Dodge(AWD) Y = Chrysler(FWD) K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Cylinder Head 3.3L [EGA],[EGM] Figure 3.3L6T-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 9	Sales Code								
[EGA] =	3.3L V6 SMPI I	Engine							
[EGM] =	3.3L V6 SMPI	Flex Fu	el Engine						
-1	5019 250AA-	1				EGA,			GASKET PACKAGE, Engine Uppe
						EGM			
2	4781 019AB	1				EGA,			COVER, Cylinder Head, Right,
						EGM			Includes: Valves, Grommet, Gaske and Limiters
3	4781 235AA	1				EGA,			COVER, Cylinder Head, Left,
						EGM			Includes: Gasket and Limiters
4	4781 528AA	1				EGA,			GASKET, Cylinder Cover, 2 per
						EGM			vehicle
5	4781 447AB	8				EGA,			ISOLATOR, Cylinder Head Cover,
						EGM			Grommet And Bolt
6	4648 831AA	1				EGA,			CAP, Oil Filler
						EGM			
7									HEAD, Cylinder
	4694 686AA	2				EGA,			With EGR
						EGM			
	4694 686AB	2				EGA,			Without EGR
						EGM			
-8									BRACKET, Ignition Wire Seperator
	4686 862AA-	1				EGA,			Right
						EGM			
	4686 864AA-	1				EGA,			Left
						EGM			
9									GASKET, Cylinder Head
	4781 018AA	1				EGA,			Right
						EGM			
	4781 017AA	1				EGA,			
						EGM			
10	6504 060	16				EGA,			BOLT, Cylinder Head
						EGM			
11	4556 020	4				EGA,			PLUG, Core, 1.25 Diameter
						EGM			
12	6101 631	2				EGA,			SCREW AND WASHER, Hex Head
						EGM			M8x1.25x65, M8X1.25X65

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Cylinder Block 3.3L [EGA],[EGM] Figure 3.3L6T-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
[EGA] =	3.3L V6 SMPI	Engine							
[EGH] =	3.81 V6 SMPI E	Engine							
[EGM] =	3.3L V6 SMPI	Flex Fu	el Engine						
-1	5019 252AA-	1				EGA,			GASKET PACKAGE, Engine Lowe
						EGM			
2	5019 165AA	1				EGA,			BLOCK, Short, Contains: Crank,
						EGM			Rods, Pistons, Rings, Cam
									Bearings
3	4448 856	4				EGA,			DOWEL, Block To Cylinder Head
						EGM			
4	4556 022	8				EGA,			PLUG, Core, 1.625 Diameter,
						EGM			Cylinder Block Water Jacket Drain
									(1/4) Pipe (Not Serviced)
5	4654 389AB	1				EGA,			RETAINER, Crankshaft Rear Oil
						EGM			Seal, Includes Seal
6	4621 939AB	1				EGA,			SEAL, Rear Main Crankshaft
						EGM			
7	6102 001	5				EGA,			BOLT AND WASHER, M6x12
						EGM			
8	4621 965	1				EGA,			GASKET, Rear Oil Seal Retainer
						EGM			
9	4556 018	5				EGA,			PLUG, Cylinder Block Oil Hole
						EGM			
10	5240 849	2				EGA,			DOWEL, Block To Clutch Housing
						EGM			
-11	5203 466	2				EGA,			PIN, Dowel, Block to Crankshaft Se
						EGM			
12	4609 550	1				EGA,			HEATER, Engine Block
						EGH,			
						EGM			
13	4686 947AA	1				EGA,			CORD, Engine Block Heater
						EGH,			
						EGM			
14	4641 780	1							STRAP, Tie
15	6501 446	1				EGA,			O RING, Engine Block Heater, 1-17
						EGH,			32X9/64
						EGM			
-16	6503 201	8				EGA,			BOLT, Main Bearing Cap
						EGM			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Cylinder Block 3.3L [EGA],[EGM] Figure 3.3L6T-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-17	4556 222	2				EGA,			PLUG, Cylinder Block Oil Hole
						EGM			
-18	6036 307AA-	2				EGA,			PLUG, Cylinder Block Water Jacke
-19	6034 331	1				EGM EGA,			Drain PLUG, Hex Socket, 3/8-18NPTx.4
-18	0034 331	- 1				EGA,			High Pressure Oil Galley
						LOW			riigh i ressure oii calley
									_

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year


Heater Block [EGA],EGM] Figure 3.3L6T-320

W W
3

ITEM	PART	_							
	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE: 9	ales Code								
	3.3L V6 SMPI	Engine							
	3.8I V6 SMPI I								
	3.3L V6 SMPI		el Engine						
1	4609 550AB	1	_			EGA,			HEATER, Engine Block
						EGH,			
						EGM			
-2	6501 446	1				EGA,			O RING, Engine Block Heater
						EGH,			
0	1000 0 17 A D					EGM			0000 5 : 01 1 11 1
3	4686 947AB	1				EGA,			CORD, Engine Block Heater
						EGH, EGM			
-4	4641 780	1				LGIVI			STRAP, Tie
7	10 11 700	ı							J.100, 110
-									
DGE - CH	HRYSLER MINIVA	N (RS) —	BC	DDY	FNGINE	=		TRANSMI	SSION
RIES : Base/SE	LINE C = Chr	ysler(AWI	D) 52	DY = 113 WB	ENGINE EDZ, EI	00 = 2.4L 4	Cyl. I	TRANSMI DGC, = 3	spd. Auto. (31TH)
RIES	LINE C = Chr ort D = Doo		D) 52 53		EDZ, EI EGA = 3		Cyl. I	DGC, = 3 DGL = 4 s	

Crankshaft and Pistons 3.3L [EGA],[EGM] Figure 3.3L6T-410

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
NOTE:									
EGA= 3.	3L Engine								
EGF=3.5	L High Output	V6							
EGM= 3	.3L Flex Fuel E	ngine							
EGH=3.8	BL Engine								
1	4897 772AA	6				EGA,			PISTON PIN AND ROD
						EGM			
2	4897 033AA	1				EGA,			PISTON RING SET, COMPLETE
						EGM			ENGINE, STD.
3	5012 056AA	AR				EGA,			BEARING PACKAGE, Connecting
						EGM			Rod, Standard
-4	5012 057AA-	AR				EGA,			BEARING PACKAGE, Connecting
						EGM			Rod, .025mm Undersize
-5	5012 058AA-	AR				EGA,			BEARING PACKAGE, Connecting
						EGM			Rod, .25mm Undersize
6	5012 053AA	1				EGA,			BEARING PACKAGE, Crankshaft,
						EGM			Standard
-7	5012 054AA-	1				EGA,			BEARING PACKAGE, Crankshaft,
						EGM			.025mm Undersize
-8	5012 055AA-	1				EGA,			BEARING PACKAGE, Crankshaft,
						EGM			.25 mm Undersize
9	5017 521AA	1				EGA,			BEARING PACKAGE, Crankshaft,
						EGM			Standard
-10	5017 522AA-	1				EGA,			BEARING PACKAGE, Crankshaft,
						EGM			.025mm Undersize
-11	5017 523AA-	1				EGA,			BEARING PACKAGE, Crankshaft,
						EGM			.25 mm Undersize
12	4621 983AB	1				EGA,			CRANKSHAFT
						EGM			
13	6502 976	1				EGA,			SCREW, Hex Flange Head, M10x1
						EGM			5x61
14	6504 776	1				EGA,			WASHER
• •	0001770	•				EGM			W. C. I.E. C
15	4448 886	1				EGA,			DAMPER, Crankshaft
.0	7.10 000					EGM			The Lity Gramonan
16	6036 159AA	12				EGA,			NUT, Hex, .375-24
10	5000 100AA	14				EGM,			1101, 1100, 1070 27
17	6503 201	8				EGA,			BOLT, Main Bearing Cap
17	0000 201	O				EGA, EGM			BOLT, Main Beating Cap
						LOW			


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Crankshaft and Pistons 3.3L [EGA],[EGM] Figure 3.3L6T-410



PART								
NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-							_
5019 480AA	1				EGA,			CONVERTER PACKAGE, Torque
					EGF,			
					EGH,			
					EGM			
4471 933	1					DGC,		PLATE, Drive Plate Backing
						DGL		
6503 465	8					DGC,		BOLT, Drive Plate and Flywheel
						DGL		
4736 190	1				EGA,			PLATE, Drive Plate
					EGH,			
					EGM			
6504 383	4							BOLT, Hex Head, M10x1.50 x 13.20
4654 389AB-	1				EGA,			RETAINER, Crankshaft Rear Oil
					EGM			Seal
4621 939AB-	1				EGA,			SEAL, Rear Main Crankshaft
					EGM			
	NUMBER 5019 480AA 4471 933 6503 465 4736 190 6504 383 4654 389AB-	NUMBER QTY 5019 480AA 1 4471 933 1 6503 465 8 4736 190 1 6504 383 4 4654 389AB- 1	NUMBER QTY LINE 5019 480AA 1 4471 933 1 6503 465 8 4736 190 1 6504 383 4 4654 389AB- 1	NUMBER QTY LINE SERIES 5019 480AA 1 4471 933 1 6503 465 8 4736 190 1 6504 383 4 4654 389AB- 1	NUMBER QTY LINE SERIES BODY 5019 480AA 1 4471 933 1 6503 465 8 4736 190 1 6504 383 4 4654 389AB- 1	NUMBER QTY LINE SERIES BODY ENGINE 5019 480AA 1 EGA, EGF, EGH, EGH, EGM 4471 933 1 EGA, <	NUMBER QTY LINE SERIES BODY ENGINE TRANS 5019 480AA 1 EGA, EGA, EGF, EGH, EGH, EGH, EGH, EGM DGC, DGC,	NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM 5019 480AA 1 EGA, EGA, EGF, EGH, EGH, EGH, EGM EGM EGM EGM EGM EGM EGM EGM EGA, E

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Camshaft & Valves, 3.3L [EGA], [EGM] Figure 3.3L6T-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 9	Sales Code								
EGA] =	3.3L V6 SMPI	Engine							
[EGH] =	3.8L V6 SMPI	Engine							
[EGM] =	3.3L V6 SMPI	Flex Fu	el Engine						
1	4781 182AA	6				EGA,			ROCKER ARM, Exhaust
						EGM			
2	4781 183AA	6				EGA,			ROCKER ARM, Intake
						EGM			
3	4781 523AA	12				EGA,			THRUST WASHER, Rocker Arm
						EGM			
4	4781 184AA	2				EGA,			SHAFT, Rocker Arm
						EGM			
5									BOLT
	6506 521AA	12				EGA,			[M8X1.25X41.0]
						EGM			
	6506 522AA	2				EGA,			[M8X1.25X55.0]
						EGM			
6									RETAINER, Valve Rocker Shaft
	4781 185AA	6				EGA,			Intake & Exhaust
						EGM			
	4781 186AA	4				EGA,			Cylinder
						EGM			
	4781 187AA	4				EGA,			Shaft End
_	4704 00044					EGM			1004.44.1.0.1.0.1.
7	4781 030AA	24				EGA,			LOCK, Valve Spring Retainer
	4704 0004 4	40				EGM			DETAINED VI. O :
8	4781 090AA	12				EGA,			RETAINER, Valve Spring
0	4704 500 4 4	40				EGM			ODDING Value
9	4781 588AA	12				EGA,			SPRING, Valve
40	4704 070 A D	40				EGM			CEAL Value Cuide
10	4781 072AB	12				EGA,			SEAL, Valve Guide
44	4704 005 4 4	0				EGM			VALVE Intoles Chanderd
11	4781 025AA	6				EGA,			VALVE, Intake, Standard
40	4704 000 4 4	0				EGM			VALVE Exhaust Chandard
12	4781 029AA	6				EGA,			VALVE, Exhaust, Standard
10	6500 126	2				EGM			SCREW AND WASHED Hay Hand
13	6500 136	2				EGA,			SCREW AND WASHER, Hex Head
						EGH,			M6x1x14
1.1	4621 029	12				EGM EGA			TARRET Valvo
14	4621 938	12				EGA,			TAPPET, Valve
						EGM			

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SE H = LX, Sport P = LXI, ES

S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)


K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Camshaft & Valves, 3.3L [EGA], [EGM] Figure 3.3L6T-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4448 078	6				EGA,			YOKE, Tappet Aligning
						EGM			
16	4781 013AA	1				EGA,			CAMSHAFT, Engine
						EGM			
17	4781 509AA	12				EGA,			SEAT, Valve Spring
						EGM			
18	4781 024AA	12				EGA,			PUSH ROD, Valve
						EGM			
19	4448 933	1				EGA,			RETAINER, Tappet Yoke Aligning
						EGM			
20	4694 337	1				EGA,			PLUG, Camshaft
						EGM			
21									BEARING, Camshaft, Serviced in
									Short Engine, (NOT SERVICED)
									(Not Serviced)
22									GUIDE, Intake/Exhaust Valve,
									Standard Size, Serviced in Cylin
									Head, (NOT SERVICED) (Not
									Serviced)
23									SEAT, Exhaust Valve, Serviced in
									Cylinder Head, (NOT SERVICEI
									(Not Serviced)
24									SEAT, Intake Valve, Serviced in
									Cylinder Head, (NOT SERVICE
									(Not Serviced)

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SE H = LX, Sport P = LXI, ES

S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)


K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Timing Chain and Cover 3.3L [EGA],[EGM] Figure 3.3L6T-610



NOTE: 9	Sales Codes						
	41TE 4 Speed	Automa	tic Transm	niesion			
-	3.3L V6 SMPI E		illo Transii	11331011			
	3.3L V6 SMPI	•	el Engine				
-1	5019 333AA-	1	ogo		EGA,		COVER PACKAGE, Engine Timing
					EGM		,
-2	6101 614	3			EGA,		SCREW AND WASHER, Hex Head
					EGM		M8x1.25x45
3	4740 275	1			EGA,		CHAIN PACKAGE, Timing
					EGM		
4	6101 062	1			EGA,		SCREW AND WASHER, Hex Head
					EGM		M10x1.5x40
5	4778 707	1			EGA,		SPROCKET PACKAGE, Camshaft
					EGM		
-6	6100 902	1	K, Y		EGA,	DGL	DOWEL, M6x14
					EGM		
7	6102 001	2			EGA,		BOLT AND WASHER, M6x12
					EGM		
8	4621 623	1			EGA,		PLATE, Camshaft Thrust
					EGM		
9	4448 557	1			EGA,		DOWEL, Crankshaft Sprocket
					EGM		
10	6102 001	3			EGA,		BOLT AND WASHER, M6x12
	4440 454				EGM		0515 0 11 6
11	4448 154	1			EGA,		GEAR, Crankshaft
40	4070 075	4			EGM		OFAL Frank Main One whole of
12	4273 275	1			EGA,		SEAL, Front Main Crankshaft
10	4624 007	4			EGM		CASKET Chair Coss Cover
13	4621 987	1			EGA, EGM		GASKET, Chain Case Cover

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Engine Oiling 3.3L EGA-EGM Engine Figure 3.3L6T-710



ITEM	PART	OTY	1 1615	eeniee	BODY	ENCINE	TDANG	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE (
	Sales Codes								
	3.3L Engine								
	3.8L Engine								
-	3.3L Flex Fuel	_				FC 4			FILTED Engine Oil
1	5281 090	1				EGA, EGM			FILTER, Engine Oil
2	4704 462AA	4							ADADTED Oil Filtor
2	4781 163AA	1				EGA, EGM			ADAPTER, Oil Filter
-3	4781 166AA-	1				EGN EGA,			GASKET, Oil Filter Adapter
-3	4701 100AA-	'				EGM,			GASKET, Oil Filter Adapter
4	6504 018	1				EGN EGA,			PLUG, Oil Drain
7	0304 010	'				EGM,			1 EOG, Oli Bialli
5	4483 733AB	1				EGA,			PAN, Engine Oil
	++00 700/tB					EGM			17tt, Eligilio Oli
6	5241 062	1				EGA,			GASKET PACKAGE, Engine Oil Pa
Ū	0211 002	•				EGM			Sherica to the state of the sta
7	6501 979	2				LOW			SCREW AND WASHER, Hex Head
•	0001 070								M6x1x17
-8	6500 274	2				EGA,			LOCK NUT, M6x1.0x6
_						EGM			,
9	4694 325	1				EGA,			INDICATOR, Engine Oil Level
						EGM			· •
10	4694 326AB	1				EGA,			TUBE, Oil Filler
						EGM			
11	6101 452	1				EGA,			SCREW AND WASHER, Hex Head
						EGM			M8x1.25x20
12	4448 895	1				EGA,			PICKUP, Engine Oil
						EGM			
13	6101 611	2				EGA,			SCREW AND WASHER, Hex Head
						EGM			M8x1.25x25
14	6032 920	1				EGA,			SEAL, Oil Pick Up Tube
						EGM			
15	4483 603AB	1				EGA,			COVER, Engine Oil Pump
						EGM			
16	4728 396	1				EGA,			ROTOR SET, Oil Pump
						EGM			
17	6505 388AA	5				EGA,			SCREW, Flange Head, M6x1x18
						EGM			
18	2806 273	1				EGA,			CAP, Oil Pressure Relief Valve
						EGM			


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Engine Oiling 3.3L EGA-EGM Engine Figure 3.3L6T-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	2402 473	1				EGA,			SPRING, Oil Pressure Relief Valve
						EGM			
20	2843 208	1				EGA,			PLUNGER, Oil Pressure Relief Valve
						EGM			
21	4694 338AC	1				EGA,			COOLER, Engine Oil
						EGH,			
						EGM			
-22	5093 807AA-	1				EGA,			GASKET, Engine Oil Cooler
						EGH,			
						EGM			
23	5019 333AA	1				EGA,			COVER PACKAGE, Engine Timing
						EGM			
24	4667 301	1				EGA,			CONNECTOR, Oil Filter Adapter
						EGM			
-25	4387 822	1				EGA,			FITTING, Engine Oil Cooler
						EGH,			
						EGM			

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Manifolds, Intake and Exhaust 3.3L EGA-EGM Engine **Figure 3.3L6T-810**



Manifolds, Intake and Exhaust 3.3L EGA-EGM Engine Figure 3.3L6T-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q	LINE	OLIVIEO	5051	LIVOINE	IIIAIIO	1111111	DESCRIPTION
16	4781 040AA	2				EGA,			GASKET, Crossover Pipe
						EGM			
17	6507 068AA	4				EGA,			SCREW AND WASHER, Hex Head,
						EGM			M10x1.5x45, Crossover to Manifold
18	6507 078AA	4				EGA,			NUT, M10x1.50
						EGM			
19	4781 038AA	1				EGA,			MANIFOLD, Exhaust, Right
						EGM			
20	4781 041AA	1				EGA,			MANIFOLD, Exhaust, Left
						EGM			
21	6506 775AA	12				EGA,			BOLT, Hex Flange Head, M8x1.
						EGM			25x30, Exhaust Manifold to Cylinder Head
22	4781 170AA	1				EGA,			SHIELD, Exhaust Manifold, Upper
						EGM			Right
23	4781 343AA	1				EGA,			SHIELD, Exhaust Manifold, Lower
						EGM			Right
24	4781 171AA	1				EGA,			SHIELD, Exhaust Manifold, Left
						EGM			
-25	4781 583AA-	1				EGA,			PAD
						EGM			
26	6102 001	2				EGA,			BOLT AND WASHER, M6x12, Lower
						EGM			Intake Gasket to Block
-27	6035 854	1				EGA,			FITTING, Y-Style
						EGM			
28	6506 843AA	8				EGA,			SCREW AND WASHER, Hex Flange
						EGM			Head, M8x1.25x70, Lower Intake to
									Cylinder Head
29	3420 1358	1				EGA,			NUT AND WASHER, Hex Nut-
						EGM			Sealing Washer, M6 x 1.00, Left Heat Shield to Manifold
30	6100 561	3				EGA,			SCREW, Shield to Right Exhaust
						EGM			, , , , , , , , , , , , , , , , , , , ,
31	6507 069AA	1				EGA,			SCREW AND WASHER, Hex Head,
						EGM			M6x1x15, Exhaust Manifold to
									Right Shield
32	6501 400	1				EGA,			SCREW, Flange Head, M10x1.5x65,
						EGM			Left Heat Shield to Manifold

H = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Crankcase Ventilation 3.3L EGA-EGM Engine Figure 3.3L6T-910





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
	3L Engine								
	.8L V6 SMP								
	.3L Flex Fue					FC 4			VALVE DOV
1	4694 335A	B 1				EGA, EGM			VALVE, PCV
2	4781 252A	A 1				EGM EGA,			HOSE, PCV Valve To intake
۷	4701 2027	^ I				EGM,			Manifold
3	4781 264A	B 1				EGA,			HOSE, Crankcase Vent
						EGH,			,
						EGM			
ODGE - CH	RYSLER MINI	VAN (RS) —							
SERIES . = Base/SE	LINE	hrysler(AW		DDY = 113 WB	ENGINE EDZ FI	≣ D0 = 2.4L 4 (TRANSM	ISSION spd. Auto. (31TH)
H = LX, Spo	ort $D = D$	odge(AWD) 53	= 113 WB = 119 WB	EGA =	3.3L 6 Cyl.	-	DGL = 4	spd. Auto. (41TE)
P = LXI, ES S = Limited	Y = C	hrysler(FW) odge(FWD)	D)		EGH, E	G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl.	DG0 = Al	I Automatic Transm
= Limited = EC	N = L	ouge(FWD)	'		EGIVI =	J.JL O CYI. F	i_ A		

E = EC

Group – 3.8L


Engine 3.8L Six Cylinder





Group – 3.8L

Engine 3.8L Six Cylinder




GROUP 3.8L - Engine 3.8L Six Cylinder


Illustration Title	Group-Fig. No.
Engine Identification I.D. Location 3.8L EGH Engine	Fig. 3.8L-110
Cylinder Head Cylinder Head 3.8L EGH Engine	Fig. 3.8L-210
Cylinder Block Cylinder Block 3.8L [EGH] Heater Block [EGH]	Fig. 3.8L-310 Fig. 3.8L-320
Crankshaft, Piston and Torque Converter Crankshaft and Pistons 3.8L EGH Engine	Fig. 3.8L-410
Camshafts & Valves Camshaft and Valves 3.8L EGH Engine	Fig. 3.8L-510
Timing Chain and Cover Timing Chain and Cover 3.8L [EGH]	Fig. 3.8L-610
Engine Oiling Engine Oiling 3.8L[EGH]	Fig. 3.8L-710
Manifolds Manifolds, Intake and Exhaust 3.8L [EGH]	Fig. 3.8L-810
Crankcase Ventilation Crankcase Ventilation 3.8L [EGH]	Fig. 3.8L-910

I.D. Location 3.8L EGH Engine Figure 3.8L-110

1754	PART	OTY	LINE	050150	DODY	ENGINE	TDANO	TDIM	DECORIDEION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Engine ID	is located on	the left h	hank at th	ne rear of th	ne block iu	st below the	e head		
1	10 1000100 011	tilo lott k	barne at tri	10 1001 01 11	io biook ju	or bolow the	o noda		LABEL, Engine Identification, (NC
									SERVICED) (Not Serviced)
DODGE - CHR	YSLER MINIVA	N (RS)							
SERIES L = Base/SE	LINE	ysler(AWD	BO 52	DY = 113 WB	ENGINE EDZ. EI	≣ D0 = 2.4L 4 0	T Cvl. r	ransm DGC. = 3	ISSION spd. Auto. (31TH)
H = LX, Sport	D = Dod	lge(AWD) ysler(FWD)	53	= 119 WB	EGA =	3.3L 6 Cyl. G0 = 3.8L 6	[OGL = 4	spd. Auto. (41TE)
P = LXI, ES	V _ Ch.	CIDELLIVII				(2() = 2 0) 6 7	י ועין	<u> </u>	Automatic Transm



Cylinder Head 3.8L EGH Engine Figure 3.8L-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: E	EGH= 3.8L Eng	ine							
-1	5019 251AA-	1				EGH			GASKET PACKAGE, Engine Upper
2	4781 019AB	1				EGH			COVER, Cylinder Head, Right
3	4781 235AA	1				EGH			COVER, Cylinder Head, Left
4	4781 528AA	1				EGH			GASKET, Cylinder Cover
5	4781 447AB	8				EGH			LIMITER, Compression, Cylinder
									Head Cover
6	4648 831AA	1				EGH			CAP, Oil Filler
7									HEAD, Cylinder
	4694 686AA	2				EGH			With EGR
	4694 686AB	2				EGH			Without EGR
8									GASKET, Cylinder Head
	4781 148AA	1				EGH			Right
	4781 149AA	1				EGH			Left
9	6504 060	16				EGH			BOLT, Cylinder Head
10	4686 864AA	1				EGH			BRACKET, Ignition Wire Seperator
11	4686 862AA	1				EGH			BRACKET, Ignition Wire Seperator
12	4556 020	4				EGH			PLUG, Core, 1.25 Diameter

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Cylinder Block 3.8L [EGH] Figure 3.8L-310

11) 4) (12) (12)

		1 1 4	LINE	SERIES	BODY	EGH	TRANS	TRIM	DESCRIPTION GASKET PACKAGE, Engine Lower
[EGH] = 3.8L -1 50	L V6 SMPI E 019 252AA- 019 168AA 148 856	1 1 4				EGH			GASKET PACKAGE, Engine Lower
[EGH] = 3.8L -1 50	L V6 SMPI E 019 252AA- 019 168AA 148 856	1 1 4				EGH			GASKET PACKAGE, Engine Lower
-1 50)19 252AA-)19 168AA 48 856	1 1 4				EGH			GASKET PACKAGE, Engine Lower
)19 168AA 48 856	1 4				EGH			GASKET PACKAGE, Engine Lower
2 50	148 856	4							
						EGH			BLOCK, Short
3 44	556 022					EGH			DOWEL, Block To Cylinder Head
4 45		8				EGH			PLUG, Core, 1.625 Diameter
5 46	54 389AB	1				EGH			RETAINER, Crankshaft Rear Oil
									Seal, Includes rear seal
-6 46	621 939AB-	1				EGH			SEAL, Rear Main Crankshaft
7 61	02 001	3				EGH			BOLT AND WASHER, M6x12
8 46	821 965	1				EGH			GASKET, Rear Oil Seal Retainer
9 45	556 018	5				EGH			PLUG, Cylinder Block Oil Hole
10 52	240 849	2				EGH			DOWEL, Block To Clutch Housing
11 52	203 466	2				EGH			PIN, Dowel
12 65	503 201	8				EGH			BOLT, Main Bearing Cap
-13 65	506 167AA-	4				EGH			BOLT, Bearing Cap

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

W W

ГЕМ		<u>^</u>		655,50	DODY.	ENGINE	TD 4410	TD	DEGODISTICAL
	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
TE: Sa	ales Code								
	3.3L V6 SMPI I	Engine							
	3.81 V6 SMPI E								
	B.3L V6 SMPI		el Engine						
1	4609 550AB	1				EGA,			HEATER, Engine Block
						EGH, EGM			
-2	6501 446	1				EGA,			O RING, Engine Block Heater
						EGH,			
						EGM			
3	4686 947AB	1				EGA,			CORD, Engine Block Heater
						EGH,			
-4	4641 780	1				EGM			STRAP, Tie
-4	4041 700	ļ							STICAL, TIE
GE - CH	RYSLER MINIVAI	N (RS) —							
ES	LINE			DY	ENGINE	=	·	TRANSM	ISSION
ase/SE	C = Chr	sler(AWI	D) 52	= 113 WB = 119 WB	⊧DZ, El	D0 = 2.4L 4 (3.3L 6 Cvl.	Cyl.	DGC, = 3	spd. Auto. (31TH) spd. Auto. (41TE)

H = LX, Sport P = LXI, ES S = Limited

E = EC


D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

53 = 119 WB

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Crankshaft and Pistons 3.8L EGH Engine **Figure 3.8L-410**




S = Limited

E = EC

EGM = 3.3L 6 Cyl. FFV

K = Dodge(FWD)

Crankshaft and Pistons 3.8L EGH Engine Figure 3.8L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	4736 190	1				EGA,			PLATE, Drive Plate
						EGH,			
						EGM			
21	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.20
-22	4654 389AB-	1				EGH			RETAINER, Crankshaft Rear Oil
									Seal
-23	4621 939AB-	1				EGH			SEAL, Rear Main Crankshaft
-24	5222 629	1				EGA,			SEAL, Torque Converter Hub
						EGF,			
						EGH,			
						EGM			
	_								

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Camshaft and Valves 3.8L EGH Engine Figure 3.8L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•							•	
NOTE:									
EGA = 3.3	3L V6 SMPI E	ngine							
EGF = 3.5	5L High Outpu	t V6 En	igine						
EGH= 3.8	BL Engine								
EGM = 3.	3L V6 SMPI E	ngine							
1	4781 182AA	6				EGH			ROCKER ARM, Exhaust
2	4781 183AA	6				EGH			ROCKER ARM, Intake
-3	4781 523AA-	12				EGH			THRUST WASHER, Rocker Arm
4	4781 184AA	2				EGH			SHAFT, Rocker Arm
5	6506 521AA	12				EGH			BOLT
6	4781 185AA	6				EGH			RETAINER, Valve Rocker Shaft
7	4781 030AA	24				EGH			LOCK, Valve Spring Retainer
8	4781 090AA	12				EGH			RETAINER, Valve Spring
9	4781 588AA	12				EGH			SPRING, Valve
10	4781 072AB	12				EGH			SEAL, Valve Guide
11	4781 025AA	6				EGH			VALVE, Intake, Standard
12	4781 029AA	6				EGH			VALVE, Exhaust, Standard
13	6500 136	2				EGA,			SCREW AND WASHER, Hex Head
						EGH,			M6x1x14
						EGM			
14	4621 938	12				EGH			TAPPET, Valve
-15	4387 678	12				EGH			TAPPET, Valve, .001 Oversize
-16	4387 679	12				EGH			TAPPET, Valve, .008 Oversize
17	4448 078	6				EGH			YOKE, Tappet Aligning
18	4781 061AA	1				EGH			CAMSHAFT, Engine
19	4781 509AA	12				EGH			SEAT, Valve Spring
20	4781 024AA	12				EGH			PUSH ROD, Valve
21	4448 933	1				EGH			RETAINER, Tappet Yoke Aligning
22	4694 337	1				EGH			PLUG, Camshaft
23									BEARING, Camshaft, Serviced in
									Short Engine, (NOT SERVICED)
									(Not Serviced)
-24									GUIDE, Intake/Exhaust Valve,
									Standard Size, Serviced in Cylind
									Head, (NOT SERVICED) (Not
									Serviced)
-25									SEAT, Exhaust Valve, Serviced in
									Cylinder Head, (NOT SERVICED)
									(Not Serviced)
-26									SEAT, Intake Valve, Serviced in
									Cylinder Head, (NOT SERVICED
									(Not Serviced)
ODGE - CH	RYSLER MINIVAI	N (RS) —							
SERIES	LINE			DY	ENGINE			TRANSM	
_ = Base/SE H = LX, Spoi	,			= 113 WB = 119 WB		D0 = 2.4L 4 (3.3L 6 Cyl.			spd. Auto. (31TH) spd. Auto. (41TE)
P = LXI, ES	Y = Chry	sler(FWI)	- 110 110	EGH, E	G0 = 3.8L 6	Cyl. [Automatic Transm
S = Limited E = EC	K = Dod	ge(FWD)			EGM =	3.3L 6 Cyl. F	٠FV		

Timing Chain and Cover 3.8L [EGH] Figure 3.8L-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 9	Sales Code								
[DGL] =	41TE 4 Speed	Automa	atic Transn	nission					
[EGA] =	3.3L V6 SMPI	Engine							
[EGH] =	3.8L V6 SMPI	Engine							
[EGM] =	3.3L V6 SMPI	Flex Fu	el Engine						
1	5019 333AA	1				EGH			COVER PACKAGE, Engine Timing
-2	6101 614	3				EGH			SCREW AND WASHER, Hex Hea
									M8x1.25x45
3	4740 275	1				EGH			CHAIN PACKAGE, Timing
4	6101 062	1				EGH			SCREW AND WASHER, Hex Head
									M10x1.5x40
5	4778 707	1				EGH			SPROCKET PACKAGE, Camshaft
-6									DOWEL, M6x14
	6100 902	1	C, D			EGH	DGL		
		1	K, Y			EGF,	DGL		
						EGH			
7	6102 001	2				EGH			BOLT AND WASHER, M6x12
8	4621 623	1				EGH			PLATE, Camshaft Thrust
9	4448 557	1				EGH			DOWEL, Crankshaft Sprocket
10	6102 001	2				EGH			BOLT AND WASHER, M6x12
11	4448 154	1				EGH			GEAR, Crankshaft
12	4273 275	1				EGH			SEAL, Front Main Crankshaft
13	4621 987	1				EGH			GASKET, Chain Case Cover
-14	6101 326	4				EGH			BOLT, Timing Case Cover attachin

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Engine Oiling 3.8L[EGH] Figure 3.8L-710


PART



Manifolds, Intake and Exhaust 3.8L [EGH] Figure 3.8L-810

I DADT I I I I	l l	
PART	BODY ENGINE 1	TRANS TRIM DESCRIPTION
TIEM NUMBER QIT LINE SERIES	BODY ENGINE	TRANS TRIM DESCRIPTION
\bigcirc \bigcirc \bigcirc		
(12) \sim NOTE:		
Aluminum Plenum Includes: Upper Intake Manifold and		
Plastic Plenum Includes: Upper Intake Manifold and Se	eals, Throttle Body Se	eal and Attaching Nuts, EGR Tube Seal, MAP Sensor
and Screws, Throttle Control Bracket and Screws		
Sales Code		_
[EGA] = 3.3L V6 SMPI Engine		
[EGH] = 3.8L V6 SMPI Engine		
[EGM] = 3.3L V6 SMPI Flex Fuel Engine		
$\frac{1}{2}$		PLENUM, Intake Manifold, See
		Notes
4781 597AA 1	EGH	Aluminum
5083 032AA 1	EGH	Plastic - Without Emblem
	EGH	GASKET, Intake Plenum, Aluminum
	FOLL	Plenum
3 6504 968AA 3	EGH	NUT, J, Plastic Plenum, Throttle
4 4704 57044	EGH	Body Attaching
(19) (21) (19) (21) (19) (21) (19) (21) (19) (21)	ЕСП	SEAL, Throttle Body to Intake, Plastic Plenum
5 4781 580AA 6	EGH	SEAL, Intake Manifold, Plastic
<u> </u>	EGII	Plenum
6 4667 431 1	EGH	SEAL, EGR Tube, Plastic Plenum
7 6505 841AA 2	EGH	SCREW, Plastic Plenum, MAP
	2011	Sensor Attaching
8 4861 467AA 1	EGH	BRACKET, Throttle Control Cable,
		Aluminum and Plastic Plenum
9 6505 812AA 2	EGH	SCREW, Plastic Plenum, Throttle
(31) (32) (16) (16)		Control Bracket Attaching
10 6501 755 2	EGH	SCREW AND WASHER, Hex Head,
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		M6x1x16, Aluminum Plenum,
(25) (22)		Throttle Control Bracket Attaching
(25) 11 56041 018AB 1	EGH	SENSOR, Map, Aluminum and
		Plastic Plenum, Included with
9 / /		Plastic Plenum
12 6507 003AA 2	EGH	SCREW, Hex Head, M4.09 x 0.79 x
		17.78, Aluminum Plenum, MAP
		Sensor Attaching
(23) 13 4648 919AA 1 14 6505 860AA 8	EGH	EMBLEM, [3.8L V6]
14 6505 869AA 8	EGH	BOLT, Upper to Lower Intake
		Attaching
15 4781 035AA 1	EGH	MANIFOLD, Intake
30 <u>16 4781 034AA 1</u>	EGH	GASKET, Intake Manifold
- $ -$		
$(24) \qquad (28)$		
DODGE - CHRYSLER MINIVAN (RS)		
SERIES LINE BODY L = Base/SE $C = Chrysler(AWD)$ 52 = 113 WB	ENGINE EDZ, ED0 = 2.4L 4 Cyl.	TRANSMISSION . DGC, = 3 spd. Auto. (31TH)
H = LX, Sport $D = Dodge(AWD)$ 53 = 119 WB	EGA = 3.3L 6 Cyl.	DGL = 4 spd. Auto. (41TE)
P = LXI, ES $Y = Chrysler(FWD)S = Limited$ $K = Dodge(FWD)$	EGH, EG0 = 3.8L 6 Cyl EGM = 3.3L 6 Cyl. FFV	I. DG0 = All Automatic Transm
E = EC		

Manifolds, Intake and Exhaust 3.8L [EGH] Figure 3.8L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	6506 843AA	8				EGH			SCREW AND WASHER, Hex Flange
									Head, M8x1.25x70, Lower Intake
									Manifold to Cylinder Head
18	6102 001	2				EGH			BOLT AND WASHER, M6x12, Lower
									Intake Gasket to Block
19	4781 042AB	1				EGH			CROSSOVER, Exhaust Manifold,
									Includes Gaskets(2) and Screws(4)
20	4781 040AA	2				EGH			GASKET, Crossover Pipe
21	6507 068AA	4				EGH			SCREW AND WASHER, Hex Head,
									M10x1.5x45, Crossover Pipe to
									Exhaust Manifold
22	6507 078AA	4				EGH			NUT, M10x1.50, Crossover Pipe to
									Exhaust Manifold
23	4781 038AA	1				EGH			MANIFOLD, Exhaust, Right
24	4781 041AA	1				EGH			MANIFOLD, Exhaust, Left
25	6507 423AA	12				EGH			BOLT, M8x1.25x30, Exhaust
									Manifold to Cylinder Head
26	4781 170AA	1				EGH			SHIELD, Exhaust Manifold, Upper
									Right
27	4781 343AA	1				EGH			SHIELD, Exhaust Manifold, Lower
									Right
28	4781 171AA	1				EGH			SHIELD, Exhaust Manifold, Left
-29	6035 854	1				EGH			FITTING, Y-Style, Heater Supply
									Lower Intake Water Box
30	6101 444	1				EGH			NUT AND WASHER, Hex, M6x1.0,
									Attach Left Heat Shield to Exhaust
0.4	0507.0004.4					5011			Manifold
31	6507 069AA	1				EGH			SCREW AND WASHER, Hex Head,
									M6x1x15, Attach Exhaust Manifold
00	0400 504	0				FOLL			to Right Heat Shield
32	6100 561	3				EGH			SCREW, Heat Shield to Right
22	GEO1 100	4				FOLI			Exhaust Manifold
33	6501 400	1				EGH			SCREW, Flange Head, M10x1.5x65,
									Attach Left Heat Shield to Exhaust
									Manifold


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Crankcase Ventilation 3.8L [EGH] Figure 3.8L-910



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
NOTES: Sales Code											
	3.8L V6 SMPI										
	4694 335AB	1				EGH			VALVE, PCV		
2	4781 252AA	1				EGH			HOSE, PCV Valve To intake Manifold		
3	4781 264AB	1				EGA,			HOSE, Crankcase Vent		
J	1701 2017	•				EGH,			Troot, Grannoade von		
						EGM					

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Group – 011 Exhaust





GROUP 11 - Exhaust

Illustration Title	Group-Fig. No
Exhaust System	
Exhaust System	Fig. 011-110
Heat Shields	
Heat Shields, Exhaust	Fig. 011-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE (
	Sales Codes 2.4L 4 Cylinder	DOHC	16\/ SMP	l Engine					
_	3.3L V6 SMPI I		10 V OIVII	Liigiile					
_	3.8L V6 SMPI	_							
_	3.3L V6 SMPI	-	ıel Engine						
1	0.02 10 01111	1 10% 1 0	ioi Engino						CONVERTER, Catalytic
·	4881 033AF	1	K, Y			EGA,			Contract, Catalytic
	.00. 000,	·	, .			EGM			
	4881 138AF	1	K, Y		53	EGH			
	4881 024AC	1	K, Y		52	EDZ			U.S. 50 State Emission
2	4682 810AB	4	,			EDZ,			NUT, Hex Flange, M8x1.25
						EGA,			, , , , , , , , , , , , , , , , , , ,
						EGH,			
						EGM			
3	4881 012AA	1				EDZ,			GASKET, Exhaust Manifold to Fron
						EGA,			Converter
						EGH,			
						EGM			
4	6101 614	4				EDZ,			SCREW AND WASHER, Hex Head
						EGA,			M8x1.25x45
						EGH,			
						EGM			
5									MUFFLER AND RESONATOR,
									Exhaust
	4881 333AI	1	K, Y		53	EGA,			
						EGM			
	4881 383AH	1			53	EGH			
	4881 332AG	1	K, Y		52	EGA,			
						EGM			
	4881 242AF	1	K, Y		52	EDZ			
6									CLAMP, Exhaust
	4695 220AB	1	K, Y		53	EGA,			[57.2 MM]
						EGM			
		1	K, Y		52	EDZ			[57.2 MM]
	5201 9475	1			53	EGF			[2.5']
		1			53	EGH			[2.5']
7									INSULATOR, Exhaust
	4809 106	3	K, Y		53	EGA,			
						EGM			
		3			53	EGH			
-8	4716 878	1							LABEL, Exhaust Gas Warning

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Exhaust System Figure 011-110

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-0	6033 688	AR							RIVET, .25x.110/.189, Rear Exhaust
		0000 000	AIX							Hanger attaching
(3)										
4										
<u>(5)</u>										
	DODGE - CH SERIES _ = Base/SE H = LX, Spo P = LXI, ES S = Limited E = EC	LINE C = Chirt D = Doo Y = Chi K = Doo	rysler(AWE dge(AWD) ysler(FWD	BO 0) 52 53 53	DY = 113 WB = 119 WB	ENGINE EDZ, EI EGA = 3 EGH, E	E D0 = 2.4L 4 (3.3L 6 Cyl. G0 = 3.8L 6 (3.3L 6 Cyl. F	Cyl. [Cyl. [TRANSMIS DGC, = 3 s DGL = 4 sp DG0 = All A	SSION spd. Auto. (31TH) pd. Auto. (41TE) Automatic Transm
	E = EC	K = D00	age(FWD)			EGIVI =	o.o∟ o Cyl. F	. L A		



Group – 013 Frames and Bumpers






GROUP 13 - Frames and Bumpers


Illustration Title	Group-Fig. No
Frames	
Frame, Front	Fig. 013-110
Frame, Rear	Fig. 013-120
Front Bumper and Fascia	
Fascia, Front	Fig. 013-260
Rear Bumper and Fascia	
Fascia, Rear	Fig. 013-360

Frame, Front **Figure 013-110**

PART



Frame, Front Figure 013-110



	•	5 10 8 7 10 10 10 10 10 10 10 10 10 10
--	---	---

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	4716 378	4							REINFORCEMENT, Seat Belt Swive
-	2	5020 003AA	1							REINFORCEMENT, Sill, with Plate
	3	5020 002AA	3							REINFORCEMENT, Floor Pan Rail
										to Sill
	4	5020 140AA	2							BRACKET AND HINGE, Floor Pan
_										Rear Suspension
	5									PANEL PACKAGE, Body Side Sill
		5018 826AA	1	K, Y		52				Right
_		5018 827AA	1	K, Y		52				Left
	6									BRACKET, Suspension Hanger
		5020 160AA	1	K, Y		52				Right
		5020 161AA	1	K, Y		52				Left
_		5020 150AA	1			53				Right
		5020 151AA	1			53				Left
	7									BRACKET, Suspension Hanger
		5020 180AC	1							Right
_		5020 181AC	1							Left
	8	4716 688	2							BRACKET, Tie Down
	9									REINFORCEMENT, SIII
		5020 008AA	1							Right
_		5020 009AA	1							Left
	10									RAIL, Rear Floor Pan Side
		5020 051AB	2	K, Y		52				
		5020 001AA	2			53				
-	11									CROSSMEMBER, Floor Pan
		5020 021AC	1	K, Y						
		5020 031AC	1	C, D		53				
	12									CROSSMEMBER, Floor Pan
-		5020 023AB	1	K, Y		53				AU 147 - 15 :
	40	5020 033AB	1	C, D		53				All Wheel Drive
	13	5020 024AD	1							CROSSMEMBER, Fuel Tank
	14	5000 005 4 4		17. 17						CROSSMEMBER, Floor Pan
-		5020 025AA	1	K, Y						All Malls and Deiter
	4.5	5020 035AA	1	C, D		53				All Wheel Drive
	15	5020 026AA	1			5 0				CROSSMEMBER, Floor Pan
	16	5020 096AB	2			53				REINFORCEMENT, Floor Pan Side Rail
-	17									
	17	5020 086AA	2			53				REINFORCEMENT, Seat Striker Inboard
		5020 086AA 5020 084AB	2			JJ				Outboard
	10	5020 084AB 5020 088AB	4	κV		52				
-	18	3020 000AB	2	K, Y		52				REINFORCEMENT, Rear Seat,
										Inboard

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

 SERIES
 LINE

 L = Base/SE
 C = Chrysler(AWD)

 H = LX, Sport
 D = Dodge(AWD)


 P = LXI, ES
 Y = Chrysler(FWD)

 S = Limited
 K = Dodge(FWD)

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Control Cont		PART								
DK	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DK										
Sol			IDINIO	000110						
S018 608AA		AX SPORT TO	JRING	GROUP						EASCIA Front Primad
Sol	'	5018 608AA	1	DК	н					
Sol18 608AA		3010 000/71	'	В, К						
1 D, K X Without Fog Lamps		5018 609AA	1	D, K	Н					
1		5018 608AA	1	D, K	L	53				Without Fog Lamps
S080 612AA			1	D, K	Χ					Without Fog Lamps
SO18 610AA			1							Without Fog Lamps
1			1							
S018 611AA		5018 610AA								
1										
1		5018 611AA				53				
Solid Soli						5 2				
SN95 1B7AE		5018 61244								
SN95 1B7AE	2	3010 012AA	'	'	11	32				FASCIA Front Textured Lower
1		SN95 1B7AE	1	K	L	52				
SN95 1BEAE 1 K L 52 [BE] SN95 1ELAE 1 K L 52 [EL] 1 K E 52 [EL] SN95 1JRAE 1 K L 52 [JR] SN95 1JRAE 1 K L 52 [QW] SN95 1QWAE 1 K L 52 [QW] SN95 1RVAE 1 K L 52 [QW] SN95 1RVAE 1 K L 52 [QW] SN95 1S2AE 1 K L 52 [S2] 1 K E 52 [S2] SN95 1W1AE 1 K L 52 [W1] 1 K E 52 [W1] SP96 2BEAD 1 Y L 52 [W1] SP96 2BQAD 1 Y L 52 [BE] SP96 2QWAD 1 Y L 52 [BC] SP96 2QWAD 1 Y L 52 [JR] SP96 2QWAD 1 Y L 52 [JR] SP96 2RVAD 1 Y L 52 [RV] SP96 3B7AD 1 Y L 52 [BF] SP96 3B7AD 1 Y L 52 [B7] SP96 3B7AD 1 Y L 52 [S2] SP96 3W1AD 1 Y L 52 [S4] SP9					E					
SN95 1ELAE		SN95 1BEAE	1		L					
SN95 1JRAE 1 K L 52 [JR] SN95 1QWAE 1 K L 52 [QW] SN95 1RVAE 1 K L 52 [RV] SN95 1RVAE 1 K L 52 [S2] SN95 1S2AE 1 K L 52 [S2] 1 K E 52 [S2] SN95 1W1AE 1 K L 52 [W1] 1 K E 52 [W1] SP96 2BAD 1 Y L 52 [BE] SP96 2BQAD 1 Y L 52 [BQ] SP96 2JRAD 1 Y L 52 [BQ] SP96 2QWAD 1 Y L 52 [QW] SP96 2RVAD 1 Y L 52 [QW] SP96 3B7AD 1 Y L 52 [QW] SP96 3B7AD 1 Y L 52 [RV] SP96 3B7AD 1 Y L 52 [RV] SP96 3B7AD 1 Y L 52 [B7] SP96 3S2AD 1 Y L 52 [S2] SP96 3W1AD 1 Y L 52 [S2] SP96 3W1AD 1 Y L 52 [W1] 3 MEDALLION, Grille		SN95 1ELAE	1	K	L	52				
SN95 1QWAE			1	K	E	52				[EL]
SN95 1RVAE		SN95 1JRAE	1	K	L	52				[JR]
SN95 1S2AE 1 K L 52 [S2] SN95 1W1AE 1 K E 52 [S2] SN95 1W1AE 1 K L 52 [W1] 1 K E 52 [W1] SP96 2BEAD 1 Y L 52 [BE] SP96 2BQAD 1 Y L 52 [BQ] SP96 2JRAD 1 Y L 52 [JR] SP96 2QWAD 1 Y L 52 [JR] SP96 2RVAD 1 Y L 52 [QW] SP96 3PAD 1 Y L 52 [RV] 1 Y E 52 [RV] SP96 3B7AD 1 Y L 52 [B7] SP96 3B7AD 1 Y L 52 [B7] SP96 3W1AD 1 Y L 52 [B7] SP96 3W1AD 1 Y L 52 [S2] SP96 3W1AD 1 Y E 52 [S2] SP96 3W1AD 1 Y E 52 [W1] 3 MEDALLION, Grille			1		L					
1										
SN95 1W1AE		SN95 1S2AE								
1		01105 414445								
SP96 2BEAD		SN95 1W1AE	_							
SP96 2BQAD		SD06 2READ								
SP96 2JRAD										
SP96 2QWAD 1					_					
SP96 2RVAD 1					L					
1					L					
SP96 3B7AD			1	Υ	Е					
SP96 3S2AD		SP96 3B7AD	1	Υ	L	52				
1 Y E 52 [S2] SP96 3W1AD 1 Y L 52 [W1] 1 Y E 52 [W1] 3 MEDALLION, Grille DGE - CHRYSLER MINIVAN (RS) RIES LINE BODY ENGINE TRANSMISSION Base/SE C = Chrysler(AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGC, = 3 spd. Auto. (31TH) LX, Sport D = Dodge(AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DGL = 4 spd. Auto. (41TE) LXI, ES Y = Chrysler(FWD) EGH, EGO = 3.8L 6 Cyl. DG0 = All Automatic Transm ELMINE EGM = 3.3L 6 Cyl. FFV			1		Е	52				[B7]
SP96 3W1AD 1 Y L 52 [W1] 1 Y E 52 [W1] 3		SP96 3S2AD	1	Υ	L	52				[S2]
1 Y E 52 [W1] 3			1		Е					
3 DGE - CHRYSLER MINIVAN (RS) RIES LINE BASE/SE C = Chrysler(AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGC, = 3 spd. Auto. (31TH) ELX, Sport D = Dodge(AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DGL = 4 spd. Auto. (41TE) EGH, EG0 = 3.8L 6 Cyl. DG0 = All Automatic Transm EGM = 3.3L 6 Cyl. FFV		SP96 3W1AD	1							
DGE - CHRYSLER MINIVAN (RS) RIES LINE BODY ENGINE TRANSMISSION Base/SE C = Chrysler(AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGC, = 3 spd. Auto. (31TH) LX, Sport D = Dodge(AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DGL = 4 spd. Auto. (41TE) LXI, ES Y = Chrysler(FWD) EGH, EG0 = 3.8L 6 Cyl. DG0 = All Automatic Transm Limited K = Dodge(FWD) EGM = 3.3L 6 Cyl. FFV			1	Y	E	52				
RIES LINE BODY ENGINE TRANSMISSION Base/SE C = Chrysler(AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGC, = 3 spd. Auto. (31TH) E LX, Sport D = Dodge(AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DGL = 4 spd. Auto. (41TE) E LXI, ES Y = Chrysler(FWD) EGH, EG0 = 3.8L 6 Cyl. DG0 = All Automatic Transm E Limited K = Dodge(FWD) EGM = 3.3L 6 Cyl. FFV	3									MEDALLION, Grille
RIES LINE BODY ENGINE TRANSMISSION Base/SE C = Chrysler(AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGC, = 3 spd. Auto. (31TH) E LX, Sport D = Dodge(AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DGL = 4 spd. Auto. (41TE) E LXI, ES Y = Chrysler(FWD) EGH, EG0 = 3.8L 6 Cyl. DG0 = All Automatic Transm E Limited K = Dodge(FWD) EGM = 3.3L 6 Cyl. FFV										
RIES LINE BODY ENGINE TRANSMISSION Base/SE C = Chrysler(AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGC, = 3 spd. Auto. (31TH) E LX, Sport D = Dodge(AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DGL = 4 spd. Auto. (41TE) E LXI, ES Y = Chrysler(FWD) EGH, EG0 = 3.8L 6 Cyl. DG0 = All Automatic Transm E Limited K = Dodge(FWD) EGM = 3.3L 6 Cyl. FFV	ODGF - CI	HRYSLFR MINIVAN	I (RS) —							
ELX, Sport D = Dodge(AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DGL = 4 spd. Auto. (41TE) EGH, EGO = 3.8L 6 Cyl. DG0 = All Automatic Transm EGM = 3.3L 6 Cyl. FFV	ERIES	LINE								
ELXI, ES Y = Chrysler(FWD) EGH, EG0 = 3.8L 6 Cyl. DG0 = All Automatic Transm ELimited K = Dodge(FWD) EGM = 3.3L 6 Cyl. FFV	= Base/SE									
ELIMITED K = Dodge(FWD) EGM = 3.3L 6 Cyl. FFV	= LXI, ES	Y = Chrys	sler(FWI	O)	- 110 VVD	EGH, E	G0 = 3.8L6	Cyl. I		
	= Limited = EC	K = Dodg	e(FWD)			EGM =	3.3L 6 Cyl. F	FV		



AR = Use as required -= Non illustrated part # = New this model year

24	23	
----	----	--

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4725 546AA	1	K	L	52				
		1	D, K	Н					
		1	D, K	Р					
		1	D, K	L	53				
		1	D, K	Х					
4									RETAINER, Fascia, Fascia to Fend
	4857 610AA	1	K	L	52				Right
	4857 611AA	1	K	L	52				Left
	4857 610AA	1	D, K	L	53				Right
	4857 611AA	1	D, K	L	53				Left
	4857 610AA	1	D, K	Н					Right
	4857 611AA	1	D, K	Н					Left
	4857 610AA	1	D, K	Р					Right
	4857 611AA	1	D, K	Р					Left
	4857 610AA	1	D, K	Χ					Right
	4857 611AA	1	D, K	Χ					Left
	4857 610AA	1	C, Y	Н	53				Right
	4857 611AA	1	C, Y	Н	53				Left
	4857 610AA	1	C, Y	Р	53				Right
	4857 611AA	1	C, Y	Р	53				Left
	4857 610AA	1	C, Y	S	53				Right
	4857 611AA	1	C, Y	S	53				Left
	4857 610AA	1	C, Y	Χ					Right
	4857 611AA	1	C, Y	Χ					Left
	4857 610AA	1	Υ	L	52				Right
	4857 611AA	1	Υ	L	52				Left
	4857 610AA	1	Υ	Н	52				Right
	4857 611AA	1	Υ	Н	52				Left
5	6505 341AA	4							SCREW, Fascia to Fender
6	6506 109AA	2							NUT, Snap In, M4.8x1.6, Fascia to
									Fender
-7	4857 433AA-	1							ABSORBER, Front Energy
-8	4857 182AA-	4							RETAINER, Foam To Reinforceme
9	4857 691AA	1							REINFORCEMENT, Front Bumper,
	-								With Absorber
10									GRILLE, Radiator
. •	4857 296AA	1	K	L	52				,
		1	D, K	<u>-</u> -	<u> </u>				
		1	D, K	X					
		1	D, K D, K	L	53				
	4857 746AA	1	D, K	P					Upper Right

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport
P = LXI, ES
S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



24 (22)

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1057 - :-::	,	5	_					
	4857 747AA	1	D, K	P					Upper Left
	4857 748AA	1	D, K	P -					Lower Right
	4857 749AA	1	D, K	Р					Lower Left
	4857 300AA	1	C, Y	Н	53				
		1	C, Y	Р	53				
		1	C, Y	S	53				
		1	C, Y	Χ					
	4857 339AA	1	Υ	L	52				
		1	Y	Н	52				
-11									U-CLIP, Grille To Fascia
	4805 570AA-	4	C, Y	Р	53				
		4	C, Y	S	53				
		4	C, Y	Н	53				
-		6	D, K	Н					
		6	D, K	Χ					
		6	K	L	52				
		6	D, K	L	53				
		6	Υ	Н	52				
		6	Υ	L	52				
12									SUPPORT, Radiator Grille, Wit Decal
	4857 217AA	1	D, K	Н					
		1	D, K	Χ					
		1	D, K	Р					
		1	K	L	52				
		1	D, K	L	53				
		1	C, Y	S	53				
		1	C, Y	Н	53				
		1	C, Y	Р	53				
		1	C, Y	Х					
		1	Ý	L	52				
		1	Υ	Н	52				
-13									NUT, Hex, M6, Plinth Attaching
-	6100 814	1	Υ	L	52				, , ,
		1	Y	H	52				
		1	C, Y	S	53				
		1	C, Y	Н	53				
		1	C, Y	P	53				
		1	C, Y	X	50				
-14			٠, ١	^					LABEL, Coolant Warning
	4809 378AA-	1							Coolant Reserve Bottle

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport
P = LXI, ES
S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

«»

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS TRIM	M DESCRIPTION
		4809 379AA-	1	K	<u>L</u>	52			Support Assy.
			1	D, K	Н				Support Assy.
			1	D, K	P	5 0			Support Assy.
			1	D, K D, K	L X	53			Support Assy. Support Assy.
			1	C, Y	s ·	53			Support Assy.
			1	C, Y	Н	53			Support Assy.
			1	C, Y	P	53			Support Assy.
			1	C, Y	X				Support Assy.
			1	Y	L	52			Support Assy.
			1	Υ	Н	52			Support Assy.
	-15								DECAL, A/C System Specification,
									Belt Routing
(21)		5005 500AC-	1	K	L	52			
			1	D, K	Н				
			1	D, K	Р				
			1	D, K	L	53			
			1	D, K	X	50			
			1	C, Y	P	53			
			1	C, Y C, Y	S H	53 53			
			1	C, Y	X	- 33			
			1	Υ Υ	Н	52			
			1	Y	L	52			
(23)	-16								AIR DAM
		4857 250AA-	1	D, K	Н				
			1	K	L	52			
(5)			1	Υ	L	52			
			1	Y	Н	52			
			1	C, Y	Р	53			
(24)			1	C, Y	S	53			
			1	C, Y D, K	H P	53			
			1	D, K	L	53			
			1	D, K	X	33			
$\frac{1}{2}$			1	C, Y	X				
(22)	-17			-,					SCREW AND WASHER, Hex Head,
									M6X1.00X25.00, Air Dam to
									Crossmember, (NOT SERVICED)
									(Not Serviced)
	-18								RIVET, .197 Grip187375
	SERIES L = Base/SE	RYSLER MINIVAN LINE C = Chry:	sler(AWI	D) 52	DDY = 113 WB	ENGINE EDZ, ED	0 = 2.4L 4 Cyl	TRANS	SMISSION = 3 spd. Auto. (31TH)
	H = LX, Spoi P = LXI, ES S = Limited E = EC	rt D = Dodg	ge(AWD) sler(FWI) 53 O)	= 119 WB	EGA = 3 EGH, EG	.3L 6 Cyl. 60 = 3.8L 6 Cy 3.3L 6 Cyl. FFV	I. DG0 =	= 3 spd. Auto. (31TH) 4 spd. Auto. (41TE) All Automatic Transm

20 (2) (3) (6) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•				•	
	3420 2672	10	K	L	52				Air Dam to Fascia
		10	D, K	L	53				Air Dam to Fascia
		10	D, K	Н					Air Dam to Fascia
		10	D, K	Χ					Air Dam to Fascia
		10	Y	L	52				Air Dam to Fascia
		10	Υ	Н	52				Air Dam to Fascia
		10	C, Y	Н	53				Air Dam to Fascia
		10	C, Y	Р	53				Air Dam to Fascia
		10	C, Y	S	53				Air Dam to Fascia
		10	C, Y	Х					Air Dam to Fascia
		1	Υ	Н	52				Grille to Fascia
		1	Υ	L	52				Grille to Fascia
		2	C, Y	Р	53				Grille to Fascia
		2	C, Y	S	53				Grille to Fascia
		2	C, Y	Н	53				Grille to Fascia
		2	C, Y	Χ					Grille to Fascia
		2	D, K	Н					Grille to Fascia
		2	K	L	52				Grille to Fascia
		2	D, K	L	53				Grille to Fascia
		2	D, K	Χ					Grille to Fascia
-19	6032 723	5							SCREW, Self Tapping, M4.2x1.
'									69x19.05, Fascia
20	6101 718	2							SCREW AND WASHER, Oval Head,
									M6x1x25
21	6101 448	4							NUT AND WASHER, Hex Nut-Coned
•									Washer, M10 x 1.5
22									SCREW AND WASHER, M4.8X1.
									59X32.00, (NOT SERVICED) (Not
									Serviced)
23	6101 443	2							NUT AND WASHER, Hex, M5x.80
24									LICENSE PLATE KIT
	4857 351AA	1	D, K						Bracket
	4857 352AA	1	Υ		52				Bracket
	4857 350AA	1	C, Y		53				Bracket
	4270 974	1							Mounting Screws

L = Base/SEH = LX, Sport
P = LXI, ES
S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

1 6 10 10 3 3 3 10 10

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-									•	
	1	4857 278AA	1							SUPPORT, Rear Fascia, Plastic
_	2									SCREW, [.190-16X.750], (NOT
										SERVICED) (Not Serviced)
	3									EXTENSION, Rear Rail
		4857 210AB	1							Right
		4857 211AB	1							Left
	-4	6504 825AA-	4							SCREW, Extension Mtg.
	5									RETAINER, Fascia
_		4857 212AA	1			53				Right
		4857 213AA	1			53				Left
		4857 274AA	1	K, Y		52				Right
		4857 275AA	1	K, Y		52				Left
_	6	5114 358AA	1							REINFORCEMENT, Rear Bumper,
										With Foam - Metal replacing Plastic
	7									FASCIA, Rear, Primed
		5018 630AA	1	K, Y	Н	52				
_		5018 617AA	1	D, K	L	53				
			1	D, K	Н	53				
			1	D, K	P	53				
			1	D, K	M	53				
_		5040 04044	1	D, K	X	53				
		5018 618AA	1	C, Y		53				5400IA B
	8		4	17. 37	_	50				FASCIA, Rear
		SH27 YBMAA		K, Y	E	52 52				[B7,BQ]
_		SH27 AJ6AA	1 1	K, Y K, Y	<u>L</u>	52 52				[B7,BQ]
		SH27 ARXAA	-	K, 1 K, Y	L E	52 52				[JR] [RV]
		SI IZI ARXAA	1	K, Y	L	52 52				[RV]
		SH27 HS5AA	1	K, Y	E	52 52				[EL,S2,W1]
_		31121 1133AA	'	K, Y	<u>L</u>	52				[EL,S2,W1]
		SH27 SPNAA	=	K, Y	L	52				[QW]
		SH27 ABVAA		K, Y	L	52				[BE]
	-9	01.27 7.277.0	·	, .	_	02				SCUFF PAD, Rear Fascia
_		4857 273AA-	1	D, K	L	53				Up to 12-03-01
			1	D, K	M	53				Up to 12-03-01
			1	D, K	Н	53				Up to 12-03-01
			1	D, K	Р	53				Up to 12-03-01
_			1	, К, Y	Н	52				Up to 12-03-01
			1	C, Y		53				Up to 12-03-01
			1		X	53				Up to 12-03-01
		4857 273AB-	1	D, K	L	53				Carbon Black - After 12-03-01

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport
P = LXI, ES
S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Fascia, Rear Figure 013-360

TRANS	TRIM	
		DESCRIPTION
		Carbon Black - After 12-03-01
		Carbon Black - After 12-03-01
		Carbon Black - After 12-03-01
		Carbon Black - After 12-03-01
		Carbon Black - After 12-03-01
		Carbon Black - After 12-03-01
		NUT AND WASHER, Hex Nut-Coned
		Washer, M8 x 1.25
		RETAINER, Push On
		SLEEVE, Bumper Bracket, Plastic
		STUD, Rear Bumper to Rail
_		



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm


AR = Use as required -= Non illustrated part # = New this model year

Group – 014 Fuel





Group – 014



GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel Tank, Fuel	Fig. 014-110
Fuel Tank Filler Tube Fuel Tank Filler Tube	Fig. 014-210
Fuel Lines Fuel Lines and Filter	Fig. 014-310
Fuel Rail Fuel Rail 2.4L EDZ Engine	Fig. 014-440 Fig. 014-460
Fuel Pump and Sending Unit Fuel Pump and Level Unit	Fig. 014-510
Throttle Body Throttle Body 2.4L [EDZ]	Fig. 014-640 Fig. 014-660
Throttle Controls Throttle Controls 2.4L [EDZ] Throttle Controls 3.3L-3.8L [EGA],[EGH],[EGM]	Fig. 014-740 Fig. 014-760
Air Cleaner Air Cleaner [EDZ] Air Cleaner [EGA],[EGH],[EGM] Fresh Air Duct	Fig. 014-810 Fig. 014-830 Fig. 014-840
Speed Control Speed Control	Fig. 014-1010
Accelerator Pedal Accelerator Pedal	Fig. 014-1110

Tank, Fuel Figure 014-110

	[EGA] = 3. [EGH] = 3.
	[EGM] = 3
	2
	3 4
	<u>-5</u>
	-6
3 2	

NOTE: 9	Sales Codes							
	2.4L 4 Cylinder	DOHC	16V SMP	I Engine				
_	3.3L V6 SMPI I			J				
_	3.8L V6 SMPI	-						
_	3.3L V6 SMPI	-	el Engine					
1								TANK, Fuel
	4809 269AF	1				EGM		
		1				EDZ,		
						EGA,		
						EGH		
2								STRAP, Fuel Tank
	4809 309AE	1	K, Y		52			Front
	4809 311AE	1			53			Front
3	4809 449AA	1						STRAP, Fuel Tank, Rear
4	6503 858	4						SCREW AND WASHER, Hex Head
_								M10x1.50x35
-5								SCREW AND WASHER, Hex Head
	0500 000	4				EGM		M6x1x30
	6503 992	1 1				EGM EDZ,		Fuel Tank Ground Strap
		'				EGA,		
						EGH,		
-6						LOIT		STRAP, Ground, Fuel Filler Tube
Ü	4809 374AA-	1			53			orrow, Ground, ruerr mer rube
		1	K, Y		52			
		•	, •					


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport
P = LXI, ES
S = Limited


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Fuel Tank Filler Tube Figure 014-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	l								
	ales Codes								
	.4L 4 Cylinder		16V SMP	I Engine					
	3.3L V6 SMPI E	_							
	B.8L V6 SMPI I	-							
	3.3L V6 SMPI	Flex Fue	el Engine						TUDE First Fills
1	4000 00040	4	IZ V		5 0				TUBE, Fuel Filler
	4809 623AC 4809 624AE	1 1	K, Y		52 53				
	4809 024AL 4809 287AA	1			53 53				HOSE, Fuel Filler Tube
-3	+003 Z01 AA	'			- 33				SLEEVE, Fuel Filler Vent Hose
	4495 130	1							OLLEVE, I del I lilei Velit I lose
	4809 248AB-	1							Recirculation hose
4	2448 761	1							CLAMP, Hose
	52102 464AA				53				CAP, Fuel Filler, Non-Locking
	4682 676	1			53				TETHER, Fuel Filler Cap
	4809 237AD	1							RETAINER, Spring to Fuel Filler
	6035 593	3							SCREW, .25-14x.75
9									SCREW, (NOT SERVICED) (No
									Serviced)
-10									LABEL, Unleaded Fuel Only
	4490 411	1				EDZ,			
						EGA,			
						EGH			
	4860 620AB-	1							
-11	4860 600AA-	1				EGM			LABEL, Fuel, Flexible Fuel
-12	6101 802	AR							NUT, Weld Stud Repair
	RYSLER MINIVAN	N (RS)		IDV	ENCIN			TD A NICKA	ISSION
SERIES L = Base/SE	LINE C = Chry	sler(AWD		DY = 113 WB	ENGINI EDZ, E	= D0 = 2.4L 4 (Cyl. [TRANSM DGC, = 3	spd. Auto. (31TH)
H = LX, Spor	D = Dodg	ge(AWD)	53	= 119 WB	EGA =	3.3L 6 Cyl.		OGL = 4	spd. Auto. (41TE)
P = LXI, ES	Y = Chry K = Dodg	sler(FWD)			G0 = 3.8L 6 3.3L 6 Cyl. F		JGU = All	Automatic Transm
S = Limited									



Fuel Lines and Filter Figure 014-310





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	l				l		_	I	
INOTE	; Sales Codes								
	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
EGA] =	3.3L V6 SMPI I	Engine							
EGH] =	3.8L V6 SMPI	Engine							
EGM] =	: 3.3L V6 SMPI	Flex Fu	iel Engine						
1									BUNDLE, Fuel Line
	4809 223AC	1			53	EGA,			
						EGH			
	4809 646AC	1	K, Y		52	EGM			
	4880 331AC	1	K, Y		52	EGA,			
	4880 415AC	4			5 2	EGH			
	4880 415AC 4880 551AC	1	K V		53 52	EGM EDZ			
-2	4809 245AA-	1 5	K, Y K, Y		52 52	EDZ			CLIP, Vapor Line
-2 -3	4609 243AA-	3	rx, i		52				JUMPER, Fuel Supply
J	4809 304AC-	1			53	EGA,			Line off fuel rail
	1000 00 1710	•			00	EGH			Elifo di Tadi Tali
		1			53	EGM			Line off fuel rail
		1	K, Y		52	EGA,			Line off fuel rail
						EGH			
		1	K, Y		52	EGM			Line off fuel rail
4	4809 118AC	1				EDZ,			FILTER, Fuel
						EGA,			
						EGH			
5	6506 428AA	1				EDZ			SCREW, M6x1x20
6		_							CLIP, Vapor Line
	4809 299AA	6			53	EGA,			
					50	EGH			
		6	IZ V		53	EGM			
		6	K, Y		52	EGA,			
		6	K, Y		52	EGH EGM			
-7		U	rx, i		IJΖ	EGIVI			TUBE, Fuel Vapor
-1	4809 243AB-	1	K, Y		52				Tank to canister
	4809 184AE-	1	, .		53				. a.m. to dameter
-8		•							FILTER KIT, Fuel
	4897 416AB-	1				EDZ,			·
						EGA,			
						EGH			
		1				EGM			
-9									JUMPER, Fuel Supply

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Fuel Lines and Filter Figure 014-310



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4809 301AC-	1	K, Y		52	EDZ			
_		4809 304AC-	1			53	EGA,			
							EGH			
			1			53	EGM			
_	-10									SEPARATOR, Liquid Vapor
_		4809 305AC-	1			53				
			1	K, Y		52				



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Fuel Rail 2.4L EDZ Engine Figure 0



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Code								
	.4L 4 Cylinder		16V SMP	I Engine					5411 5 1
	4861 387AC 6101 506	1 2				EDZ EDZ			RAIL, Fuel BOLT AND CONED WASHER, M8x1.25x18
3	4418 257AB	4				EDZ			CLIP, Fuel Injector
	4897 125AA	4				EDZ			O RING KIT, Fuel Injector
5	4891 345AA	4				EDZ			INJECTOR, Fuel

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Fuel Rail 3.3L-3.8L Engines [EGA],[EGH],[EGM] Figure 014-460

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; S	Sales Codes								
	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
[EGA] =	3.3L V6 SMPI	Engine							
[EGH] =	3.8L V6 SMPI	Engine							
	3.3L V6 SMPI		iel Engine						
1									RAIL, Fuel
	4861 498AC	1				EGA,			
						EGM			
		1				EGH			
2									INJECTOR, Fuel
	4861 454AA	6				EGA,			
						EGM			
	4861 238AA	6				EGH			
3									O RING KIT, Fuel Injector
	4897 125AA	6				EGH			
		6				EGA,			
						EGM			
4									CLIP, Fuel Injector
	4418 257AB	6				EGA,			
						EGM			
		6				EGH			
-5	6501 755	2				EGH			SCREW AND WASHER, Hex Head
									M6x1x16, Throttle Control Bracke
-6	6102 003	4				EGA,			BOLT AND CONED WASHER, Hex
						EGM			Head, M6x16x14, Fuel Rail to
									Intake manifold

DODGE - CHRYSLER MINIVAN (RS) -

E = EC

SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Fuel Pump and Level Unit Figure 014-510

5
3
4

NOTE; Sales		PART								
EDZ = 2.4L 4 Cylinder DOHC 16V SMPI Engine EGA = 3.8L V6 SMPI Engine EGA = 3.8L V6 SMPI Engine EGM = 3.8L V6 SMPI Flex Fuel Engine EGM = 3.8L V6 SMPI Flex Fuel Engine EGM = 3.8L V6 SMPI Flex Fuel Engine MODULE KIT, Fuel Pump/Level Unit EGM	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EDZ = 2.4L 4 Cylinder DOHC 16V SMPI Engine EGA = 3.8L V6 SMPI Engine EGA = 3.8L V6 SMPI Engine EGM = 3.8L V6 SMPI Flex Fuel Engine EGM = 3.8L V6 SMPI Flex Fuel Engine EGM = 3.8L V6 SMPI Flex Fuel Engine MODULE KIT, Fuel Pump/Level Unit EGM										
[EGA] = 3.3L V6 SMPI Engine REGH] = 3.8L V6 SMPI Engine [EGM] = 3.3L V6 SMPI Flex Fuel Engine MODULE KIT, Fuel Pump/Level Unit 1 S018 873AB 1 EDZ, EGA, EGH 2 5018 875AB 1 EGM REGULATOR KIT, Fuel Pressure 2 5016 846AB 1 EDZ, EGA, EGH REGULATOR KIT, Fuel Pressure 3 4897 416AB 1 EDZ, EGA, EGH FILTER KIT, Fuel 4 EGM LEVEL UNIT KIT, Fuel 5018 874AA 1 EGM LEVEL UNIT KIT, Fuel 5 EGA, EGH EGH 5 EGA, EGH SEAL, Fuel Pump and Level Unit 6 EGA, EGH NUT, Fuel Pump Module 4809 307AA 1 EGM NUT, Fuel Pump Module 4809 307AA 1 EGM NUT, Fuel Pump Module			DOLLO	40) / 0145						
EGH = 3.8L V6 SMPI Engine EGM = 3.3L V6 SMPI Flex Fuel Engine SMPI Flex Fuel Pump/Level Unit SMPI Flex Fuel Pump/Level Unit EGA, EGH EGH EGA, EGH		-		16V SMP	I Engine					
EGM										
1			-	el Engine						
S018 873AB 1		D.SE VO OWN 1	I ICX I C	lei Engine						MODULE KIT Fuel Pump/Level Unit
EGA, EGH 5018 875AB 1 EGM 2 5016 846AB 1 EGM 2 5016 846AB 1 EDZ, REGULATOR KIT, Fuel Pressure EGA, EGH 3 FILTER KIT, Fuel 4897 416AB 1 EDZ, EGA, EGH 4897 416AB 1 EGM 4 LEVEL UNIT KIT, Fuel 5018 874AA 1 EGM 5018 874AA 1 EGM 5018 874AA 1 EDZ, EGA, EGH 5 EGA, EGH 6 EDZ, EGA, EGH 6 NUT, Fuel Pump Module		5018 873AB	1				EDZ.			mobole ran, racin ampressor ome
EGH										
2 5016 846AB 1 EDZ, REGULATOR KIT, Fuel Pressure EGA, EGH 3 FILTER KIT, Fuel EDZ, EGA, EGH LEVEL UNIT KIT, Fuel FORM FORM FORM FORM SEAL, Fuel Pump and Level Unit FORM FILTER KIT, Fuel FURT FORM FILTER KIT, Fuel FORM FILTER KIT, Fuel FORM FO										
EGA, EGH 3 FILTER KIT, Fuel 4897 416AB 1 EDZ, EGA, EGH 1 EGM 5018 874AA 1 EGM 1 EDZ, EGA, EGH 5 EGA, EGH 5 EGA, EGH 5 EGA, EGH 5 EGA, EGH 6 EDZ, EGA, EGH 6 NUT, Fuel Pump Module 4809 307AA 1 EGM 1 EGM 1 EGM 1 EGM 1 EGM 6 NUT, Fuel Pump Module		5018 875AB	1				EGM			
BGH	2	5016 846AB	1				EDZ,			REGULATOR KIT, Fuel Pressure
3										
4897 416AB 1 EDZ, EGA, EGH 1 EGM LEVEL UNIT KIT, Fuel 5018 874AA 1 EGM 1 EDZ, EGA, EGH 5 EGA, EGH 5 EGA, EGH 5 EGA, EGH 6 SEAL, Fuel Pump and Level Unit 4809 307AA 1 EGA, EGH 6 NUT, Fuel Pump Module							EGH			
EGA, EGH 1 EGM LEVEL UNIT KIT, Fuel 5018 874AA 1 EGM 1 EDZ, EGA, EGH 5 EGA EGH 5 EGA, EGH 5 EGA, EGH 5 EGA EGH 6 EDZ, EGA, EGH 6 EDZ, EGA, EGH 6 NUT, Fuel Pump Module										FILTER KIT, Fuel
EGH 1 EGM LEVEL UNIT KIT, Fuel 5018 874AA 1 EGM 1 EDZ, EGA, EGH 5 SEAL, Fuel Pump and Level Unit 4809 308AA 1 EGM 1 EDZ, EGA, EGH 6 NUT, Fuel Pump Module		4897 416AB	1							
1 EGM										
LEVEL UNIT KIT, Fuel			- 1							
5018 874AA 1 EGM	1						EGIVI			LEVELLINIT KIT Fuel
1 EDZ, EGA, EGH 5 SEAL, Fuel Pump and Level Unit 4809 308AA 1 EGM 1 EDZ, EGA, EGH 6 NUT, Fuel Pump Module 4809 307AA 1 EGM 1 EGM 1 EGM EGM 6 EGM 1 EGM 1 EGM 1 EGM 1 EGM 1 EGM 1 EGM		5018 87444	1				EGM			LEVEL ONIT KIT, I dei
EGA, EGH 5 SEAL, Fuel Pump and Level Unit 4809 308AA 1 EGM 1 EDZ, EGA, EGH 6 NUT, Fuel Pump Module 4809 307AA 1 EGM 1 EGM, EGM, EGM, EGM, EGM, EGM, EGM, EGM,		3010 07 47 0 0								
EGH 5			<u> </u>							
## HEGM ## HEG										
1 EDZ, EGA, EGH 6 NUT, Fuel Pump Module 4809 307AA 1 EGM 1 EDZ, EGA, EGA,	5									SEAL, Fuel Pump and Level Unit
EGA, EGH NUT, Fuel Pump Module 4809 307AA 1 EGM 1 EDZ, EGA,		4809 308AA	1				EGM			
EGH NUT, Fuel Pump Module 4809 307AA 1 EGM			1				EDZ,			
6 NUT, Fuel Pump Module 4809 307AA 1 EGM 1 EDZ, EGA,										
4809 307AA 1 EGM 1 EDZ, EGA,							EGH			
1 EDZ, EGA,		1000 55=::								NUT, Fuel Pump Module
EGA,		4809 307AA								
			1							
EGII										
							EGII			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Throttle Body 2.4L [EDZ] Figure 014-640

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: S	Sales Code								
[DGC] = 3	Speed Auton	natic Tr	ansmissior	1					
[EDZ] = 2	.4L 4 Cylinder	DOHC	16V SMP	Engine					
1	4861 460AA	1				EDZ	DGC		THROTTLE BODY
2	4686 360	1				EDZ	DGC		SENSOR, Throttle Position
3	4861 164AA	1				EDZ	DGC		MOTOR, A.I.S.
-4	8350 3642	2				EDZ	DGC		O RING, Throttle Body
5	4300 071AD	1				EDZ			GASKET, Throttle Body To Intake
6	6502 675	2				EDZ			SCREW AND WASHER, Hex Head,
									M8x1.25x65



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Throttle Body 3.3L-3.8L [EGA],[EGH],[EGM] Figure 014-660

3

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes								
	3.3L V6 SMPI E								
	3.8L V6 SMPI I		-1 =						
= EGIVIJ 1	3.3L V6 SMPI	riex ru	ei Engine						SOLENOID, Linear IACV
<u>'</u>	4861 325AC	1				EGA,			COLETTOID, EINICAI I/COV
	.00.020.0	•				EGM			
		1				EGH			
2									THROTTLE BODY
	4861 254AC	1				EGA,			
						EGM			
	4861 256AC	1				EGH			
3									SENSOR, Throttle Position
	4686 360	1				EGA,			
						EGM			
		1				EGH			
4	4781 579AA	1				EGA,			SEAL, Throttle Body to Intake
E	4861 262AA-	1				EGM EGH			GASKET, Throttle Body
-5 6	4001 202AA-	ı				EGH			SCREW AND WASHER, Hex Head
U									M8x1.25x65, (NOT SERVICED)
									(Not Serviced)
7									O RING, Throttle Body
	8350 3642	1				EGA,			
						EGM			
		1				EGH			
-8									SCREW AND WASHER, Hex Head
									.19-16x1.00
	6101 770	3				EGA,			Throttle Body mounting
		2				EGM			Thereattle Dodge many until a
		3				EGH			Throttle Body mounting


DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Throttle Controls 2.4L [EDZ] Figure 014-740



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Code	· DOUC	16\/ CMD	I Engino					
	2.4L 4 Cylinder		TOV SIVIP	i Engine					CDOMMET Throttle Control Coble
1	5214 416	1							GROMMET, Throttle Control Cable
2	E204 202 A A	4				ED7			CABLE, Throttle Control
	5281 292AA 4861 640AA	1				EDZ			With adjustable padale
0		1				EDZ			With adjustable pedels
-3	5214 613	1				ED 7			CLIP, Cable
4	4861 472AA	1				EDZ			BRACKET, Throttle Control Cable
5	4861 473AA	1				EDZ			RETAINER, Throttle Cable
6	4612 299	1				EDZ			BRACKET, Cable Mounting
7	4861 466AA	1				EDZ			CABLE, Trans Kickdown
8	5240 826AB	1				EDZ			LEVER, Auto Trans Throttle Contr
9	6501 755	2				EDZ			SCREW AND WASHER, Hex Hea M6x1x16

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Throttle Controls 3.3L-3.8L [EGA],[EGH],[EGM] Figure 014-760

	[EGM] = 3.
	1 5
	2
	4
(1)	4
Ψ	
	3
$\overline{(2)}$	4
	4 4
	-5 6
	-6 4
	-6 4 -7 5

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
NOTE; S	Sales Codes								
[EGA] =	3.3L V6 SMPI	Engine							
[EGH] =	3.8L V6 SMPI	Engine							
[EGM] =	3.3L V6 SMPI	Flex Fu	el Engine						
1	5214 416	1							GROMMET, Throttle Control Cable
2									CABLE, Throttle Control
	4861 261AB	1				EGA,			
						EGH,			
						EGM			
	4861 742AA	1				EGA,			With adjustable pedels
						EGH,			
						EGM			
3									BRACKET, Throttle Control Cable
	4861 467AA	1				EGA,			
						EGM			
		1				EGH			
4	4287 736	1							RETAINER, Throttle Cable
-5	6505 812AA-	2				EGA,	·		SCREW
						EGM			
-6	4287 736	1							RETAINER, Throttle Cable
-7	5214 613	1							CLIP, Cable


DODGE - CHRYSLER MINIVAN (RS) -

SERIES
L = Base/SE
H = LX, Sport
P = LXI, ES
S = Limited

E = EC

LINE
C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•						•	
NOTE: S	ales Code								
	.4L 4 Cylinder	DOHC	16\/ SMP	l Engine					
1	4861 378AB	1	10 V OIVII	Linginio		EDZ			AIR CLEANER
-2	4861 480AA-	•				EDZ			
_		-							ELEMENT, Air Cleaner
3	4573 211	1				EDZ			BUSHING, Isolator Mounting Leg
-4	4573 049	1				EDZ			ISOLATOR, Air Cleaner Mounting
									Leg
5	5277 576	2				EDZ			LATCH, Air Cleaner
-6	4268 295	2				EDZ			GROMMET, Air Cleaner Bracket
7	4606 487AB	1				EDZ			SENSOR, Charge Air Temp
8	4861 415AB	1				EDZ			HOSE, Air Cleaner to T/Body
9									CLAMP, Purchased in Hose Assy.,
									(NOT SERVICED) (Not Serviced)
10	4781 287AB	1				EDZ			HOSE, Crankcase Vent
11	6035 424	1							SCREW AND WASHER, Hex Head
									Tapping, .25-14x1
12	6505 890AA	1							STUD, Air Cleaner/Resonator Mtg.,
									M8x1.25x16.5


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Air Cleaner [EGA],[EGH],[EGM] Figure 014-830



	PART	l							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'OTE. (0.1 0.4-								
	Sales Code 3.3L V6 SMPI E	Engine							
	3.8L V6 OHV E								
_	:3.3L V6 OHV F	-	aina						
1	4861 356AA	1 V Ling	Jilio			EGA,			AIR CLEANER
	.021 222					EGH,			7 0 - 2
						EGM			
-2	4861 480AA-	1				EGA,			ELEMENT, Air Cleaner
						EGH,			·
						EGM			
-3	4573 049	1				EGA,			ISOLATOR, Air Cleaner Mounting
						EGH,			Leg
						EGM			·
-4	4573 211	1				EGA,			BUSHING, Isolator Mounting Leg
						EGH,			
						EGM			
5	5277 576	2				EGA,			LATCH, Air Cleaner
						EGH,			
						EGM			
6	4268 295	2				EGA,			GROMMET, Air Cleaner Bracket
						EGH,			
						EGM			
7	4861 414AA	1				EGA,			HOSE, Air Cleaner to T/Body
						EGH,			
						EGM			
8	4781 264AB	1				EGA,			HOSE, Crankcase Vent
						EGH,			
						EGM			
9	6035 424	1							SCREW AND WASHER, Hex Hea
									Tapping, .25-14x1
10									CLAMP, (NOT SERVICED) (Not
	3-5- 00044								Serviced)
11	6505 890AA	1							STUD, Air Cleaner/Resonator Mtg.
4.0	:200 40745								M8x1.25x16.5
12	4606 487AB	1				EGA,			SENSOR, Charge Air Temp
						EGH,			
						EGM			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4861 359AA 6034 716	l l	LINE	OLIVIES	505.	ENGINE	HVIII		DUCT, Fresh Air SCREW AND WASHER, Hex Flange Head, .25-14x.875
DODGE - CHI SERIES L = Base/SE H = LX, Spor P = LXI, ES S = Limited E = EC	RYSLER MINIVALINE C = Ch t D = Do Y = Ch K = Do	AN (RS) — rysler(AWI dge(AWD) rysler(FWI dge(FWD)	BCD) 52 53	DDY = 113 WB = 119 WB	ENGINI EDZ, E EGA = EGH, E EGM =	E D0 = 2.4L 4 (3.3L 6 Cyl. G0 = 3.8L 6 3.3L 6 Cyl. F	T Cyl. C Cyl. C	FRANSMIS OGC, = 3 s OGL = 4 sp OG0 = All A	SSION spd. Auto. (31TH) pd. Auto. (41TE) Automatic Transm

	5
--	---

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: 0)-l Ol								
	Sales Codes 2.4L 4 Cylinder	DOHC	16\/ SMD	I Engine					
_	3.3L V6 SMPI		10 V SIVII	Liigiiie					
_	3.8L V6 SMPI	-							
_	3.3L V6 SMPI	_	el Engine						
1	0.02 10 01111	1 10 / 1 0	ioi Erigirio						BRACKET, Speed Control Servo
•	4861 456AA	1				EDZ			
		1				EGA,			
		·				EGH,			
						EGM			
2	6502 493	2				EGA,			NUT, Hex Flange Serration, M6x1
						EGH,			
						EGM			
3									CABLE, Speed Control
	4861 457AA	1				EGA,			
						EGH,			
						EGM			
	4861 462AA	1				EDZ			
4									HARNESS, Vacuum Speed Contro
	4861 458AA	1				EGA,			
						EGH,			
						EGM			
_	4861 461AA	1				EDZ			050/0 0 10 11
5	4000 077	4				ED7			SERVO, Speed Control
	4669 977	1 1				EDZ EGA,			
		1				EGA, EGH,			
						EGH,			
-6						LGIVI			CLIP, Cable to Servo Attach
	6025 867	1				EDZ			OLIT, Gable to Gervo Attach
	0020 00.	1				EGA,			
						EGH,			
						EGM			
-7									NUT, Hex Flange Serration, M6x1
	6502 493	2				EGA,			
						EGH,			
						EGM			
		2				EDZ			
8	4860 474AC	1							TRAY, Battery
-9									TEE, Hose, .25x.25x.25
	4306 994	1				EGF			Speed Control Repair

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport
P = LXI, ES
S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

8	3	5

EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EDZ			Speed Control Repair
		1				EGA,			Speed Control Repair
						EGH,			
						EGM			
-10									VALVE, Check, 1/4
	5503 6541	1				EDZ			
		1				EGA,			
						EGH,			
						EGM			


DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Accelerator Pedal Figure 014-1110



	PART	1 /	1				1		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	djustable Peda								
1	4612 223	1							PEDAL AND BRACKET, Accelerate
2	5214 416	1							GROMMET, Throttle Control Cable
3	6502 843	2							NUT AND WASHER, Hex Nut-Cone
									Washer, M6 x 1.00
4	4612 693	1							COVER, Accelerator Pedal Base
5	5214 613	1							CLIP, Cable
6	4287 736	1							RETAINER, Throttle Cable
-	1201	•							(
_		_	_			_	_	_	
OODGE - CH	HRYSLER MINIVA	N (RS) —							
SERIES	LINE	` -,	вс	DDY ! = 113 WB	ENGIN	IE ED0 = 2.4L 4 (Cyl. I	TRANSM	IISSION


SERIES
L = Base/SE
H = LX, Sport
P = LXI, ES
S = Limited


E = EC

LINE
C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 016 Propeller Shafts and U–Joints






GROUP 16 - Propeller Shafts and U-Joints

Illustration Title Group-Fig. No. **Propeller Shaft** Fig. 016-120

		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	4641 899AC	1	C, D		53				SHAFT, Drive
_	2									BOLT, Serviced with Item #1, (NOT
										SERVICED) (Not Serviced)
	3	6503 858	2	C, D				SCREW AND WASHER, Hex Head,		
										M10x1.50x35
	4	6501 596	3	C, D		53				SCREW AND WASHER, Hex Head,
										M10x1.5x45




DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 017 Rear Suspension





GROUP 17 - Rear Suspension


Illustration Title	Group-Fig. No
Rear Suspension	
Suspension, Rear-Front Wheel Drive	Fig. 017-145
Suspension, Rear-All Wheel Drive	Fig. 017-155

Suspension, Rear-Front Wheel Drive Figure 017-145


PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE TRA	NS TRIM	DESCRIPTION
23 7	NOTE:Sale								
		RMAL DUTY SPENSION - ⁻	TOURU	NG					
		KPORT TUNEI		110					
		AD LEVELING		HEIGHT C	ONTROL				
24 (22) (7)	[ZAU] thro	ugh[ZXW]= Sp	oring G	roup Type	s, Found on	Individual '	Vehical Sales (Code Listing	9
28	1								SPRING, Rear Leaf
		5006 104AA	1	K, Y		52			[ZAU, ZNU]
8 7		5006 105AA	1	K, Y		52			[ZAV, ZNV]
		5006 106AA	1	K, Y		52			[ZAW, ZNW]
9 9		5006 107AA	1	K, Y		52			[ZAX, ZNX]
		5006 154AA	1	K, Y		52 52			[ZRU, ZCU]
(20) (32)		5006 155AA	1	K, Y		52			[ZCV, ZRV]
$\begin{pmatrix} 20 \\ 10 \end{pmatrix} \qquad \begin{pmatrix} 32 \\ 32 \end{pmatrix}$		5006 156AA 5006 157AA	1	K, Y K, Y		52 52			[ZCW, ZRW] [ZCX, ZRX]
		5006 137AA 5006 204AA	1	K, Y		52 52			[ZBU, ZPU]
(16)		5006 205AA	1	K, Y		52			[ZBV, ZPV]
(5)		5006 206AA	.	K, Y		52			[ZBW, ZPW]
(21)		5006 207AA	1	ĸ, Y		52			[ZBX, ZPX]
		5006 254AA	1	K, Y		52			[ZDU, ZSU]
(35)		5006 255AA	1	K, Y		52			[ZDV, ZSV]
(34)		5006 256AA	1	K, Y		52			[ZDW, ZSW]
	!	5006 257AA	1	K, Y		52			[ZDX, ZSX]
		5006 304AA	1	K, Y		53			[ZAU, ZNU]
(20)		5006 305AA	1	K, Y		53			Spring Front Eye Thickness is 5/16
(36)									[ZAV, ZNV]
	;	5006 315AA	1	K, Y		53			Spring Front Eye Thickness is 1/2
(3) (2)		5000 000 A A	4	IZ . V		50			[ZAV, ZNV]
29 (31)		5006 306AA	1	K, Y		53			Spring Front Eye Thickness is 5/16
35	;	5006 316AA	1	K, Y		53			[ZAW, ZNW] Spring Front Eye Thickness is 1/2
36	,	5006 307AA	1	K, Y		53			[ZAW, ZNW] [ZAX, ZNX]
		5006 354AA	1	K, Y		53			[ZCU, ZRU]
		5006 355AA	1	K, Y		53			Spring Front Eye Thickness is 5/16
26 27 (12)				,					[ZCV, ZRV]
		5006 365AA	1	K, Y		53			Spring Front Eye Thickness is 1/2
(19) (33)									[ZCV, ZRV]
(13)		5006 356AA	1	K, Y		53			Spring Front Eye Thickness is 5/16
									[ZCW, ZRW]
14) 12		5006 366AA	1	K, Y		53			Spring Front Eye Thickness is 1/2
									[ZCW, ZRW]
	DODGE - CHE	RYSLER MINIVAN	I (RS) —						
	SERIES	LINE			DY	ENGINE		TRANSM	
(17) (15)	L = Base/SE H = LX, Sport	C = Chrys D = Dodg	sier(AW[je(AWD)	رك) 52 53	= 113 WB = 119 WB	EDZ, ED0 EGA = 3.3) = 2.4L 4 Cyl. 3L 6 Cyl.		3 spd. Auto. (31TH) spd. Auto. (41TE)
	P = LXI, ES S = Limited E = EC	Y = Chrys K = Dodg	sler(FWD	O)	· -	EGH, EG	0 = 3.8L 6 Cyl. 3L 6 Cyl. FFV		Il Automatic Transm
		s required -=			4 # N (I				Sentember 16, 2005

Suspension, Rear-Front Wheel Drive **Figure 017-145**




Suspension, Rear-Front Wheel Drive **Figure 017-145**



« »

Suspension, Rear-Front Wheel Drive Figure 017-145



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									-
28	6035 446	8	K, Y						SCREW AND WASHER, Hex Head,
									.50-13x1.50
29	5272 190	2	K, Y	H, P, S					LINK, Sway Eliminator
-30	6503 858	2	C, D		53				SCREW AND WASHER, Hex Head,
									M10x1.50x35
31	6502 338	2	K, Y	H, P, S					SCREW, Shouldered Hex Head,
									M10x1.5x70
32	4694 995AA	2	K, Y						PLATE, Spring Shackle
33	4684 349	1	K, Y						BAR, Rear Sway
34	5006 010AA	1	K, Y						BRACKET, Track Bar
35	6100 989	2	K, Y						SCREW, Hex Head, M12X1.75X65.
									00
36	6501 247	2	K, Y						NUT, M12x1.75
37	6503 858	4							SCREW AND WASHER, Hex Head,
									M10x1.50x35
-38	5020 140AA-	2							BRACKET AND HINGE, Floor Pan
									Rear Suspension
-39	6504 593	4							SCREW AND WASHER, Hex Head,
									M14x2.00x125.00, Isolator to Body
-40	6101 670	4	C, D		53				SCREW AND WASHER, Hex Head,
									M10x1.50x35, Shackle
			_						


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Suspension, Rear-All Wheel Drive **Figure 017-155**

PART



Suspension, Rear-All Wheel Drive Figure 017-155



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
	24	4743 231AA	2	C, D		53				SHOCK ABSORBER, Suspension,
										[SDA,SER]
	25	6505 695AA	4							SCREW, Hex Head, M12x1.75x92.00
	26	6502 697	2	K, Y						NUT, Hex Flange Lock, M12x1.75
	27	4684 758AC	2	C, D		53				BUMPER, Jounce
	28									SUPPORT, Jounce Bumper
		5006 008AA	1	C, D		53				Right
		5006 009AA	1	C, D		53				Left
	29	4684 171AB	2	K, Y	H, M, P,					BRACKET, Stabilizer Bar Link
					S, X					
	30	6502 338	2	C, D	H, P, S	53				SCREW, Shouldered Hex Head,
										M10x1.5x70
	31	6502 337	4	C, D	H, P, S	53				NUT, M10x1.5
_	32	6505 695AA	4							SCREW, Hex Head, M12x1.75x92.00
	33	6503 858	2	C, D	H, P, S	53				SCREW AND WASHER, Hex Head,
										M10x1.50x35
	-34	5020 140AA-	2							BRACKET AND HINGE, Floor Pan
										Rear Suspension
	-35	6504 593	4							SCREW AND WASHER, Hex Head,
										M14x2.00x125.00, Isolator To Body
	36	5006 133AA	2	C, D	H, M, P,	53				BRACKET, Stabilizer Bar
					S, X					
	37	5006 131AA	2	C, D	H, M, P,	53				BRACKET, Stabilizer Bar Link, Rear
					S, X					


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 019 Steering




019–100 Steering Wheel	019–200 Steering Column	019–300 Steering Gear	019–500 Power Steering Pump
		ê de la companya de l	
019–700 Power Steering Hoses			

GROUP 19 - Steering

Illustration Title	Group-Fig. No.
Steering Wheel	
Wheel, Steering	Fig. 019-145
Steering Column	
Column, Steering Upper and Lower	Fig. 019-245
Steering Gear	
Gear, Rack and Pinion and Attaching Parts	Fig. 019-321
Power Steering Pump	
Power Steering Pump 2.4L Engine	Fig. 019-510
Power Steering Pump 3.3L / 3.8L Engine	Fig. 019-520
Power Steering Hoses	
Hoses, Power Steering, 2.4L Engine	Fig. 019-720
Hoses, Power Steering, 3.3L/3.8L Engine	Fig. 019-730

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION



			CING THE AIRBAG MODULE A	RVICEABLE AND AS SUCH, WHEN APPLICABLE, MUST BE ASSEMBLY.
Sales C				
	2.4L 4 CYL DOHC	16V	SMPI	
	3.3L V6 SMPI			
-	3.5L High Output \	/ 6		
_	3.8L V6 SMPI			
_	3.3L V6 SMPI			
1				WHEEL, Steering
	RG65 WL8AA	1		[L5]
	RG65 XTMAA	1		[T5]
	RG65 YQLAA	1		[QL]
	RG66 1L8AA	1		Leather, with Radio Controls [L5
	RG66 1QLAA	1		Leather, with Radio Controls [Q
	RG66 1TMAA	1		Leather, with Radio Controls [Ts
	SA44 1L8AA	1		Leather, without Radio Controls
				[L5]
	SA44 XTMAA	1		Leather, without Radio Controls
				[T5]
	SA44 YQLAA	1		Leather, without Radio Controls
				[QL]
2	6505 248AA	1		NUT, Hex Flange Lock
3				AIR BAG, Driver
	SL01 1L8AD	1	Υ	without Speed Control [L5]
	SL01 1QLAD	1	Υ	without Speed Control [OL]
	SL01 1TMAD	1	Υ	without Speed Control [T5]
	SX27 1L8AD	1	D, K	without Speed Control [L5]
	SX27 1QLAD	1	D, K	without Speed Control [OL]
	SX27 1TMAD	1	D, K	without Speed Control [T5]
	WC32 1L8AA	1	D, K	with Speed Control [L5]
	WC32 1QLAA	1	D, K	with Speed Control [QL]
	WC32 1TMAA	1	D, K	with Speed Control [T5]
	WC72 1L8AA	1	Υ	With Speed Control [L5]
	WC72 1QLAA	1	Υ	With Speed Control [QL]
	WC72 1TMAA	1	Υ	With Speed Control [T5]
	WC72 1L8AA	1	C, Y	with Speed Control [L5]
	WC72 1QLAA	1	C, Y	with Speed Control [QL]
	WC72 1TMAA	1	C, Y	with Speed Control [T5]
-4				SCREW, Hex Head, M4.2x1.41
	6505 087AA-	2	D, K	Drivers Air Bag to Steering Whe

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

1	2 3
	7
	10 8
12	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	C, Y						Drivers Air Bag to Steering Wheel
		2	Υ						Drivers Air Bag to Steering Wheel
5									COVER, Air Bag Module, With Horn
									Switch
	UN77 1L8AA	1	D, K						[L5]
	UN77 1QLAA	1	D, K						[QL]
	UN77 1TMAA	1	D, K						[T5]
	UN78 1L8AA	1	C, Y						[L5]
	UN78 1QLAA	1	C, Y						[QL]
	UN78 1TMAA	1	C, Y						[T5]
-6	6506 561AA-	2							SCREW, Airbag Attaching
7									SWITCH, Speed Control
	5026 006AA	1	D, K						Accel-Resume, Cancel, Coast
		1	C, Y						Accel-Resume, Cancel, Coast
8									SWITCH, Speed Control
	5026 007AA	1	D, K						On-Off, Cruise, Set
		1	C, Y						On-Off, Cruise, Set
-9									SWITCH, Remote Radio
	4685 728AB-	1							Right
	4685 729AB-	1							Left
10									DAMPER, Steering Wheel
	4680 441AA	1				EDZ			2.4L Engine
	4680 442AA	1				EGA,			3.3, 3.5, 3.8L Engine
						EGF,			
						EGH,			
						EGM			
11	4685 713AB	1							HOUSING, Steering Column
12	4685 712AA	1							CLOCKSPRING
-13									COVER, Steering Wheel, Without
									Speed Control
	4685 772AA-	1	D, K						Right
		1	Υ						Right
	4685 773AA-	1	D, K						Left
		1	Υ						Left


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Column, Steering Upper and Lower Figure 019-245



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COLUMN, Steering, Tilt
'	4680 434AC	1							Without Auto Stick
	4680 435AC	1							With Auto Stick
2	4680 500AB	1							COLUMN, steering, non tilt
-3	4690 413	2							COVER, Steering Wheel, Assist
-3	4090 413								Spring, with Tilt
4									LEVER, Gearshift
4	4600 04040	4							LEVER, Gearshill
	4690 910AC 4690 915AB	1							with Autostick
-5	6035 937AA-	3							SCREW, .164-18x1.00, Gearshift
-5	6035 937 AA-	3							
•	4690 242AB-	4							Lever Attaching
-6 -7	4690 242AB-	1							SPRING, Gearshift Lever
7									LEVER, Tilt Column Release,
									Service in Assembly, (NOT
_									SERVICED) (Not Serviced)
8									COUPLING, Steering
	4680 496AA	1							With Autostick, Upper
_	4470 934	1							Upper
9	6032 364	1							SNAP RING, Steering Column, .68
-10	4690 805AB-	1							INTERLOCK, steering column
11	6507 188AA	4							STUD, M6x1.00mmx48.80mm,
									Steering Column Mounting
12	6503 014	4							NUT AND WASHER, Hex, M6x1,
									Steering Column Mounting
13	4860 376AA	1							BRACKET, Steering Column
14									PANEL, Instrument, Reference Onl
									(NOT SERVICED) (Not Serviced)
15	6034 678	3							SCREW, Self Piercing, .164-15-1
16									SHROUD, Steering Column
	SU71 WL8AB	1							with Traction Control [L5]
	SU71 XTMAB	1							with Traction Control T5]
	SU71 YQLAB	1							with Traction Control [QL]
	RG55 WL8AB	1							without Traction Control [L5]
	RG55 XTMAB	1							without Traction Control T5]
	RG55 YQLAB	1							without Traction Control [QL]
	TE25 WL8AA	1							with Power Pedal, without Traction
									Control [L5]
	TE25 XTMAA	1							with Power Pedal, without Traction
									Control [T5]
	TE25 YQLAA	1							with Power Pedal, without Tractic
	•								Control [QL]

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Column, Steering Upper and Lower Figure 019-245



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•		•			
	TE28 WL8AA	1							with Power Pedal, Traction Control
	1220 1120,01	<u> </u>							[L5]
	TE28 XTMAA	1							with Power Pedal, Traction Control
									[T5]
	TE28 YQLAA	1							with Power Pedal, Traction Control
									[QL]
17	4685 712AC	1							CLOCKSPRING
18	5018 498AA	1							HOUSING PACKAGE, Steering
									Column Lock, Without Tilt
19									HOUSING, Steering Column Lock
	4690 920AB	1							With Tilt Without Autostick
		1							With Tilt With Autostick
-20	4685 774AA-	1							TRIM RING, Ignition Key Cylinder
21	4685 713AB	1							HOUSING, Steering Column, Multi
									Function Switch Mounting
22									SHROUD, Steering Column
	4680 505AA	1							with Tilt
	4680 506AA	1							without Tilt
23	6035 142	2							SCREW, .164-32x1.00
24	4680 437AA	1							SHAFT, Intermediate
25	6503 985	1							PIN, Spring, M8.4x30x1.60
26	4680 438AC	1							SHIELD, Steering Coupling
-27	6034 978	3							SCREW, Hex Flange Head Tapping,
									.19-16x1.00, Dash cover to floor
28	4680 446AB	1							COVER, Steering Column Yoke
29	5015 627AA	1							BOLT, Special Head Locking, M8x1.
									25x42.50
30	5015 626AA	1							PIN, Hair, .250 Dia x.766x.059
-31									DAMPER, Steering Wheel
	4680 441AA-	1				EDZ			
	4680 442AA-	1				EGA,			
						EGH,			
						EGM			
-32	6101 447	1	K, Y						NUT, Gear Selector Bracket
-33	6033 864	4							RIVET, .197 Grip187375, Lower
									Steering Column Bracket
-34	5009 110AA-	2							FASTENER, Steering Column
									Bracket to Instrument Panel
									Reinforcement

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Gear, Rack and Pinion and Attaching Parts Figure 019-321

6 8		8	
		7	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co			21.12.						
_	.4L 4 CYL DOF	IC 16V	SMPI						
_	.3L V-6 SMPI								
	.8L V6 SMPI								
	3.3L V6 SMPI								
1									GEAR, Power Steering
	4766 321AD	1	K, Y			EDZ			
	4743 142AD	1				EGA,			
						EGH,			
						EGM			
2	6504 585	1							SCREW AND WASHER, Hex Hea
		_							M14-2x95, Steering Gear Attachin
3	6505 655AA	2							SCREW AND WASHER, Hex Head
4	6502 835	2							NUT, Lock, Steering Gear Attachin
5	6502 698	1							NUT, Hex Flange Lock
6									END, Tie Rod
	5066 373AA	1	K, Y			EDZ			
		1				EGA,			
						EGH,			
_		_				EGM			
7	6505 347AA	2							NUT, Steering Gear Tie Rod End
8	3815 867	1	K, Y			EDZ			NUT, Steering Gear Lock

DODGE - CHRYSLER MINIVAN (RS) -


SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Power Steering Pump 2.4L Engine Figure 0



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QIT	LINE	SERIES	ВООТ	ENGINE	IKANS	IRIM	DESCRIPTION
Sales Co									
_	4L 4 CYL DOF								
1	4743 969AA	1	K, Y			EDZ			PUMP, Power Steering
2	4612 383	1				EDZ			PULLEY, Power Steering Pump
3	6506 019AA	2				EDZ			BOLT AND WASHER, Hex Head,
									M10x1.5x30
4	4612 521	1				EDZ			BRACKET, Power Steering Pump
5	6500 399	1				EDZ			BOLT, Hex Head, M10x1.5x20
6	6101 448	1				EDZ			NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
7	4612 520	1				EDZ			BRACKET, Power Steering Pump
8	6501 775	1				EDZ			BOLT, Special Head, M10x1.5x40
9	6502 955	1				EDZ			SCREW AND WASHER, Hex Head,
									M8x1.25x90

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Power Steering Pump 3.3L / 3.8L Engine Figure 019-520

3	
2	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co									
_	.3L V6 SMPI								
	.8L V6 SMPI								
	.3L V6 SMPI								
1	4743 060AB	1				EGA,			PUMP, Power Steering
						EGH,			
_						EGM			
2	4861 540AA	1				EGA,			PULLEY, Power Steering Pump
						EGF,			
						EGH,			
	1004 04745					EGM			OTPUT D. D. L.
3	4861 347AB	1				EGA,			STRUT, Pump Bracket
						EGH, EGM			
4	6101 682	4				EGIVI			BOLT AND CONED WASHER, Hex
4	0101 002	4							Head, M6x1.0x20
5									NUT & WASHER, M8x1.25, (NOT
									SERVICED) (Not Serviced)
6									SCREW AND WASHER, Hex Head
Ü									M8-1.25x40, (NOT SERVICED)
									(Not Serviced)
-7									BRACKET, Power Steering Reserve
	4743 045AA-	1				EGA,			, 3
						EGM			
		1				EGH			


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Hoses, Power Steering, 2.4L Engine Figure 019-720



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
Sales Co	des								
[EDZ]=2.4	IL 4 CYL DOH	IC 16V	SMPI						
1	4743 967AB	1	K, Y			EDZ			HOSE, Power Steering Pressure
2	6503 543	2				EDZ			BOLT AND CONED WASHER, Hex
									Head, M8x1.25x25
3	4694 846	2				EDZ			CLIP, Bracket
4	4743 968AA	1	K, Y			EDZ			HOSE, Power Steering Return, with
									Cooler
5	6101 718	2							SCREW AND WASHER, Oval Head,
									M6x1x25
6	4641 780	1				EDZ			STRAP, Tie, Power Steering Return
									Heat Shield
7	6035 824	1				EDZ			CLAMP, Power Steering Hose
8	4766 352AA	1				EDZ			HOSE, Power Steering
9									PUMP, Power Steering, (Reference),
									(NOT REQUIRED)
10	4743 063AA	1				EDZ			RESERVOIR, Power Steering Pump
11	5011 231AB	1		·		EGA,	·		CAP, Power Steering Pump
						EGH,			
						EGM			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Hoses, Power Steering, 3.3L/3.8L Engine Figure 019-730



JOTE: S	ales Codes								
	COOLING - HE	AVY D	UTY						
	.3L V6 SMPI	.,,,,,	011						
_	.3L V6 SMPI								
_	.8L V6 SMPI								
1									HOSE, Power Steering Return
	4743 031AB	1				EGA,			With Cooler and Clamps
						EGH,			·
						EGM			
	4743 921AD	1				EGA,			With Cooler and Clamps, [NMC]
						EGH,			
						EGM			
	3879 925	1							Without Cooler
2	4743 030AC	1				EGA,			HOSE, Power Steering Pressure
						EGH,			
						EGM			
3	6503 543	2							BOLT AND CONED WASHER, He
									Head, M8x1.25x25
4									BRACKET, Power Steering Hose
	4694 861	1				EGA,			To Crossmember
						EGH,			
						EGM			
	4694 847	1				EGA,			Return Hose to Crossmember
						EGF,			
						EGH,			
5	1604.846	4				EGM			CLID Proplet
5	4694 846	1				EGA, EGF,			CLIP, Bracket
						EGF, EGH,			
						EGH,			
6	6101 718	2				LGIVI			SCREW AND WASHER, Oval Hea
O	0101710	_							M6x1x25, Cooler Mounting
7	4861 553AA	1							PIN, Push, Power Steering Pump
•	1001 0007 11 1	•							Return Hose to ABS Bracket
8	4546 098	1				EGA,			CLIP, Cooler Line
· ·	.0.000	•				EGF,			Jan , Jac. 2
						EGH,			
						EGM			
9	6101 799	1				EGA,			BOLT AND WASHER, Hex Head,
						EGH,			M8x1.25x20, Pressure Line to
						EGM			Engine Block
DGE - CI	HRYSLER MINIVA	N (RS) —							
RIES	HRYSLER MINIVA			DDY	ENGINE			TRANSM	
	LINE C = Chry	/sler(AW	D) 52	DDY 2 = 113 WB 3 = 119 WB	EDZ, EI	E D0 = 2.4L 4 (3.3L 6 Cyl.	Cyl.	DGC, = 3	ISSION spd. Auto. (31TH) spd. Auto. (41TE)

E = EC

Hoses, Power Steering, 3.3L/3.8L Engine Figure 019-730



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4743 011AB	1				EGA,			HOSE, Power Steering Reservoir,
						EGH,			with Clamps
						EGM			
11	4743 012AA	1				EGA,			RESERVOIR, Power Steering Pump,
						EGH,			with Cap
						EGM			
12	5011 231AB	1				EGA,			CAP, Power Steering Pump
						EGH,			
						EGM			
13	6501 730	1				EGA,			NUT, Retainer, M6 x 1.00, Power
						EGH,			Steering Reservoir to Reservoir
						EGM			Bracket
14	6505 812AA	2				EGA,			SCREW, Power Steering Pump to
						EGM			Intake Manifold
15	6101 719	2				EGH			SCREW AND WASHER, Tapping,
									M6-1.0x20.0, Power Steering Pump
									to Intake Manifold
·			·	·	·	·			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 31TH

Automatic Transaxle 3 Speed



31TH-100	31TH-200	31TH-300	31TH-400
Transaxle Assembly	Case and Extension	Oil Pump	Gear Train
31TH–500	31TH-600	31TH-700	31TH-800
Bands, Reverse and Kickdown	Governor	Valve Body	Differential

Group – 31TH


Automatic Transaxle 3 Speed

31TH–1200 Gearshift Controls		

GROUP 31TH - Automatic Transaxle 3 Speed

Illustration Title	Group-Fig. No.
Transaxle Assembly Transaxle Assembly	Fig. 31TH-120
Case and Extension Transaxle Mounting and Miscellaneous Parts Case, Extension and Retainer	Fig. 31TH-210 Fig. 31TH-215
Oil Pump Pump, Oil with Reaction Shaft	Fig. 31TH-320
Gear Train Clutch, Rear and Input Shaft Shaft, Transfer Clutch, Front Gears, Front Annulus and Sun Shaft, Output, Rear Carrier, Reverse Drum and Over Running Clutch	Fig. 31TH-415 Fig. 31TH-425 Fig. 31TH-435 Fig. 31TH-445 Fig. 31TH-460
Bands, Reverse and Kickdown Bands, Reverse and Kickdown	Fig. 31TH-520
Governor	Fig. 31TH-620
Valve Body Valve Body Servos, Accumulator Piston and Springs Parking Sprag	Fig. 31TH-715 Fig. 31TH-725 Fig. 31TH-740
Differential	Fig. 31TH-820
Gearshift Controls Controls, Gearshift, Column Shift	Fig. 31TH-1225


Transaxle Assembly Figure 31TH-120



ITEM	PART	OTV		OFFICE	BODY	ENGINE	TDANO	TDIM	DECORIDEION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes	-	<u> </u>	0.4.7.1.1					
	Speed Autor								
	.4L 4 Cylinder 5019 914AA	1	16V SIVIP	I		EDZ	DGC		TRANSAXLE PACKAGE, WITH
'	3013 31 4 AA	'				LDZ	DGC		TORQUE CONVERTER,
									Production Assembly 04800914AA
2	5018 956AB	1				EDZ			CONVERTER PACKAGE, Torque
DODGE - CH	RYSLER MINIVA	N (RS) —							
SERIES _ = Base/SE	LINE			DY - 113 WB	ENGIN			RANSM	
H = LX, Spor	rt D = Doo	ysler(AW lge(AWD)	53	= 113 WB = 119 WB	EGA =	D0 = 2.4L 4 (3.3L 6 Cyl.		OGL = 4	spd. Auto. (31TH) spd. Auto. (41TE)
P = LXI, ES S = Limited	Y = Chr	ysler(FWI lge(FWD)	D)		EGH, E EGM =	G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. [FV)G0 = All	Automatic Transm
E = EC	200	.50(1770)	·			2.02 0 Oyı. 1	- •		

Transaxle Mounting and Miscellaneous Parts Figure 31TH-210

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes	0.1							
	3 Speed Autom								
	2.4L 4 Cylinder		16V SMP	l					
1	6101 978	1					DGC		SCREW AND WASHER, Hex Head, M8-1.25x40
2	5212 384	1				EDZ	DGC		NUT, Transmission Lever Bolt, M6x1
3	4670 320AC	1					DGC		LEVER, Manual Control
4	4659 147AB	1				EDZ			INDICATOR, Transmission Fluid
									Level
5	4659 146AB	1				EDZ			TUBE, Transmission Oil Filler
6	6501 755	2				EDZ			SCREW AND WASHER, Hex Head, M6x1x16
7	6030 608	1							SEAL, Oil Filler Tube
8	6501 742	2				EDZ			SCREW, Hex Head, M12x1.75x50
9	6500 136	1				EDZ			SCREW AND WASHER, Hex Head, M6x1x14
10	4593 175AB	1				EDZ			COVER, Transmission Dust
11	5240 849	2				EDZ			DOWEL, Block To Clutch Housing
12	4809 377AA	2					DGC		CONNECTOR, Oil Cooler Hose
13	6036 053AA	7				EDZ	DGC		PLUG, Pressure Check
14	4809 377AA	2					DGC		CONNECTOR, Oil Cooler Hose
15	6035 727	4							WASHER
16	4792 251AC	1				EDZ			COLLAR, Structural, Oil Pan To Transmission
17	6506 019AA	2				EDZ			BOLT AND WASHER, Hex Head, M10x1.5x30
18	6507 132AA	1				EDZ			BOLT, Hex Flange Head


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Case, Extension and Retainer Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	HOWIDER	QII	LINE	SERIES	ВОВТ	LINGINE	IKANO	LIXIM	DESCRIPTION
IOTES:	Sales Codes								
	3 Speed Auton	natic 31							
_	2.4L 4 Cylinder			I					
-1	4798 152AD-		10 V OIVII	•		EDZ	DGC		GASKET AND SEAL PACKAGE,
•	1700 102/12	•					ВОО		Transaxle
-2	4798 215AD-	1				EDZ	DGC		OVERHAUL PACKAGE, Transaxle
3	6501 474	2				EDZ	DGC		BOLT, Hex Head, M8x1.25x16
4	4659 738	1				EDZ	DGC		PAN, Transaxle Differential Oil
5									GASKET, Trans. Diff. Oil Pan (Use
									Silicone Adhesive instead of
									gasket), (NOT SERVICED) (Not
									Serviced)
6	4659 237	1				EDZ	DGC		CUP, Differential Side Bearing
7	4659 257	AR				EDZ	DGC		SPACER, Final Drive, 0.98mm
-8	4659 258	AR				EDZ	DGC		SPACER, Final Drive, 1.02mm
-9	4659 259	AR				EDZ	DGC		SPACER, Final Drive, 1.06mm
-10	4659 260	AR				EDZ	DGC		SPACER, Final Drive, 1.10mm
-11	4659 261	AR				EDZ	DGC		SPACER, Final Drive, 1.14mm
-12	4659 262	AR				EDZ	DGC		SPACER, Final Drive, 1.18mm
-13	4659 263	AR				EDZ	DGC		SPACER, Final Drive, 1.22mm
-14	4659 264	AR				EDZ	DGC		SPACER, Final Drive, 1.26mm
-15	4659 265	AR				EDZ	DGC		SPACER, Final Drive, 1.30mm
-16	4659 266	AR				EDZ	DGC		SPACER, Final Drive, 1.34mm
-17	4659 267	AR				EDZ	DGC		SPACER, Final Drive, 1.38mm
-18	4659 268	AR				EDZ	DGC		SPACER, Final Drive, 1.42mm
-19	4659 269	AR				EDZ	DGC		SPACER, Final Drive, 1.46mm
-20	4659 270	AR				EDZ	DGC		SPACER, Final Drive, 1.50mm
-21	4659 271	AR				EDZ	DGC		SPACER, Final Drive, 1.54mm
-22	4659 272	AR				EDZ	DGC		SPACER, Final Drive, 1.58mm
-23	4659 273	AR				EDZ	DGC		SPACER, Final Drive, 1.62mm
-24	4659 274	AR				EDZ	DGC		SPACER, Final Drive, 1.66mm
-25	4659 275	AR				EDZ	DGC		SPACER, Final Drive, 1.70mm
-26	4659 283	AR				EDZ	DGC		SPACER, Final Drive, 2.02mm
-27	4659 284	AR				EDZ	DGC		SPACER, Final Drive, 2.06mm
28	4659 290	1				EDZ	DGC		DAM, Differential Extension Oil
29	4659 736	1				EDZ	DGC		RETAINER, Differential Bearing
-30	6504 225	6				EDZ	DGC		SCREW AND WASHER, Hex Flan
24	4440 50005	4				ED7	DCC		Head Lock, M8x1.25x25.00
31	4412 522AB	1				EDZ	DGC		SEAL COVER Transports Book
32	4659 342	1				EDZ	DGC		COVER, Transaxle Rear
-33									GASKET, Use Silicone Adhesive, (NOT SERVICED) (Not Serviced


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Case, Extension and Retainer Figure 31TH-215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-34	6501 474	2				EDZ	DGC		BOLT, Hex Head, M8x1.25x16
35	3878 447	1				EDZ	DGC		SEAL, Manual Lever Shaft
36	4471 573	1				EDZ	DGC		PAN, Transmission Oil
-37	4446 728	1				EDZ	DGC		MAGNET, Transmission
-38									GASKET, Use Silicone Adhesive,
									(NOT SERVICED) (Not Serviced)
39	6501 474	12				EDZ	DGC		BOLT, Hex Head, M8x1.25x16
40	5016 260AA	1				EDZ	DGC		CASE, Transmission
-41	6100 994	1				EDZ	DGC		DOWEL, M6x16
42	4567 022	1				EDZ	DGC		BEARING CUP, Differential
43	4567 494	1				EDZ	DGC		RETAINER, Transmission Extension
									Oil
44	4549 219	1				EDZ	DGC		EXTENSION PACKAGE,
									Transmission Rear
-45	6500 511	4				EDZ	DGC		SCREW, Flange Head, M8x1.25x33
46	4412 522AB	1				EDZ	DGC		SEAL
47	4800 018AA	1				EDZ	DGC		VALVE, Cooler Bypass
-48	6030 035	7				EDZ	DGC		PLUG, Pressure Check,
									Transmission Pressure
-49									SEAL AND GASKET PACKAGE,
									Transmission
	5086 441AA-	1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1				EDZ	DGL		

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Pump, Oil with Reaction Shaft Figure 31TH-320



Clutch, Rear and Input Shaft Figure 31TH-415



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes								
[DGC] =	3 Speed Autom	natic Tra	ansmissior	1 31TH					
[EDZ] =	2.4L 4 Cylinder	DOHC	16V SMP	l					
1	4377 047	3				EDZ	DGC		SEAL, Input Shaft
2	4348 397	1				EDZ	DGC		INPUT SHAFT, Transaxle
3	4269 593	1				EDZ	DGC		SEAL, Rear Clutch Retainer, 1.75
									OD
4	5205 680	1				EDZ	DGC		THRUST WASHER, Rear Clutch
5	4348 856	1				EDZ	DGC		RETAINER, Transmission Rear
									Clutch
6	5205 691	1				EDZ	DGC		SNAP RING, Input Shaft
7	5224 039AB	AR				EDZ	DGC		THRUST WASHER, Output Shaft, 1
									98-2.03mm
-8	5224 040AB-	AR				EDZ	DGC		THRUST WASHER, Output Shaft, 2
									16-2.21mm
-9	5224 041AB-	AR				EDZ	DGC		THRUST WASHER, Output Shaft, 2
									34-2.39mm
10	5212 373	1				EDZ	DGC		SEAL, Rear Clutch Piston
11	4207 202	1				EDZ	DGC		PISTON, Clutch
-12	0147 483	1				EDZ	DGC		CHECK BALL, Dia187
13	5205 701	1				EDZ	DGC		SEAL, Rear Clutch Piston
14	4269 623	1				EDZ	DGC		SPRING, Rear Clutch Piston
15	4207 265	1				EDZ	DGC		SPRING, Rear Clutch
16	4269 618	1				EDZ	DGC		PLATE, Transmission Clutch
									Reaction
17	4659 378	3				EDZ	DGC		PLATE, Transmission Clutch
									Reaction
18	4659 191	4				EDZ	DGC		DISC, Clutch
19	4269 619	1				EDZ	DGC		PLATE, Transmission Clutch
									Reaction
20	4269 670	AR				EDZ	DGC		SNAP RING
-21	1942 421	AR				EDZ	DGC		SNAP RING
-22	4130 774	AR				EDZ	DGC		SNAP RING
-23	4130 775	AR				EDZ	DGC		SNAP RING
-24									SNAP RING
	1942 422	AR				EDZ	DGC		Rear Clutch Retainer
	4659 652	1				EDZ	DGC		Front Clutch Outer


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes								
	3 Speed Auton								
[EDZ] =	2.4L 4 Cylinder	DOHC	16V SMP	l					
1	4659 624	1				EDZ	DGC		SHAFT, Transfer Gear
2	4567 025AB	1				EDZ	DGC		BEARING
3	4567 022	1				EDZ	DGC		BEARING CUP, Differential
4	6500 169	1				EDZ	DGC		O RING, Transfer Shaft Bearing
									Retainer, ATX
5	4269 688	1				EDZ	DGC		RETAINER, Bearing
6	5212 353	1				EDZ	DGC		SNAP RING
7	4295 836	1				EDZ	DGC		RETAINER, Transmission Govern
									Support
8	4567 022	1				EDZ	DGC		BEARING CUP, Differential
9	4567 025AB	1				EDZ	DGC		BEARING
10	4207 166	1				EDZ	DGC		SPACER, Transfer Shaft, 0.94mm
									037")
-11	4207 167	1				EDZ	DGC		SPACER, Transfer Shaft, 0.99mm
									039")
-12	4207 168	1				EDZ	DGC		SPACER, Transfer Shaft, 1.04mm
									041")
-13	4207 169	1				EDZ	DGC		SPACER, Transfer Shaft, 1.09mm
									043")
-14	4207 170	1				EDZ	DGC		SPACER, Transfer Shaft, 1.14mm
• •	1207 170	•					200		045")
-15	4207 171	1				EDZ	DGC		SPACER, Transfer Shaft, 1.19mm
10	1207 171	<u>'</u>							047")
-16	4207 172	1				EDZ	DGC		SPACER, Transfer Shaft, 1.24mm
10	4207 172	•				LDZ	ВОО		051")
-17	4207 173	1				EDZ	DGC		SPACER, Transfer Shaft, 1.29mm
-17	4207 173					LUZ	DGC		052")
-18	4207 174	1				EDZ	DGC		SPACER, Transfer Shaft, 1.34mm
-10	4207 174	'				LDZ	DGC		
-19	1207 175	4				EDZ	DGC		053") SDACER Transfer Shaft 1.30mm
-19	4207 175	1				EDZ	DGC		SPACER, Transfer Shaft, 1.39mm
00	4007 470	4				ED 7	DOO		055")
-20	4207 176	1				EDZ	DGC		SPACER, Transfer Shaft, 1.84mm
0.4	4007 477	_				ED7	DCC		072")
-21	4207 177	1				EDZ	DGC		SPACER, Transfer Shaft, 2.29mm
66	4770 004					E67	D.C.C		090")
22	4773 281	1				EDZ	DGC		GEAR PACKAGE, Output And
_									Transfer Shaft
23	5222 010	1				EDZ	DGC		WASHER, Output Shaft

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									1
24	5222 009	1				EDZ	DGC		NUT, Hex, M20x1.5
25	4567 336	1				EDZ	DGC		STIRRUP, Retainer Nut
26	4659 134	1				EDZ	DGC		STRAP, Retaining
27	6503 355	2				EDZ	DGC		BOLT, Hex Head, M8x1.25x10.00
				,					

L = Base/SE H = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Clutch, Front Figure 31TH-435



PART								
NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code								
3 Speed Auton	natic Tra	ansmissior	n 31TH					
2.4L 4 Cylinder	DOHC	16V SMP	I					
4348 854	1				EDZ	DGC		RETAINER, Transmission Front
								Clutch
0147 483	1				EDZ	DGC		CHECK BALL, Dia187
4800 015AA	1				EDZ	DGC		SEAL, Front Clutch Piston
4348 855	1				EDZ	DGC		PISTON, Clutch
4800 017AA	1				EDZ	DGC		SEAL, Front Piston Clutch
4659 379	4				EDZ	DGC		PLATE, Transmission Clutch
								Reaction
4567 887	4				EDZ	DGC		DISC, Direct Clutch
4348 888	1				EDZ	DGC		PLATE, Transmission Clutch
								Reaction
4207 227	1				EDZ	DGC		SPRING, Front Clutch
5205 673	1				EDZ	DGC		RETAINER, Differential
5205 674	1				EDZ	DGC		SNAP RING
5212 252	1				EDZ	DGC		SNAP RING
	NUMBER Sales Code 3 Speed Auton 2.4L 4 Cylinder 4348 854 0147 483 4800 015AA 4348 855 4800 017AA 4659 379 4567 887 4348 888 4207 227 5205 673 5205 674	Sales Code 3 Speed Automatic Tr. 2.4L 4 Cylinder DOHC 4348 854 1 0147 483 1 4800 015AA 1 4348 855 1 4800 017AA 1 4659 379 4 4567 887 4 4348 888 1 4207 227 1 5205 673 1 5205 674 1	Number QTY LINE Sales Code 3 Speed Automatic Transmission 2.4L 4 Cylinder DOHC 16V SMP 4348 854 1 0147 483 1 4800 015AA 1 4348 855 1 4800 017AA 1 4659 379 4 4567 887 4 4348 888 1 4207 227 1 5205 673 1 5205 674 1	NUMBER QTY LINE SERIES Sales Code 3 Speed Automatic Transmission 31TH 2.4L 4 Cylinder DOHC 16V SMPI 4348 854 1 0147 483 1 4800 015AA 1 4348 855 1 4800 017AA 1 4659 379 4 4567 887 4 4348 888 1 4207 227 1 5205 673 1 5205 674 1	NUMBER QTY LINE SERIES BODY Sales Code 3 Speed Automatic Transmission 31TH 2.4L 4 Cylinder DOHC 16V SMPI 4348 854 1 0147 483 1 4800 015AA 1 4348 855 1 4800 017AA 1 4659 379 4 4567 887 4 4348 888 1 4207 227 1 5205 673 1 5205 674 1 1 1 1	NUMBER QTY LINE SERIES BODY ENGINE Sales Code 3 Speed Automatic Transmission 31TH 2.4L 4 Cylinder DOHC 16V SMPI 4348 854 1 EDZ 0147 483 1 EDZ 4800 015AA 1 EDZ 4348 855 1 EDZ 4800 017AA 1 EDZ 4659 379 4 EDZ EDZ 4348 888 1 EDZ 4207 227 1 EDZ 5205 673 1 EDZ 5205 674 1 EDZ	NUMBER QTY LINE SERIES BODY ENGINE TRANS	NUMBER

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Gears, Front Annulus and Sun Figure 31TH-445

|--|

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes								
[DGC] =	3 Speed Auto	matic 31	TH						
[EDZ] =	2.4L 4 Cylinde	r DOHC	16V SMP	I					
1	5222 022	1				EDZ	DGC		SNAP RING
2	5222 493	1				EDZ	DGC		THRUST WASHER, Annulus Gear
3	5224 079	2				EDZ	DGC		SNAP RING
4	5224 070	1				EDZ	DGC		SUPPORT, Annulus Gear
5	4269 620	1				EDZ	DGC		GEAR, Front Annulus
6	4659 163	2				EDZ	DGC		THRUST WASHER, Planetary
									Carrier
7	4659 141	1				EDZ	DGC		CARRIER, Planetary Pinion
8	4567 133	1				EDZ	DGC		GEAR, Sun
9	5224 236	1				EDZ	DGC		SPACER, Sun Gear
10	5205 737	1				EDZ	DGC		PLATE, Transmission Module
11	4207 195	1				EDZ	DGC		SHELL, Sun Gear
12	5205 739	1				EDZ	DGC		SNAP RING, Sun Gear Shell
-13									THRUST WASHER, Planetary
									Carrier
	4269 921	8				EDZ	DGC		Rear Bronze
	4269 940	10				EDZ	DGC		Planet Pinion Steel

DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Shaft, Output, Rear Carrier, Reverse Drum and Over Running Clutch Figure 31TH-460



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	4348 932	1				EDZ	DGC		OUTPUT SHAFT, Rear Axle
	-2	5205 691	1				EDZ	DGC		SNAP RING, Input Shaft
	3	5205 724	2				EDZ	DGC		THRUST WASHER, Planetary
										Carrier
	4	4659 414AB	1				EDZ	DGC		CARRIER, Planetary Pinion
	5	5222 047	1				EDZ	DGC		GEAR, Rear Annulus
	6	4659 545	1				EDZ	DGC		DRUM, Automatic Transmission
	-7	5222 137	1				EDZ	DGC		FITTING, Reducer
	8	4186 886	8				EDZ	DGC		SRING AND ROLLER PACKAGE,
										Overrunning Clutch
	9	2808 673	1				EDZ			ROLLER AND SPRING PACKAGE,
										Overrunning Clutch
_	10	5205 772	1				EDZ	DGC		THRUST WASHER, Overruning
										Clutch
	11	4567 259	2				EDZ	DGC		BEARING CONE, Output Shaft
	12	4567 260	2				EDZ	DGC		BEARING CUP, Output Shaft
	13	4207 162	1				EDZ	DGC		SPACER, Output Shaft, 12.65mm
	-14	4207 164	1				EDZ	DGC		SPACER, Output Shaft, 13.65mm
	-15	5224 152	AR				EDZ	DGC		SPACER, Output Shaft, 14.99mm
	16	4773 281	1				EDZ	DGC		GEAR PACKAGE, Output And
_										Transfer Shaft
	17	5222 010	1				EDZ	DGC		WASHER, Output Shaft
	18	5222 009	1				EDZ	DGC		NUT, Hex, M20x1.5
	19	4567 336	1				EDZ	DGC		STIRRUP, Retainer Nut
	20	4659 134	1				EDZ	DGC		STRAP, Retaining
	21	6503 355	2				EDZ	DGC		BOLT, Hex Head, M8x1.25x10.00
	-22	4207 163	1				EDZ	DGC		SPACER, Output Shaft, 13.65mm


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Bands, Reverse and Kickdown Figure 31TH-520



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
NOTE: Sales Codes													
[DGC] = 3 Speed Automatic 31TH													
	.4L 4 Cylinde												
	4412 466	1				EDZ	DGC		SHAFT, Band Lever				
2	5212 343	1				EDZ	DGC		STRUT, Kickdown Band				
3	4659 732	1				EDZ	DGC		BAND, Kickdown				
4	6501 758	1				EDZ	DGC		NUT, Band Adjusting Screw Lock				
5	5212 255	1				EDZ	DGC		STUD, Double Ended, M12x1.75/				
									9x67				
6	4348 857	1				EDZ	DGC		LEVER, Kickdown				
7									LEVER, Reverse Band				
	4207 182	1				EDZ	DGC		Integral				
	4329 862	1				EDZ	DGC		Short				
8									PLUG, Trans. Pipe 1/4"-18, (NOT				
									SERVICED) (Not Serviced)				
9	5224 264	1				EDZ	DGC		STRUT, Reverse Band				
10	4531 138	1				EDZ	DGC		BAND, Reverse				
-11	5224 140	1				EDZ	DGC		SCREW, Reverse Band Adjusting,				
	M8x1.25x42												
12	5212 344	1				EDZ	DGC		ANCHOR, Reverse Band				
13	5222 090	1				EDZ	DGC		SHAFT, Band Lever				

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SE H = LX, Sport P = LXI, ES S = Limited


E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Governor Figure 31TH-620



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	ales Codes								
[DGC] = 3	3 Speed Auto	matic 31	TH						
[EDZ] = 2	2.4L 4 Cylinde	r DOHC	16V SMP	I					
1	4295 956	1				EDZ	DGC		VALVE, Governor, Secondary
2	4207 192	1				EDZ	DGC		SPRING, Governor Valve
3	4659 366	1				EDZ	DGC		BODY, Governor
4	6500 209	1				EDZ	DGC		SCREW, Hex Flange Head Locking,
									M5x.8x37
5	6500 208	2				EDZ	DGC		SCREW, Shoulder Hex Flange Head
									M5x.8x20
6	4207 186	1				EDZ	DGC		VALVE, Governor, Primary
7									PIN, Gov. Weight Retaining, 3D
									Finishing Nail 1-1/4" Lg., (NOT
									SERVICED) (Not Serviced)
8	6100 306	1				EDZ	DGC		BOLT AND CONED WASHER, Hex
									Head, M8x35x20
9	5212 265	1				EDZ	DGC		COUNTER WEIGHT, Governor
10	5205 839	1				EDZ	DGC		FILTER, Transmission Governor
11	4659 352	1				EDZ	DGC		SUPPORT, Governor
12	4269 594	3				EDZ	DGC		SEAL, Governor Support

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Valve Body Figure 31TH-715

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes								
	3 Speed Autom								
	2.4L 4 Cylinder		16V SMP	I			D 00		01145 51110
1	6035 208	1				EDZ	DGC		SNAP RING
2	2538 062	1				EDZ	DGC		WASHER, Manual Valve Lever
3	2466 548	1				EDZ	DGC		SEAL, Valve Lever Shift
-4	6500 207	1				EDZ	DGC		SCREW, Special Head, M5x.8x42.4
5	4412 408AB	1				EDZ	DGC		VALVE BODY, Includes Lever
-6	6100 994	1				EDZ	DGC		DOWEL, M6x16
-7	4329 873	1				EDZ	DGC		VALVE, Transmission Regulator
8	4269 584	1				EDZ	DGC		DETENT, Valve Body
9	5212 244	1				EDZ	DGC		SHAFT, Valve Body
10	4659 533AB	1				EDZ	DGC		PLATE, Transmission Valve Body
-11	6503 232	1				EDZ	DGC		SCREW, Pan Head, M5 x 0.8 x 12.
-12	6500 215	16				EDZ	DGC		SCREW AND WASHER, Pan Head
13	3878 313	1				EDZ	DGC		SCREEN, Transmission Regulator
13	3070 313	'				LDZ	DGC		Valve
14									PLATE, Transfer, Serviced in Valve
14									Body, (NOT SERVICED) (Not
									Serviced)
-15	6100 155	7				EDZ	DGC		BOLT, Hex Head, M8x30
16	5222 020	2				EDZ	DGC		TUBE, Valve Body
17	4269 649	1				EDZ	DGC		FILTER, Valve Body
-18	6500 216	2				EDZ	DGC		SCREW AND WASHER, Pan Head M5x.8x25
19	4269 671	1				EDZ	DGC		GASKET, Transmission Fluid Filter
20	4799 954AA	1				EDZ	DGC		SOLENOID, Transmission Lock Up
21	6030 608	1							SEAL, Oil Filler Tube
22	4412 305	1				EDZ	DGC		GASKET, Lock-up Solenoid
23	0104 918	7				EDZ	DGC		BALL, Valve Body Check

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SE H = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Servos, Accumulator Piston and Springs **Figure 31TH-725**

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes								
	3 Speed Autom	natic 31	TH						
	2.4L 4 Cylinder			1					
<u>,</u> 1	6031 765	1				EDZ	DGC		SNAP RING
2	6031 545	1				EDZ	DGC		SEAL, Accumulator
3	5224 344	1				EDZ	DGC		GUIDE, Kickdown Servo
4	4659 331	1				EDZ	DGC		SPRING, Kickdown Servo Piston
5	4058 943	1				EDZ	DGC		ROD, Kickdown Servo Piston
6	4269 524	1				EDZ	DGC		PISTON, Kickdown Servo
-7	6025 031	1				EDZ	DGC		SNAP RING, 1.205 OD
-8	6031 410	1				EDZ	DGC		O RING, Trans Kickdown Servo
9	3743 014	1				EDZ	DGC		SEAL, Kickdown Servo
10	3743 033	1				EDZ	DGC		SEAL, Kickdown Servo
11	3743 010	1				EDZ	DGC		SEAL, Piston Accumulator
12	3743 013	1				EDZ	DGC		SEAL, Piston Accumulator
13	3743 650	1				EDZ	DGC		PISTON, Accumulator
14	4659 332	1				EDZ	DGC		SPRING, Accumulator
15	4205 857	1				EDZ	DGC		PLATE PACKAGE, Accumulator
16	6031 545	1				EDZ	DGC		SEAL, Accumulator
17	5212 252	1				EDZ	DGC		SNAP RING
-18	4882 433	1				EDZ	DGC		REVERSE SERVO PACKAGE
19	6031 909	1				EDZ	DGC		SNAP RING
20									RETAINER, Reverse Servo Pisto
									Spring (Serv. in Pkg.), (NOT
									SERVICED) (Not Serviced)
21	3681 434	1				EDZ	DGC		SPRING, Reverse Servo Piston
22	4269 707	1				EDZ	DGC		PLUG, Reverse Servo
23	4659 179	1				EDZ	DGC		SPRING, Reverse Servo Piston
24	4659 837	1				EDZ	DGC		PISTON, Reverse Servo
25	4269 736	1				EDZ	DGC		SEAL, Reverse Servo Piston
26	1638 461	1				EDZ	DGC		SNAP RING
-27	4800 209AA-	1				EDZ	DGL		SPRING, Accumulator

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SE H = LX, Sport P = LXI, ES

S = Limited E = EC


LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

		PART							
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM DESCRIPTION
	NOTE: S	ales Codes							
	[DGC] =	3 Speed Auton							
		2.4L 4 Cylinder	DOHC	16V SMP	I				
		6035 256	1				EDZ	DGC	SNAP RING, Rod
		4431 530 6500 368	2				EDZ EDZ	DGC DGC	ROD, Parking Sprag BOLT, Hex Flange Head, M8x1.
	3	3300 300	_				LUZ	200	25x23
	4	5212 296	1				EDZ	DGC	SUPPORT, Parking Sprag Rod
		5212 010	1				EDZ	DGC	SHAFT, Parking Sprag
		5222 244	1				EDZ	DGC	SPRING, Parking Sprag
	7	5003 447AA	1				EDZ	DGC	PAWL, Parking Sprag
\bigcirc									
4									
(6)									
(0)									
	-								
(7)									
									_
	DODGE - CH	RYSLER MINIVAI	N (RS) —						
	SERIES L = Base/SE	LINE		BC D) 52	DY = 113 WB	ENGIN EDZ, E	E D0 = 2.4L 4 (Т Cyl. г	RANSMISSION DGC, = 3 spd. Auto. (31TH)
	H = LX, Spo P = LXI, ES	C = Chry ort D = Dod Y = Chry K = Dod	ge(AWD)	53	= 119 WB	EGA =	3.3L 6 Cvl.	Cyl	OGC, = 3 spd. Auto. (31TH) OGL = 4 spd. Auto. (41TE) OGO = All Automatic Transm
	S = Limited	r = Cnry K = Dod	ge(FWD)) I		EGH, E	G0 = 3.8L 6 3.3L 6 Cyl. F	FFV	200 = Ali Automatic Hansin
	E = EC								

Differential Figure 31TH-820

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:	Sales Codes								
[DGC] =	= 3 Speed Auton	natic 31	TH						
[EDZ] =	2.4L 4 Cylinder	DOHC	16V SMP	l					
1	4659 681AB	1				EDZ	DGC		DIFFERENTIAL, Transaxle
2	4659 625	1				EDZ	DGC		GEAR, Differential Drive
3	4659 455AB	1				EDZ	DGC		CASE, Transaxle
4	4348 679	2				EDZ	DGC		PINION, Differential
5	4412 521	2				EDZ	DGC		WASHER, Thrust
6	4659 502	2				EDZ	DGC		GEAR, Differential Side
7	4504 568	AR				EDZ	DGC		WASHER PACKAGE, Side Gear
									Thrust
8	4800 059AA	2				EDZ	DGC		BRACKET, Differential Pinion Shaft
9	4659 142AB	1				EDZ	DGC		SHAFT, Pinion Gear
10	4659 624	1				EDZ	DGC		SHAFT, Transfer Gear
11	6501 240	12				EDZ	DGC		BOLT, Hex Head, M10x1.00x25
12	4659 237	1				EDZ	DGC		CUP, Differential Side Bearing
13	4659 238	1				EDZ	DGC		BEARING CONE, Differential
14	4567 025AB	1				EDZ	DGC		BEARING
15	4567 022	1				EDZ	DGC		BEARING CUP, Differential
-16	4659 253	AR				EDZ	DGC		SPACER, Final Drive, 0.82mm
-17	4659 276	AR				EDZ	DGC		SPACER, Final Drive, 1.74mm
-18	4659 277	AR				EDZ	DGC		SPACER, Final Drive, 1.78mm
-19	4659 278	AR				EDZ	DGC		SPACER, Final Drive, 1.82mm
-20	4659 279	AR				EDZ	DGC		SPACER, Final Drive, 1.86mm
· · · · · · · · · · · · · · · · · · ·						·		· · · · · · · · · · · · · · · · · · ·	·

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Controls, Gearshift, Column Shift Figure 31TH-1225



. .	PART	<u></u>		055155	DOD''		TD 4		DE00015-1011
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes								
	3 Speed Autor	natic 31	TH						
EDZ] =	2.4L 4 Cylinder	DOHC	16V SMP	I					
1	4641 755AB	1					DGC		CABLE, Gearshift Control
-2	6500 776	1					DGC		SCREW AND WASHER, Hex Head
3									M5x.8x14, Adjusting Screw GROMMET, (NOT SERVICED) (Not Serviced)
4	4670 320AC	1					DGC		LEVER, Manual Control
-5	6100 267	1				EDZ			BOLT AND CONED WASHER, He Head, M6x25x12.5, Trans Throttle
									Control Lever
-6	6036 000AA-	1				EDZ	DGC		SNAP RING, Throttle Valve Lever
-7	4685 896AB-	1					DGC		Shaft BRACKET, Gearshift Cable
-7	4000 090AD-	1					DGC		BRACKET, Gearstill Cable
DGE - C	HRYSLER MINIVA	N (RS) —							

Group – 41TE–AE

Automatic Transaxle 4 Speed



41TE-AE-100	41TE-AE-200 Case and Extension	41TE-AE-300	41TE-AE-400
Transaxle Assembly		Oil Pump	Gear Train
			Front Rear
41TE-AE-700	41TE-AE-800	41TE-AE-1200	
Valve Body	Differential	Gearshift Controls	


GROUP 41TE-AE - Automatic Transaxle 4 Speed

Illustration Title	Group-Fig. No.
Transaxle Assembly	E: 44TE AE 400
Transaxle Assembly	. Fig. 41TE-AE-120
Case and Extension	
Transaxle Mounting and Misc. Parts	
Case, Extension and Solenoid	. Fig. 41TE-AE-240
Oil Pump	
Pump, Oil with Reaction Shaft	. Fig. 41TE-AE-320
Gear Train	
Shaft Transfer	. Fig. 41TE-AE-415
Clutch, Input Shaft	. Fig. 41TE-AE-425
Gear Train	. Fig. 41TE-AE-440
Valve Body	
Valve Body	. Fig. 41TE-AE-715
Accumulator Piston and Springs	. Fig. 41TE-AE-725
Parking Sprag	. Fig. 41TE-AE-740
Differential	
Differential	. Fig. 41TE-AE-820
Gearshift Controls	
Controls, Gearshift, Column Shaft	. Fig. 41TE-AE-122


2	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: S	ales Codes								
	4 Speed Auton	natic 41	TE-AE						
_	2.4L 4 Cylinder			1					
_	3.3L V6 SMPI								
	3.8L V6 SMPI								
	3.3L V6 SMPI	Flex Fu	iel						
1									TRANSAXLE PACKAGE, WITH
	5018 918AB	1	C, D			EGH	DGL		TORQUE CONVERTER All Wheel Drive
	5018 930AB	1	О, D			EDZ	DGL		All Wheel Drive
	5018 931AB	1	K, Y			EGA,	DGL		
			,			EGM			
	5018 932AB	1	K, Y			EGH	DGL		
2									CONVERTER PACKAGE, Torque
	5019 480AA	1				EGA,			
						EGF,			
						EGH,			
	E049 0E6AD	4				EGM			
	5018 956AB	1				EDZ			
DGE - CH	IRYSLER MINIVA	N (RS) —							
RIES : Base/SE	LINE			DDY = 113 WB	ENGIN	E D0 = 2.4L 4 (TRANSM	ISSION spd. Auto. (31TH)

Transaxle Mounting and Misc. Parts Figure 41TE-AE-220



Transaxle Mounting and Misc. Parts Figure 41TE-AE-220



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										_
		6501 742	5				EGA,			
							EGH,			
							EGM			
			2				EDZ			
	12	6030 608	1							SEAL, Oil Filler Tube
	13	4641 497AB	1				EGA,			COVER, Transaxle Converter
							EGH,			
							EGM			
	14									SCREW AND WASHER, Hex Head,
										M6x1x14
		6500 136	1				EDZ			
			2				EGA,			
							EGH,			
							EGM			_
	15	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.20

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year


Case, Extension and Solenoid Figure 41TE-AE-240




Case, Extension and Solenoid Figure 41TE-AE-240





September 16, 2005





E = EC











	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•	•	•	•		
	4659 272	AR				EDZ	DGL		
-		AR	K, Y			EGA,	DGL		
						EGM			
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-51									SPACER, Final Drive, 1.62mm
	4659 273	AR				EDZ	DGL		
		AR	K, Y			EGA,	DGL		
						EGM			
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-52	1050 071	4.5					5.01		SPACER, Final Drive, 1.66mm
	4659 274	AR	17. 17			EDZ	DGL		
		AR	K, Y			EGA,	DGL		
		4 D	IZ . V			EGM	DOL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		CDACED Final Drive 1 70mm
-53	4659 275	۸Ь				EDZ	DGL		SPACER, Final Drive, 1.70mm
	4009 270	AR AR	K, Y			EGA,	DGL		
		AK	rx, i			EGA, EGM	DGL		
-		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-54		,	0, 2			2011	202		SPACER, Final Drive, 2.02mm
•	4659 283	AR				EDZ	DGL		C. 7.0 = 1.1, 1 mar = 1.10 ; = 1.0 = 1.11.
		AR	K, Y			EGA,	DGL		
			,			EGM			
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-55									SPACER, Final Drive, 2.06mm
	4659 284	AR				EDZ	DGL		
		AR	K, Y			EGA,	DGL		
						EGM			
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-56									BOLT AND CONED WASHER, Hex Head, M6x14x12.5
	6100 264	2				EGA,			Trans Case to Lower Cover
						EGF,			
						EGH,			
						EGM			


L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm






Pump, Oil with Reaction Shaft Figure 41TE-AE-320

	ales Codes		TE A.E.				
	4 Speed Autom 2.4L 4 Cylinder			ı			
	3.3L V6 SMPI	DOITO	10 V OIVII	•			
	3.8L V6 SMPI						
	3.3L V6 SMPI	Flex Fu	ıel				
-1							SEAL AND GASKET PACKAGE,
	4883 260	1			EDZ	DGL	Transmission Oil Pump
	+000 200	<u>'</u> 1	K, Y		EGA,	DGL	
		-	, .		EGM		
		1	K, Y		EGH	DGL	
		1	C, D		EGH	DGL	
2							PUMP, Transmission Oil
	5019 688AA	1			EDZ	DGL	
		1	K, Y		EGA, EGM	DGL	
		1	K, Y		EGH	DGL	
		1	C, D		EGH	DGL	
3		·	٥, ٥				SEAL, Ring Reaction Support, 2 1/
							O.D.
	4471 874	4			EDZ	DGL	
		4	K, Y		EGA,	DGL	
					EGM		
		4	K, Y		EGH	DGL	
4		4	C, D		EGH	DGL	BOLT, Hex Head, M8x1.25x19
4	6500 211	6			EDZ	DGL	BOLT, HEX HEAU, MOX1.23X19
	0000 211	6	K, Y		EGA,	DGL	
			,		EGM	-	
		6	K, Y		EGH	DGL	
		6	C, D		EGH	DGL	
5							BALL, Check
	4446 616	2	14.34		EDZ	DGL	
		2	K, Y		EGA, EGM	DGL	
		_	K, Y		EGH	DGL	
		2	13, 1		EGH	DGL	
		2	C. D				
6		2	C, D				GASKET, Transmission Oil Pump



Pump, Oil with Reaction Shaft Figure 41TE-AE-320



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1	K, Y			EGA,	DGL		
_							EGM			-
			1	K, Y			EGH	DGL		
			1	C, D			EGH	DGL		
_	7									SCREW AND WASHER, Hex Flange
			_							Head, M8x1.25x25
		6506 408AA	5				EDZ	DGL		
			5	K, Y			EGA,	DGL		
_			5	K, Y			EGM	DGL		
			5 5	C, D			EGH EGH	DGL		
	8		5	С, D			EGH	DGL		SEAL, Oil Pump
	O	4659 945	1				EDZ	DGL		SEAL, Oil I dilip
-		1000 0 10	<u>·</u> 1	K, Y			EGA,	DGL		-
			·	, .			EGM			
			1	K, Y			EGH	DGL		
			1	C, D			EGH	DGL		
_	9									BUSHING, Front Pump
		2466 796	1				EDZ	DGL		
			1	K, Y			EGA,	DGL		
_							EGM			
			1	K, Y			EGH	DGL		
			1	C, D			EGH	DGL		
	10									SEAL, Impeller Hub, 57.25mm OD
_		4412 475	1	17. 17			EDZ	DGL		
			1	K, Y			EGA,	DGL		
			4	IZ V			EGM	DCI		
			1 1	K, Y C, D			EGH EGH	DGL DGL		
-	11		ı	U, D			ЕОП	DGL		BALL, Check
	• • •	0147 482	2	K, Y			EGA,	DGL		DALL, OHEOR
		3.17 102	_	13, 1			EGM	DOL		
			2	C, D			EGH	DGL		
-							-			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						•		•	
NOTE: Sa		44	TE A.E.						
	Speed Autom			•					
	4L 4 Cylinder .3L V6 SMPI	DOHC	16V SIVIP						
	.8L V6 SMPI								
	3.3L V6 SMPI	Flex Fi	ıel						
1		110%10							RETAINER, Transfer Gear Bearing
	4412 273	1				EDZ	DGL		, 3
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
2									BEARING CUP, Transfer Gear
•	4504 041	1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGF,	DGL		
						EGH			
_		1	C, D			EGH	DGL		
3	4505 570 A D					ED7	D.O.I		SPACER, Transfer Shaft, 3.22mm
•	4505 570AB	1	IZ . V			EDZ	DGL		
		1	K, Y			EGA,	DGL		
		4	K V			EGM	DCI		
		1 1	K, Y C, D			EGH EGH	DGL DGL		
4		'	С, Б			EGII	DGL		BEARING CONE, Transfer Shaft
	4446 698AB	1	K, Y			EGH	DGL		BEARING CONE, Transier Ghair
	1110 000/12	1	K, Y			EGA,	DGL		
		•	, .			EGM			
		1				EDZ	DGL		
-5									SPACER, Transfer Shaft, 3.26mm
	4412 801AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-6									SPACER, Transfer Shaft, 3.30mm
	4412 802AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
			17. 17			EGM	5.01		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		CDACED Transfer Chaff 2 24mm
-7									SPACER, Transfer Shaft, 3.34mm
	RYSLER MINIVAL	N (RS) —			ENIOINI			TDANGM	ISSION
SERIES L = Base/SE	LINE C = Chry	/sler(AWI	BO D) 52	บ (= 113 WB	ENGINE EDZ, EI	= D0 = 2.4L 4 (TRANSM DGC, $= 3$	spd. Auto. (31TH)
H = LX, Sport	D = Dod	ge(AWD)	53	= 119 WB	EGA =	3.3L 6 Cyl.		DGL = 4	spd. Auto. (41TE)
P = LXI, ES S = Limited	Y = Chry K = Dod				EGH, E EGM =	G0 = 3.8L 6 3.3L 6 Cyl. F	Cyi. FFV	טפט = Al	I Automatic Transm
E = EC	·	. ,							



	PART	O.T./		050150	DODY		TD4410		DECODINE ON
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4412 803AB-	1				EDZ	DGL		
	1112 000,12	. 1	K, Y			EGA,	DGL		
		•	, .			EGM	202		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-8		•	- 0, 5						SPACER, Transfer Shaft, 3.38mm
Ū	4412 804AB-	1				EDZ	DGL		C. 7.021., 7.1ao.o. C.1a, 0.00
	1112 00 17 12	1	K, Y			EGA,	DGL		
		•	13, 1			EGM	DOL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-9		•	0, 5			2011	DOL		SPACER, Output Shaft, 3.46mm
Ü	4412 806AB-	1				EDZ	DGL		or 7.021t, output orialit, or forming
	1112 000/12	1	K, Y			EGA,	DGL		
		•	13, 1			EGM	DOL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-10		•	<u> </u>				DOL		SPACER, Output Shaft, 3.50mm
10	4412 807AB-	1				EDZ	DGL		or Acert, Calpar Chart, C.Schill
	1112 007712	1	K, Y			EGA,	DGL		
		•	17, 1			EGM	DOL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-11		•	0, 5			2011	DOL		SPACER, Output Shaft, 3.54mm
• •	4412 808AB-	1				EDZ	DGL		or Acert, Calput Chart, 6.5 min
	1112 000/12	1	K, Y			EGA,	DGL		
		•	, .			EGM	502		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-12		•	<u> </u>						SPACER, Output Shaft, 3.58mm
	4412 809AB-	1				EDZ	DGL		C. 7.02.1, Capat Chair, C.C.
	1112 000/12	1	K, Y			EGA,	DGL		
		•	, .			EGM	202		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-13		•	٠, ٥			_3			SPACER, Output Shaft, 3.62mm
	4412 810AB-	1				EDZ	DGL		
	0.07.15	1	K, Y			EGA,	DGL		
		•	, .			EGM	202		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-14		'	Ο, D						SPACER, Output Shaft, 3.66mm

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QIT	LINE	SERIES	ВОДТ	ENGINE	IKANS	IKIIVI	DESCRIPTION
	4412 811AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
			,			EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-15			- ,						SPACER, Output Shaft, 3.70mm
	4412 812AB-	1				EDZ	DGL		, ,
	-	1	K, Y			EGA,	DGL		
			,			EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-16			- ,			_			SPACER, Output Shaft, 3.74mm
	4412 813AB-	1				EDZ	DGL		, , ,
		1	K, Y			EGA,	DGL		
			,			EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-17									SPACER, Output Shaft, 3.78mm
	4412 814AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
		•	, .			EGM	202		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-18		•	0, 5				202		SPACER, Output Shaft, 3.82mm
. •	4412 815AB-	1				EDZ	DGL		o. 7.02.1, ou.par o.a., o.o2
		1	K, Y			EGA,	DGL		
		•	, .			EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-19		•	<u> </u>						SPACER, Output Shaft, 3.86mm
	4412 816AB-	1				EDZ	DGL		
	0.0/12	1	K, Y			EGA,	DGL		
		•	, .			EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-20		•	٠, ٥			_3			SPACER, Output Shaft, 3.90mm
	4412 817AB-	1				EDZ	DGL		, Jaspat Chang oldonin
		1	K, Y			EGA,	DGL		
		•	, '			EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-21		•	٠, ٥						SPACER, Output Shaft, 3.94mm

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4412 818AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
		4	14. 14			EGM	D.O.I		
		1	K, Y			EGH	DGL		
-22		1	C, D			EGH	DGL		SPACER, Output Shaft, 3.98mm
-22	4412 819AB-	1				EDZ	DGL		or ACEN, Output Shart, 3.90mm
	4412 013AD	1	K, Y			EGA,	DGL		
		•	17, 1			EGM	DOL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-23			,						SPACER, Output Shaft, 4.02mm
	4412 820AB-	1				EDZ	DGL		•
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-24									SPACER, Output Shaft, 4.06mm
	4412 821AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
25		1	C, D			EGH	DGL		CDACED Output Chaft 4 40mm
-25	4412 822AB-	1				EDZ	DGL		SPACER, Output Shaft, 4.10mm
	4412 022AD-	1	K, Y			EGA,	DGL		
		'	ΙΧ, Ι			EGM,	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-26		-	-, -				·		SPACER, Output Shaft, 4.14mm
	4412 823AB-	1				EDZ	DGL		. ,
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-27									SPACER, Output Shaft, 4.18mm
	4412 824AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4412 825AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-29							- 0.		SPACER, Output Shaft, 4.26mm
	4412 826AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
			17. 17			EGM	DO!		
		1	K, Y			EGH	DGL		
00		1	C, D			EGH	DGL		
-30	4440 00740	4				ED 7	DOL		SPACER, Output Shaft, 4.30mm
	4412 827AB-	1	17. 17			EDZ	DGL		
		1	K, Y			EGA,	DGL		
		4	IZ V			EGM	DOL		
		1	K, Y			EGH	DGL		
-31		1	C, D			EGH	DGL		SPACER, Output Shaft, 4.34mm
-31	4412 828AB-	1				EDZ	DGL		SPACER, Output Shart, 4.54mm
	4412 020AD-	1 1	K, Y			EGA,	DGL		
		'	rx, i			EGA, EGM	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-32		•	О, Б			LOIT	DOL		SPACER, Output Shaft, 4.38mm
02	4412 829AB-	1				EDZ	DGL		or realty, carput onait, mooning
	1112 020,12	1	K, Y			EGA,	DGL		
		•	14, 1			EGM	502		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-33		•	-, -						SPACER, Output Shaft, 4.42mm
-	4412 830AB-	1				EDZ	DGL		, , , , , , , , , , , , , , , , , , ,
		1	K, Y			EGA,	DGL		
			,			EGM	-		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-34			•						SPACER, Transfer Shaft, 4.46mm
	4412 831AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-35									SPACER, Transfer Shaft, 4.50mm

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•		•	•		
	4412 832AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-36									SPACER, Transfer Shaft, 4.54mm
	4412 833AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-37	4440						D.C.		SPACER, Transfer Shaft, 4.62mm
	4412 835AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
			14. 14			EGM	DOL		
		1	K, Y			EGH	DGL		
20		1	C, D			EGH	DGL		CDACED Transfer Chaft 4 CCrare
-38	4505 500 A D	4				EDZ	DGL		SPACER, Transfer Shaft, 4.66mm
	4505 588AB-	1	K V			EGA,	DGL		
		1	K, Y			EGA, EGM	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
39		•	0, D			LOIT	DOL		GEAR PACKAGE, Output And
00									Transfer Shaft
	4713 444AB	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
	4713 443AB	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
40									WASHER, Coned, M22.6x45x3.42
	6501 833	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
41									LOCK NUT, M22x1.50
	6507 156AA	1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EDZ	DGL		
42									SNAP RING
	6501 936	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
43									BAFFLE, Transfer Shaft
	4471 869	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
44									O RING, Transfer Shaft Bearing
	0504.700	4				ED7	DGL		Retainer, ATX
	6501 768	1	IZ V			EDZ			
		1	K, Y			EGA, EGM	DGL		
		4	K, Y			EGM	DGL		
		1	C, D			EGH	DGL		
45		1	С, Б			EGH	DGL		BEARING PACKAGE, Transfer Share
45	4856 911	1				EDZ	DGL		BEARING PACKAGE, Transier Sha
	4000 911	1	V V						
		'	K, Y			EGA, EGM	DGL		
		4	V V				DCI		
		1	K, Y C, D			EGH	DGL		
40		1	С, D			EGH	DGL		CHAFT Transfer Coor
46	4504.070	4				ED7	DCI		SHAFT, Transfer Gear
	4531 976	1	14. 14			EDZ	DGL		
	4531 978	1	K, Y			EGA,	DGL		
	4700 04545	,	17.37			EGM	DC!		
	4799 815AB	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



	Sales Codes	otio 41							
_	4 Speed Autom 2.4L 4 Cylinder			I					
	3.3L V6 SMPI	DOITE	10 V OIVII	•					
_	: 3.8L V6 SMPI								
	= 3.3L V6 SMPI I	Flex Fu	el						
-1									SEAL AND GASKET PACKAGE
									Transmission Front Clutch
	4883 240AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
2									PLATE PACKAGE, Underdrive
									Reaction, 5.72/5.82
	4883 013AB	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		DIATE DAGKAGE II. I. I.
-3									PLATE PACKAGE, Underdrive
	4002 04 4 A D	4				ED7	DGL		Reaction, 6.21/6.31
	4883 014AB-	1 1	K, Y			EDZ EGA,	DGL		
		1	r, i			EGA, EGM	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-4		•	0, 5			20	502		PLATE PACKAGE, Underdrive
									Reaction, 6.70/6.80
	4883 015AB-	1				EDZ	DGL		,
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
5									SNAP RING, Underdrive Clutch,
									Tapered
	4659 934	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
			16.35			EGM	-		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		TUDUOT DE ADINO
6									THRUST BEARING
DGE - C	HRYSLER MINIVAN	I (RS) —							
ERIES	LINE		_	DY	ENGIN			TRANSM	
= Base/S	C = Chrys C = Chrys D = Dodg			= 113 WB = 119 WB	EDZ, E EGA =	D0 = 2.4L 4 (DGC, = 3 DGL = 4 :	spd. Auto. (31TH)




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 262	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
7									HUB AND SHAFT PACKAGE,
									Underdrive Clutch
	4864 936	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
8									PLATE AND WASHER PACKAGE,
									Thrust
	5018 923AA	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
9									SNAP RING
	4505 621	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
10									DISC, Clutch
	4531 678	4				EDZ	DGL		
		4	K, Y			EGA,	DGL		
						EGM			
		4	K, Y			EGH	DGL		
		4	C, D			EGH	DGL		
11									PLATE, Transmission O/Drive Clutch
	4659 053	4	K, Y			EGA,	DGL		
						EGM			
		4	K, Y			EGF,	DGL		
						EGH			
		4	C, D			EGH	DGL		
		4				EDZ	DGL		
12									PLATE, Transmission O/Drive Clutch
	4531 556AC	1	K, Y			EGF,	DGL		
						EGH			

L = Base/SEH = LX, Sport P = LXI, ES S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, D			EGH	DGL		
		1	K, Y			EGH	DGL		
		1				EDZ	DGL		
13									SNAP RING
	4505 622	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
14									DISC, Clutch
	4531 678	4				EDZ	DGL		
		4	K, Y			EGA,	DGL		
						EGM			
		4	K, Y			EGH	DGL		
		4	C, D			EGH	DGL		
15									PLATE, Transmission O/Drive Cluto
	4659 053	4				EDZ	DGL		Reverse Clutch
		1	K, Y			EGA,	DGL		Reverse Clutch
						EGM			
		1	K, Y			EGH	DGL		Reverse Clutch
		1	C, D			EGH	DGL		Reverse Clutch
16									PLATE, Transmission Clutch
									Reaction
	4377 194	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
17									SNAP RING
	4377 195	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-18									SNAP RING, Reverse Clutch, 1.77-83mm
	4412 871	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		

L = Base/SEH = LX, Sport P = LXI, ES S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-19									SNAP RING, Reverse Clutch, 2.02-2
									07mm
	4412 872	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-20									SNAP RING, Reverse Clutch, 2.27-2
	4442.072						DCI		32mm
	4412 873	1	V V			EDZ	DGL		
		1	K, Y			EGA, EGM	DGL		
		1	k v			EGH	DGL		
		1	K, Y C, D			EGH	DGL		
21		1	C, D			EGII	DGL		PLATE AND WASHER PACKAGE,
21									Thrust
	5018 923AA	1				EDZ	DGL		Tillust
	3010 320/01	<u> </u>	K, Y			EGA,	DGL		
		•	, .			EGM	202		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
22			,						HUB AND SHAFT, Overdrive Clutch
	4659 993	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
23									PLATE, Transmission O/Drive Clutch
	4431 665AB	1				EDZ	DGL		1.59/1.66
		1	K, Y			EGA,	DGL		1.59/1.66
						EGM			
		1	K, Y			EGH	DGL		1.59/1.66
		1	C, D			EGH	DGL		1.59/1.66
	3836 237AB	1				EDZ	DGL		1.70/1.77
		1	K, Y			EGA,	DGL		1.70/1.77
						EGM			
		1	K, Y			EGH	DGL		1.70/1.77
	4404 66645	1	C, D			EGH	DGL		1.70/1.77
	4431 666AB	1	17.37			EDZ	DGL		1.81/1.88
		1	K, Y			EGA,	DGL		1.81/1.88
						EGM			

L = Base/SEH = LX, Sport P = LXI, ES S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1	K, Y			EGH	DGL		1.81/1.88
_			1	C, D			EGH	DGL		1.81/1.88
		3836 238AB	AR				EDZ	DGL		1.92/1.99
			1	K, Y			EGA,	DGL		1.92/1.99
							EGM			
			1	K, Y			EGH	DGL		1.92/1.99
			1	C, D			EGH	DGL		1.92/1.99
		4431 667AB	1				EDZ	DGL		2.03/2.10
			1	K, Y			EGA,	DGL		2.03/2.10
							EGM			
			1	K, Y			EGH	DGL		2.03/2.10
			1	C, D			EGH	DGL		2.03/2.10
		3836 239AB	AR				EDZ	DGL		2.14/2.21
			1	K, Y			EGA,	DGL		2.14/2.21
							EGM			
			1	K, Y			EGH	DGL		2.14/2.21
			1	C, D			EGH	DGL		2.14/2.21
		4431 668AB	1				EDZ	DGL		2.25/2.32
			1	K, Y			EGA,	DGL		2.25/2.32
							EGM			
_			1	K, Y			EGH	DGL		2.25/2.32
			1	C, D			EGH	DGL		2.25/2.32
		3836 240AB	AR				EDZ	DGL		2.36/2.43
			1	K, Y			EGA,	DGL		2.36/2.43
							EGM			
			1	K, Y			EGH	DGL		2.36/2.43
			1	C, D			EGH	DGL		2.36/2.43
		4431 669AB	1				EDZ	DGL		2.47/2.54
_			1	K, Y			EGA,	DGL		2.47/2.54
				14.54			EGM	D.C.		0.47/0.54
			1	K, Y			EGH	DGL		2.47/2.54
		0000 04445	1	C, D			EGH	DGL		2.47/2.54
_		3836 241AB	1	17.37			EDZ	DGL		2.58/2.65
			1	K, Y			EGA,	DGL		2.58/2.65
			,	17.37			EGM	DC		0.50/0.05
			1	K, Y			EGH	DGL		2.58/2.65
_		4446 67045	1	C, D			EGH	DGL		2.58/2.65
		4446 670AB	1	K V			EDZ	DGL		2.69/2.76
			1	K, Y			EGA,	DGL		2.69/2.76
			4	k v			EGM EGH	DCI		2 60/2 76
			1	K, Y			ЕОП	DGL		2.69/2.76


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, D			EGH	DGL		2.69/2.76
	4446 671AB	1	K, Y			EGH	DGL		2.91/2.98
		1				EDZ	DGL		2.91/2.98
		1	K, Y			EGA,	DGL		2.91/2.98
						EGM			
		1	C, D			EGH	DGL		2.91/2.98
24									SNAP RING, Underdrive Clutch, Flat
	4659 980	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
25									DISC, Clutch
	4531 678	4				EDZ	DGL		
		4	K, Y			EGA,	DGL		
						EGM			
		4	K, Y			EGH	DGL		
		4	C, D			EGH	DGL		
26									PLATE, Transmission O/Drive Clutch
	4659 053	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
27									SNAP RING
	6501 715	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
28									RETAINER AND SEAL,
									Transmission U/Drive Spring
	4431 612	1	14. 14			EDZ	DGL		
		1	K, Y			EGA,	DGL		
			17. 17			EGM	DOL		
		1	K, Y			EGH	DGL		
00		1	C, D			EGH	DGL		ODDING Drive Le C
29	4077 477	4				ED7	DCI		SPRING, Drive Lower Case
	4377 177	1	V V			EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			

L = Base/SEH = LX, Sport P = LXI, ES S = Limited E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
30			,						PISTON, Underdrive
	4431 610	1				EDZ	DGL		,
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
31									SNAP RING
	6507 226AA	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
32									SEAL, Piston Outer, 140mm OE
	4659 871	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-33									SEAL PACKAGE, Transmission
									Clutch
	4882 917	1	14. 14			EDZ	DGL		
		1	K, Y			EGA,	DGL		
			V V			EGM	DGL		
		1 1	K, Y C, D			EGH EGH	DGL		
34		'	C, D			EGII	DGL		RETAINER, Transmission Input
J -1									Clutch
	4659 935	1				EDZ	DGL		Cidion
		1	K, Y			EGA,	DGL		
		-	, -			EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
35			•						SEAL, Input Shaft
	4446 543	3				EDZ	DGL		•
		3	K, Y			EGA,	DGL		
						EGM			
		3	K, Y			EGH	DGL		
		3	C, D			EGH	DGL		
36									THRUST BEARING


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
	4412 209	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
37									INPUT SHAFT PACKAGE, Transaxle
	4549 223AB	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
38									HUB PACKAGE, Input Clutch
	5017 518AA	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
39									O RING, Transmission Clutch
	6502 271	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
40									O RING, Transmission Clutch
	6502 269	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
			14. 14			EGM	DOL		
		1	K, Y			EGH	DGL		
41		1	C, D			EGH	DGL		SEAL, Under Drive
41	46E0 201 A P	4				ED7	DGL		SEAL, Under Drive
	4659 391AB	1 1	K V			EDZ EGA,	DGL		
		1	K, Y			EGA, EGM	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-42		'	С, Б			LGII	DGL		SEAL PACKAGE, Transmission
72									Clutch
	4882 917	1				EDZ	DGL		2.230.
		1	K, Y			EGA,	DGL		
		-	, -			EGM			
		1	K, Y			EGH	DGL		
		•	, •						

L = Base/SEH = LX, Sport P = LXI, ES S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, D			EGH	DGL		
43	0504.700	4				ED7	DOL		SNAP RING
,	6501 702	1	K, Y			EDZ EGA,	DGL DGL		
		1	rx, i			EGA, EGM	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
44									SNAP RING
4	4412 203	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
45		1	C, D			EGH	DGL		CDDING Overdrive Dieter
45	4412 202	1				EDZ	DGL		SPRING, Overdrive Piston
_	TT12 202	1	K, Y			EGA,	DGL		
			, .			EGM	202		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
46									O RING, Reverse & O/Drive Clutch Piston, Transmission
(6033 158	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
47		1	C, D			EGH	DGL		LILID DACKACE Input Clutch
47	5017 518AA	1				EDZ	DGL		HUB PACKAGE, Input Clutch
`	3017 310AA	1	K, Y			EGA,	DGL		
			12, 1			EGM	DOL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-48									FILTER, Reverse And O/D Clutch
	4531 903	1		· · · · · ·		EDZ	DGL		
		1	K, Y			EGA,	DGL		
		,	17.37			EGM	D.C.		
		1	K, Y C, D			EGH	DGL		
		1	С, D			EGH	DGL		SEAL, Reverse Servo Piston
49									OLAL, NEVELSE SELVO FISION


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV






«


Gear Train Figure 41TE-AE-440




Gear Train Figure 41TE-AE-440




Gear Train Figure 41TE-AE-440




Gear Train Figure 41TE-AE-440




Gear Train Figure 41TE-AE-440




Gear Train Figure 41TE-AE-440




Gear Train Figure 41TE-AE-440




Gear Train Figure 41TE-AE-440




Gear Train Figure 41TE-AE-440




Gear Train Figure 41TE-AE-440



Gear Train Figure 41TE-AE-440





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1.0	411							
OTF: S	ales Codes								
	Speed Autom	atic 41	TE-AE						
_	2.4L 4 Cylinder			I					
	3.3L V6 SMPI								
_	3.8L V6 SMPI								
	3.3L V6 SMPI	Flex Fu	ıel						
-1									GASKET PACKAGE, Valve Body
	4864 696AB-	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
2									VALVE BODY, Complete
	4897 890AA	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
3									SEAL, Manual Valve Lever
	4412 836	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		15/55 14
4	1000 010						D.O.I		LEVER, Manual Valve
	4883 316	1	IZ 3Z			EDZ	DGL		
		1	K, Y			EGA, EGM	DGL		
		4	V V			EGM	DGL		
		<u>1</u> 1	K, Y C, D			EGH	DGL		
5		ı	O, D			LGII	DGL		SCREW
3	6506 245AA	1				EDZ	DGL		CONLYV
	0000 Z40AA	1	K, Y			EGA,	DGL		
		'	13, 1			EGM,	DOL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
6		•	٥, ٥			_0.,	202		SEAL, Clutch Feed
	4412 291	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
		•	, -			EGM			
		1	K, Y			EGH	DGL		
			, -						


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, D			EGH	DGL		
7		ı ı	С, Б			EGII	DGL		VENT, Transmission
,	4505 557	1				EDZ	DGL		VEIVI, Transmission
	1000 007	1	K, Y			EGA,	DGL		
			, .			EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
8									SENSOR, Transmission Range
	4659 676AC	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
9									SEAL, Accumulator
	4446 544	2				EDZ	DGL		
		2	K, Y			EGA,	DGL		
						EGM			
		2	K, Y			EGH	DGL		
4.0		2	C, D			EGH	DGL		DIOTONI O I I I II I
10	4446 620	1				EDZ	DGL		PISTON, 2nd and 4th Accumulator
	1110 020	1	K, Y			EGA,	DGL		
		-	,			EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
11			-						SPRING, Accumulator
	4567 575	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
12									SCREW AND WASHER, Pan Head M5x.8x25
	6500 215	24				EDZ	DGL		
		24	K, Y			EGA,	DGL		
						EGM			
		24	K, Y			EGH	DGL		
		24	C, D			EGH	DGL		
13									BOLT, Hex Head, M8x30
	6100 155	18				EDZ	DGL		

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		18	K, Y			EGA,	DGL		
		40	IZ V			EGM	DOL		
		18	K, Y			EGH	DGL		
1.1		18	C, D			EGH	DGL		FILTED DACKAGE Transmission (
14	4864 505AB	1				EDZ	DGL		FILTER PACKAGE, Transmission C
	4004 303AB	1	K, Y			EGA,	DGL		
		'	rx, i			EGA, EGM	DGL		
		1	K, Y			EGH	DGL		
		<u>'</u> 1	C, D			EGH	DGL		
15		•	0, D			LOIT	DOL		O RING, Trans Oil Filter
10	6032 780	1				EDZ	DGL		o kiivo, mano on mice
	0002 700	1	K, Y			EGA,	DGL		
		•	17, 1			EGM	DOL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
16		·	٥, ٥						SCREEN, Transmission Regulator
									Valve
	3878 313	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
17									SCREW, Pan Head, M5 x 0.8 x 12.
									60
	6503 232	3				EDZ	DGL		
		3	K, Y			EGA,	DGL		
						EGM			
		3	K, Y			EGH	DGL		
		3	C, D			EGH	DGL		
18									RETAINER, Transmission 2nd and
									4th Accumulator Piston
	4431 711	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
19									DETENT, Valve Body
	4431 710	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
20									SPRING, Accumulator
	4471 880	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-21									VALVE, Transmission Regulator
	4659 081	1	K, Y			EGA,	DGL		
						EGM			
		1	C, D			EGH	DGL		
22									BALL, Check
	4446 602	1	K, Y			EGA,	DGL		
						EGM			
		1	C, D			EGH	DGL		
	5211 8261	3	K, Y			EGA,	DGL		Small
						EGM			
		3	C, D			EGH	DGL		Small
-23	6505 262AA-	1	K, Y			EGH	DGL		SCREW, Pan Head Locking, M5x0.
									8x30.00, Cover Plater to Soleniod
									Housing

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Accumulator Piston and Springs Figure 41TE-AE-725

	(8)
3 4 3 5	
6——————————————————————————————————————	8

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE: S	Sales Codes								
	4 Speed Autor	natic 41	TE-AE						
-	2.4L 4 Cylinde			I					
EGA] = 3	3.3L V6 SMPI								
	3.8L V6 SMPI								
	3.3L V6 SMPI	Flex Fu	ıel						
1									SPRING, Accumulator
	4567 575	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
		4	K V			EGM	DCI		
		1 1	K, Y C, D			EGH EGH	DGL DGL		
2		1	С, D			ЕОП	DGL		SPRING, Accumulator
	4471 880	1				EDZ	DGL		of Kilvo, Accumulator
	1171 000	1	K, Y			EGA,	DGL		
			,			EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
3									SEAL, Accumulator
	4446 544	2				EDZ	DGL		
		2	K, Y			EGA,	DGL		
						EGM			
		2	K, Y			EGH	DGL		
		2	C, D			EGH	DGL		DIOTONI O I I I III I
4	4440,000						DCI		PISTON, 2nd and 4th Accumulator
	4446 620	2 1	K, Y			EDZ EGA,	DGL DGL		
		1	rx, i			EGA, EGM	DGL		
		1	K, Y			EGH	DGL		
		<u>·</u> 1	C, D			EGH	DGL		
5			- ,						COVER, Accumulator
	4431 617	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
6									O RING, Accumulator, Transmission
	6501 549	1	14.54			EDZ	DGL		
		1	K, Y			EGA,	DGL		
		4	V V			EGM	DCI		
		1	K, Y			EGH	DGL		

DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Accumulator Piston and Springs Figure 41TE-AE-725



ЕМ	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IVI	NOWBER	Q I I	LINE	JERIES	ВОВТ	LINGINE	TRANS	IIXIIVI	DESCRIPTION
		1	C, D			EGH	DGL		
7									SNAP RING
	6501 695	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
8									SEAL, Accumulator
	4446 544	2				EDZ	DGL		
		2	K, Y			EGA,	DGL		
						EGM			
		2	K, Y			EGH	DGL		
		2	C, D			EGH	DGL		
9			<u> </u>						SPRING, Accumulator
	4471 880	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
		-	-, -						

DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Parking Sprag Figure 41TE-AE-740




[EDZ] = 2 [EGA] =	4 0 1 4	-4'- 44'	TC AC				
[EGA] =	4 Speed Autom						
	-	DOHC	16V SIVIP	l			
	3.8L V6 SMPI						
	3.3L V6 SMPI	Flox Fi	ol				
1 1	3.3L VO SIVIFT	riex ru	E				GUIDE PACKAGE, Parking Spra
	4883 505AA	1			EDZ	DGL	i awi
	4000 0007 17 (1	K, Y		EGA,	DGL	
		•	13, 1		EGM	DOL	
		1	K, Y		EGH	DGL	
		1	C, D		EGH	DGL	
2		•	0, 2				SPRING, Parking Sprag Return
_	4431 653	1			EDZ	DGL	or many and a second
		1	K, Y		EGA,	DGL	
			,		EGM		
		1	K, Y		EGH	DGL	
		1	C, D		EGH	DGL	
3			·				SHAFT, Parking Sprag
	4431 999	1			EDZ	DGL	, , , , ,
		1	K, Y		EGA,	DGL	
					EGM		
		1	K, Y		EGH	DGL	
		1	C, D		EGH	DGL	
4							SHAFT, Parking Sprag
	4412 289	1			EDZ	DGL	
		1	K, Y		EGA,	DGL	
					 EGM		
		1	K, Y		EGH	DGL	
		1	C, D		EGH	DGL	
5							CUP, Parking Brake Sprag
	4446 612	1			EDZ	DGL	
		1	K, Y		EGA,	DGL	
			14.55		EGM	F 4:	
		1	K, Y		EGH	DGL	
		1	C, D		EGH	DGL	DOD Darking C
					ED7	DC:	ROD, Parking Sprag
6	4431 634	1			EDZ	DGL	

Parking Sprag Figure 41TE-AE-740



	PART	_							
EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	K, Y			EGA,	DGL		
			,			EGM			
		1	K, Y			EGH	DGL		
_		1	C, D			EGH	DGL		
7	6035 256	1				EDZ	DGL		SNAP RING, Rod
	0030 Z00	1	K, Y			EGA,	DGL		
		•	,			EGM	201		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
i E - C	HRYSLER MINIVA			DDY	ENGINI			TRANSMI	SSION
GE - C ES ase/Sl X, Spo	LINE E C = Chi	AN (RS) — rysler(AWD) dge(AWD)	D) 52	DDY ! = 113 WB 3 = 119 WB	EDZ, E	IE ED0 = 2.4L 4 (3.3L 6 Cyl.	Cyl. [DGC, = 3	SSION spd. Auto. (31TH) spd. Auto. (41TE)

Differential Figure 41TE-AE-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 = 111	Nomber	Q	LINE	OLIVIES	5051	LITOINE	IIIAIIO	11111111	
NOTE: S	ales Codes								
	4 Speed Autom	atic 41	TE-AE						
_	2.4L 4 Cylinder			I					
	3.3L V6 SMPI								
_	3.8L V6 SMPI								
DGM] =	3.3L V6 SMPI	Flex Fu	ıel						
1									DIFFERENTIAL, Transaxle
	4659 496AB	1				EDZ	DGL		
	4800 031AA	1	K, Y			EGA,	DGL		
						EGM			
	4800 046AA	1	K, Y			EGH	DGL		
	4800 047AA	1	C, D			EGH	DGL		
2	4659 175	1				EDZ	DGL		GEAR, Differential Ring, 60 Teeth
3	4659 592	1	K, Y			EGA,	DGL		GEAR, Differential Ring, 59 Teeth
						EGM			
4									GEAR, Differential Ring, 56 Teeth
	4659 956	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
5									CASE, Differential, Serviced In Itel
									#1, (NOT SERVICED) (Not
									Serviced)
6	4249 670	2				ED7	DGL		PINION, Differential
	4348 679 4799 139AA	2 2	K, Y			EDZ EGA,	DGL		
	4799 139AA	2	rx, i			EGA, EGM	DGL		
		2	K, Y			EGH	DGL		
		2	C, D			EGH	DGL		
7		_	0, 5			2011	DOL		WASHER, Thrust
•	4412 521	2				EDZ	DGL		TO TELL, THI GOL
	4659 223	2	K, Y			EGA,	DGL		
			,			EGM			
		2	K, Y			EGH	DGL		
		2	C, D			EGH	DGL		
8									GEAR, Differential Side
	4659 502	2				EDZ	DGL		
	4799 913AA	1	K, Y			EGA,	DGL		
						EGM			
		2	K, Y			EGH	DGL		
		2	C, D			EGH	DGL		
9									WASHER PACKAGE, Side Gear Thrust

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Differential Figure 41TE-AE-820



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4504 568	1				EDZ	DGL		
		AR	K, Y			EGA,	DGL		
			14.34			EGM	5.01		
		1	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		DDACKET Differential Dinion Chaff
10	4800 058AA	2				EDZ	DGL		BRACKET, Differential Pinion Shaft
	4800 036AA 4800 013AB	2 2	K, Y			EGA,	DGL		
	4000 013AB	2	N, I			EGA, EGM	DGL		
		2	K, Y			EGH	DGL		
		2	C, D			EGH	DGL		
11		2	0, D			LOIT	DOL		SHAFT, Differential
	4659 235AB	1	K, Y			EGA,	DGL		Civa i, Binoroniai
	1000 2007 12	•	13, 1			EGM	DOL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
12	4659 142AB	1	-, -			EDZ	DGL		SHAFT, Pinion Gear
13									SHAFT, Transfer Gear
	4531 976	1				EDZ	DGL		
	4531 978	1	K, Y			EGA,	DGL		
						EGM			
	4799 815AB	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
14									SCREW, Special Shouldered,
	0500.004	- 10	17. 17				DO!		M10x1x29
	6502 034	12	K, Y			EGA,	DGL		
		10	C D			EGM EGH	DGL		
		12 12	C, D			EGH	DGL		
15	6501 240	12	K, Y			EDZ	DGL		BOLT, Hex Head, M10x1.00x25
16	0301 240	12				LUL	DGL		CUP, Differential Side Bearing
10	4659 237	1				EDZ	DGL		Oor, Differential Olde Dearing
	7000 201	1	K, Y			EGA,	DGL		
		'	13, 1			EGM,			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
17		•	-, -			_ •	- 		BEARING CONE, Differential
	4659 238	1				EDZ	DGL		, = ······
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year





Differential Figure 41TE-AE-820



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, D			EGH	DGL		
45	67 382	1	C, D			EGH	DGL		Right Differntial Bearinf AWD
18									BEARING
45	67 025AB	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-19	F0 000					- FD7	DO!		BEARING CONE, Differential
46	59 238	1	K V			EDZ	DGL		
		1	K, Y			EGA, EGM	DGL		
		1	K, Y			EGH	DGL		
		<u>'</u> 1	C, D			EGH	DGL		
20		•	0, 5			2011	DOL		BEARING CUP, Differential
	67 022	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
			· · ·			EGM			
		1	C, D			EGH	DGL		
-21									RETAINER, Differential Bearing
46	59 736	1				EDZ	DGL		
		1	K, Y			EGA,	DGL		
						EGM			
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-22	10.01=:=		14.54			- 6.	D.C.		GEAR PACKAGE, Differential
50	16 315AB-	1	K, Y			EGA,	DGL		
			0.0			EGM	DOL		
		1	C, D			EGH	DGL		


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Controls, Gearshift, Column Shaft Figure 41TE-AE-1225



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes:	.: 44-							
	Speed Automa		E-AE				DCI		CARLE Coordift Control
1 -2	4670 122AF 6500 776	1 1					DGL DGL		CABLE, Gearshift Control SCREW AND WASHER, Hex Hea M5x.8x14, Adjusting Screw
3	4670 322AB	1					DGL		LEVER, Manual Control
-4	6500 776	1					DGL		SCREW AND WASHER, Hex Hea M5x.8x14, Shift Cable attaching
RIES = Base/S	HRYSLER MINIVA LINE E C = Chr	ysler(AW	D) 52	DDY = 113 WB	ENGINE EDZ, EI	D0 = 2.4L4	Cyl. [ΓRANSM DGC, = 3	spd. Auto. (31TH)
= LX, Sp = LXI, ES = Limited = EC	Y = Chry	ge(AWD) ysler(FWI ge(FWD)	O)	= 119 WB	EGH, E	3.3L 6 Cyl. G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. [DGL = 4 : DG0 = All	spd. Auto. (41TE) I Automatic Transm

Group – 088 Power Transfer Unit AWD





GROUP 88 - Power Transfer Unit AWD

Illustration Title	Group-Fig. No.
Power Transfer Assembly and Mounting	
Power Transfer Unit Assembly	Fig. 088-110
Power Transfer Unit Service Parts [AWD]	Fig. 088-120

Power Transfer Unit Assembly Figure 088-110


PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY E	NGINE TRA	ANS TRIM	DESCRIPTION
		4641 900AB							POWER TRANSFER UNIT
	2	6100 940	2						BOLT, Hex Flange Head, M10x1.
	3	4641 665	1						5x50 BRACKET, Power Take Off
		6503 131	4						BOLT, Hex Flange Head, M8x1.
									25x30
	5	4518 738	1						BRACKET, Power Transfer Unit
(3)									
5 60 7 9 7	-								_
(4)									
	DODGE - CH	IRYSLER MINIVA	AN (RS)			ENCINE		TDANCA	ICCION
	L = Base/SE	C = Chr	rysler(AWD)	BOD 52 =	: 113 WB	ENGINE EDZ, ED0 =	= 2.4L 4 Cyl.	TRANSM DGC, = 3	s spd. Auto. (31TH)
	H = LX, Spo P = LXI, ES	ort $D = Doo$ Y = Chr	rysler(AWD) dge(AWD) rysler(FWD) dge(FWD)	53 =	: 119 WB	EGA = 3.3L EGH, EG0 =	= 2.4L 4 Cyl. . 6 Cyl. = 3.8L 6 Cyl. _ 6 Cyl. FFV	DGL = 4 DG0 = A	s spd. Auto. (31TH) spd. Auto. (41TE) I Automatic Transm
	L = Base/SE H = LX, Spo P = LXI, ES S = Limited E = EC	K = Doo	dge(FWD) [']			EGM = 3.3L	₋ 6 Cyl. FFV		
	L = LO								

Power Transfer Unit Service Parts [AWD] Figure 088-120

		PART							
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS 1	RIM DESCRIPTION
		•	<u>l</u>		•				
	1								PLUG, Oil Drain, Service In
									Assembly, (NOT SERVICED) (Not
									Serviced)
	2	4518 903	1						NUT, Hex Flange Lock, M16x1.5
	3	4486 070	1						O RING, Output Shaft Flange Tube
	4	6504 171	5						SCREW, Hex Flange Head, M8x1.
	_								25x32
	5	4486 077	1						O RING, PTU Case Rear Cover
	6	6504 171	5						SCREW, Hex Flange Head, M8x1.
	7	4486 042	1				EGH	DGL	25x32 SEAL
	, 8	5205 673	1				EDZ	DGC	RETAINER, Differential
	9	6500 111	1				EGH	DGL	O RING, Transmission Case
(17) (14) (56)	10	4637 108	1						PLUG PACKAGE, Fill
	11	100.	-						TROUGH, Service In Assembly,
(1) (16) (17) (17)									(NOT SERVICED) (Not Serviced)
$\bigcirc \bigcirc $	12	4486 046	1						MAGNET, Power Take Off
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13	4486 796	1						TROUGH, Power Take Of Unit
	14	4486 065	1						BEARING, Drive Shaft
	15	6500 511	4				EGH	DGL	SCREW, Flange Head, M8x1.25x33
	16	4641 848AA	1						SEAL, Extension
	17	4486 754	1						SNAP RING
12 (8) (53) (4) (95) (2)	18	4641 769	1						FLANGE, Output
(53)	-19	4641 415	AR						SHIM, Output Shaft, 4.67 - 4.69mm
$\begin{array}{c} (57) \\ (5$	<u>-20</u> -21	4641 416 4641 417	AR AR						SHIM, Output Shaft, 4.70 - 4.72mm SHIM, Output Shaft, 4.73 - 4.75mm
	-21 -22	4641 417	AR						SHIM, Output Shaft, 4.76 - 4.78mm
\sim \sim \sim \sim		4641 419	AR						SHIM, Output Shaft, 4.79 - 4.81mm
\sim	-24	4641 420	AR						SHIM, Output Shaft, 4.82 - 4.84mm
$\begin{array}{c} (56) \\ (63) \\ (6$		4641 421	AR						SHIM, Output Shaft, 4.85 - 4.87mm
	-26	4641 422	AR						SHIM, Output Shaft, 4.88 - 4.90mm
	-27	4641 423	AR						SHIM, Output Shaft, 4.91 - 4.93mm
	-28	4641 424	AR						SHIM, Output Shaft, 4.94 - 4.96mm
88 89 94 65 67	-29	4641 425	AR						SHIM, Output Shaft, 4.97 - 4.99mm
$ \begin{array}{c} $	-30	4641 426	AR						SHIM, Output Shaft, 5.00 - 5.02mm
(98)	-31	4641 427	AR						SHIM, Output Shaft, 5.03 - 5.05mm
(91)	-32 -33	4641 428	AR AR						SHIM, Output Shaft, 5.06 - 5.08mm
	-33 -34	4641 429 4641 430	AR AR						SHIM, Output Shaft, 5.09 - 5.11mm SHIM, Output Shaft, 5.12 - 5.14mm
	-3 4 -35	4641 431	AR						SHIM, Output Shaft, 5.15 - 5.17mm
	-36	4641 432	AR						SHIM, Output Shaft, 5.18 - 5.20mm
	-37	4641 433	AR						SHIM, Output Shaft, 5.21 - 5.23mm
		-							- , 1
	DODGE - CH	RYSLER MINIVA	N (PS)						
	SERIES	LINE		ВОГ	DY	ENGINE		TRA	NSMISSION
	L = Base/SE H = LX, Spo		ysler(AWI lge(AWD)		= 113 WB = 119 WB		00 = 2.4L 4 (3.3L 6 Cyl.		C, = 3 spd. Auto. (31TH) _ = 4 spd. Auto. (41TE)
	P = LXI, ES	Y = Chr	ysler(FWD	D)	-	EGH, EG	30 = 3.8L6	Cyl. DG) = All Automatic Transm
	S = Limited E = EC	K = D00	lge(FWD)			EGM = 3	3.3L 6 Cyl. F	·FV	
		as required -							Santambar 16, 2005

Power Transfer Unit Service Parts [AWD] Figure 088-120



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-38	4641 434	AR							SHIM, Output Shaft, 5.24 - 5.26mm
	-39	4641 435	AR							SHIM, Output Shaft, 5.27 - 5.29mm
	-40	4641 436	AR							SHIM, Output Shaft, 5.30 - 5.35mm
	-41	4641 437	AR							SHIM, Output Shaft, 5.33 - 5.35mm
_	-42	4641 438	AR							SHIM, Output Shaft, 5.36 - 5.38mm
	-43	4641 439	AR							SHIM, Output Shaft, 5.39 - 5.41mm
	-44	4641 440	AR							SHIM, Output Shaft, 5.42 - 5.44mm
	-45	4641 442	AR							SHIM, Output Shaft, 5.48 - 5.50mm
_	-46	4641 443	AR							SHIM, Output Shaft, 5.51 - 5.53mm
	-47	4641 444	AR							SHIM, Output Shaft, 5.54 - 5.56mm
	-48	4641 445	AR							SHIM, Output Shaft, 5.57 - 5.59mm
	-49	4641 446	AR							SHIM, Output Shaft, 5.60 - 5.62mm
_	-50	4641 447	AR							SHIM, Output Shaft, 5.63 - 5.65mm
	-51	4641 448	AR							SHIM, Output Shaft, 5.66 - 5.68mm
	-52	4641 449	AR							SHIM, Output Shaft, 5.69 - 5.71mm
	53	4641 851AA	1							SEAL
	54	4641 852AA	2							SEAL
	55	4641 853AA	1							SEAL
	56									CASE, Service In Assembly, (NOT
										SERVICED) (Not Serviced)
	57									BEARING, Service In Assembly,
										(NOT SERVICED) (Not Serviced)
	58									SHAFT, Input, Service In Assembly,
										(NOT SERVICED) (Not Serviced)
_	59									COVER, Service In Assembly, (NOT
										SERVICED) (Not Serviced)
	60									SHIM, Service In Assembly, (NOT
										SERVICED) (Not Serviced)
	61									GEAR, Service In Assembly, (NOT
										SERVICED) (Not Serviced)
	62	4641 848AA	1							SEAL, Extension
	63	4567 025AB	1				EGH	DGL		BEARING
	-64	4567 022	1				EGH	DGL		BEARING CUP, Differential
_	65	4659 238	1			· · · · · ·	EGH	DGL		BEARING CONE, Differential
	-66	4567 022	1				EGH	DGL		BEARING CUP, Differential
	67	4659 257	AR				EGH	DGL		SPACER, Final Drive, 0.98mm
_	-68	4659 258	AR				EGH	DGL		SPACER, Final Drive, 1.02mm
	-69	4659 259	AR				EGH	DGL		SPACER, Final Drive, 1.06mm
	-70	4659 260	AR				EGH	DGL		SPACER, Final Drive, 1.10mm
	-71	4659 261	AR				EGH	DGL		SPACER, Final Drive, 1.14mm
	-72	4659 262	AR				EGH	DGL		SPACER, Final Drive, 1.18mm

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SE H = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year





Power Transfer Unit Service Parts [AWD] Figure 088-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
-73	4659 263	AR				EGH	DGL		SPACER, Final Drive, 1.22mm
-74	4659 264	AR				EGH	DGL		SPACER, Final Drive, 1.26mm
-75	4659 265	AR				EGH	DGL		SPACER, Final Drive, 1.30mm
-76	4659 266	AR				EGH	DGL		SPACER, Final Drive, 1.34mm
-77	4659 267	AR				EGH	DGL		SPACER, Final Drive, 1.38mm
-78	4659 268	AR				EGH	DGL		SPACER, Final Drive, 1.42mm
-79	4659 269	AR				EGH	DGL		SPACER, Final Drive, 1.46mm
-80	4659 270	AR				EGH	DGL		SPACER, Final Drive, 1.50mm
-81	4659 271	AR				EGH	DGL		SPACER, Final Drive, 1.54mm
-82	4659 272	AR				EGH	DGL		SPACER, Final Drive, 1.58mm
-83	4659 273	AR				EGH	DGL		SPACER, Final Drive, 1.62mm
-84	4659 274	AR				EGH	DGL		SPACER, Final Drive, 1.66mm
-85	4659 275	AR				EGH	DGL		SPACER, Final Drive, 1.70mm
-86	4659 283	AR				EGH	DGL		SPACER, Final Drive, 2.02mm
-87	4659 284	AR				EGH	DGL		SPACER, Final Drive, 2.06mm
88	4659 290	1				EGH	DGL		DAM, Differential Extension Oil
89	4412 522AB	1				EGH	DGL		SEAL
90	4659 736	1				EGH	DGL		RETAINER, Differential Bearing
91									SHAFT, Drive, See Group 2 For
									Service Part Numbers, (NOT
									SERVICED) (Not Serviced)
92	4659 235AB	1				EGH	DGL		SHAFT, Pinion Gear
93									CASE, Differential, Service In
									Differential, (NOT SERVICED) (Not
									Serviced)
94	4659 956	1				EGH	DGL		GEAR, Differential Ring, 56 Teeth
95	4659 223	2				EGH	DGL		WASHER, Thrust
96	4504 568	1				EGH	DGL		WASHER PACKAGE, Side Gear
									Thrust
97	4799 139AA	2				EGH	DGL		PINION, Differential
98	4799 913AA	2				EGH	DGL		GEAR, Differential Side


DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SE H = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 21P Speedometer Pinions






GROUP 21P - Speedometer Pinions

Group-Fig. No. **Speedometer Pinions** Speedometer Pinion Fig. 21P-120


Illustration Title


Speedometer Pinion Figure 21P-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			•		•	·			
	alese Codes								
[DGC] = 1	3 Speed Auton 4707 839AA		ansmissior	n, 31TH			DGC		SENSOR Vahiala Spand
2	6501 714	1 1					DGC		SENSOR, Vehicle Speed SCREW AND WASHER, Hex Head M6x1x18
3	4567 880AB	1					DGC		PINION, Speedometer Drive, Yellov
ODGE - C	HRYSLER MINIVAI	AN (RS) —							
ERIES = Base/SE = LX, Spo = LXI, ES = Limited	ort $D = Dod$ S $Y = Chry$	rysler(AWI dge(AWD) rysler(FWI dge(FWD)	(D) 52 (D) 53	DDY 2 = 113 WB 3 = 119 WB	EGA = : EGH, E	E :D0 = 2.4L 4 (3.3L 6 Cyl. :G0 = 3.8L 6 : 3.3L 6 Cyl. F	Cyl. [Cyl. [DGL = 4	IISSION 3 spd. Auto. (31TH) spd. Auto. (41TE) II Automatic Transm


Group – 022 Wheels, Covers and Jacks









022-300








GROUP 22 - Wheels, Covers and Jacks

Illustration Litie	Group-Fig. No.
Wheels and Hardware Wheels and Hardware	Fig. 022-140
Wheel Covers and Center Caps	
Covers and Caps, Wheels	Fig. 022-240
Jack Stowage	
Jack Stowage	Fig. 022-340
Spare Tire Stowage	
Wheel, Spare	Fig. 022-410

Wheels and Hardware Figure 022-140



NOMBER QTY LINE SERIES BODY ENGINE TRANS TRIM DESCRIPTION		PART								
WCP = Wheels - 15 x 6.5 Black WDK,WNB = Wheels - 16 x 6.5 Steel WFT = Wheels - 17 into Aluminum, Chrome WFY = Wheels - 17 into Aluminum, Chrome WFY = Wheels - 16 x 6.5 Aluminum WHEEL, Steel WCP Wheels - 16 x 6.5 Aluminum WHEEL, Steel WCP WFY = Wheels - 16 inch Aluminum WHEEL, Steel WCP WFY = Wheels - 16 inch Aluminum WHEEL, Steel WCP WFY =	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
WCP = Wheels - 15 x 6.5 Black WDK,WNB = Wheels - 16 x 6.5 Steel WFT = Wheels - 17 into Aluminum, Chrome WFY = Wheels - 17 into Aluminum, Chrome WFY = Wheels - 16 x 6.5 Aluminum WHEEL, Steel WCP Wheels - 16 x 6.5 Aluminum WHEEL, Steel WCP WFY = Wheels - 16 inch Aluminum WHEEL, Steel WCP WFY = Wheels - 16 inch Aluminum WHEEL, Steel WCP WFY =		-								
WCP = Wheels - 15 x 6.5 Black WDK,WNB = Wheels - 16 x 6.5 Steel WFT = Wheels - 17 into Aluminum, Chrome WFY = Wheels - 17 into Aluminum, Chrome WFY = Wheels - 16 x 6.5 Aluminum WHEEL, Steel WCP Wheels - 16 x 6.5 Aluminum WHEEL, Steel WCP WFY = Wheels - 16 inch Aluminum WHEEL, Steel WCP WFY = Wheels - 16 inch Aluminum WHEEL, Steel WCP WFY =	NOTE:Sa	les Codes:								
WDK,WNB = Wheels - 16 x 6.5 Steel WF7 = Wheels - 17 inch Aluminum, Chrome WFY = Wheels - 17 x 7.5 Front/20 x 10 Rear, Aluminum WNP = Wheels - 16 x 6.5 Aluminum WNP = Wheels - 16 x 6.5 Aluminum WHEEL, Steel WCP 4766 331AA 4 WCP 4766 333AA 1 17 x 6.5 Black - Spare WUFY = Wheels - 16 x 6.5 Aluminum WHEEL, Steel WCP 4766 333AA 1 17 x 6.5 Black - Spare WUFY = Wheel x 10 x 1			6.5 Bla	ck						
WF7 = Wheels - 17 inch Aluminum, Chrome WFY = Wheels - 16 x 6.5 Aluminum WHS = Wheels - 16 inch Aluminum WHS = Wheels - 16 inch Aluminum WHEEL, Steel [WCP] 4766 331AA										
WFY = Wheels - 17 x 7.5 Front/20 x 10 Rear, Aluminum WHEEL, Steel WCP WHEEL, Steel WCP WHEEL, Steel WCP WCF WCF	-	-			ome					
WNY] = Wheels - 16 x 6.5 Aluminum WHEEL, Steel WHEEL, Steel						ninum				
WNZ = Wheels - 16 inch Aluminum										_
1										
4766 331AA	• •									WHEEL. Steel
4766 332AA		4766 331AA	4							
4766 333AA 1 17 X 6.5 Black - Spare 2 6500 092 20 NUT, Wheel, M12x1.5, [WN2] 3 4743 278AA 5 STEM, Wheel Valve - 4 5083 124AA- 5 STEM, Wheel Valve - WHEEL, Aluminum			4							
2 6500 092 20 3 4743 278AA 5 5 STEM, Wheel Valve -4 5083 124AA- 5		4766 333AA	1							
3 4743 278AA 5 STEM, Wheel Valve -4 5083 124AA- 5 CAP, Valve Stem, Chrome 5 WHEEL, Aluminum 4743 654AA 4 [WF7], Chrome 4743 218AA 4 [WN3], 16 x 6.5 RM26 PAKAA 4 [WNB], 16 x 6.5 XP27 PAKAA 4 [WNB], 16 x 6.5 RJ24 TAEAB 4 [WNB], 16 x 6.5 Sparkle Silver 6 6502 738 20 NUT, Wheel Chrome, M12x1.5, 7 6504 672 20 NUT, Wheel, M12x1.5, [WCP,WDK] 8 (WN2) 4743 123AA 4 [WN2] 4782 258AA 4 [WN2] 4784 004 4 [WN3,WNB] 4284 004 4 [WN7] 4743 728AA 4 [WF7] -9 4472 551AC- 1 LABEL, Tire Pressure, Air Bag 10 WEIGHT, Wheel Balance Tape, (NOT SERVICED) (Not Serviced) SENSOR, Tire Pressure, valve stem -12 4897 346AA- 5 SENSOR, Tire Pressure, valve stem -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome	2		20							
-4 5083 124AA- 5 CAP, Valve Stem, Chrome WHEEL, Aluminum 4743 654AA 4 [WF7], Chrome 4743 218AA 4 [WN3], 16 x 6.5 RM26 PAKAA 4 [WNN], 16 x 6.5 XP27 PAKAA 4 [WNS], 16 x 6.5 [WNS], 16 x 6.5 [WNS], 16 x 6.5 RJ24 TAEAB 4 6 6502 738 20 NUT, Wheel Chrome, M12x1.5, [WNY, WN3, WFY, WNB] 7 6504 672 20 8 NUT, Wheel Center 4743 123AA 4 [WN2] 4782 258AA 4 [WN2] 4782 258AA 4 [WN7] 4743 655AA 4 [WN7] -9 4472 551AC- 1 LABEL, Tire Pressure, Air Bag WEIGHT, Wheel Balance Tape, (NOT SERVICED) (Not Serviced) 52088 990AC- 5 SENSOR, Tire Pressure, valve stem VALVE CORE, WHEEL SENSOR VALVE CORE, WHEEL SENSOR VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome	3	4743 278AA	5							
4743 654AA 4 [WF7], Chrome 4743 218AA 4 [WN3], 16 x 6.5 RM26 PAKAA 4 [WN8], 16 x 6.5 XP27 PAKAA 4 [WN8], 16 x 6.5 RJ24 TAEAB 4 [WN2], 16 x 6.5 Sparkle Silver 6 6502 738 20 NUT, Wheel Chrome, M12x1.5, [WNY,WN3,WFY,WN8] 7 6504 672 20 NUT, Wheel, M12x1.5, [WCP,WDK] 8 CAP, Wheel Center 4743 123AA 4 [WN2] 4782 258AA 4 [WN3] 4284 004 4 [WN7] 4743 728AA 4 [WN7] 4743 655AA 4 [WN7] -9 4472 551AC- 1 LABEL, Tire Pressure, Air Bag 10 WEIGHT, Wheel Balance Tape, (NOT SERVICED) (Not Serviced) -11 52088 990AC- 5 SENSOR, Tire Pressure, valve stem -12 4897 346AA- 5 VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome	-4	5083 124AA-	5							
4743 218AA 4 [WN3], 16 x 6.5 RM26 PAKAA 4 [WNY], 16 x 6.5 RM26 PAKAA 4 [WNB], 16 x 6.5 RM27 PAKAA 4 [WNB], 16 x 6.5 RM24 TAEAB 4 [WN2], 16 x 6.5 Sparkle Silver RM27 TAEAB 4 RM27 TAEAB 4 RM3, WFY, WM8] TO SEA TO S	5									WHEEL, Aluminum
RM26 PAKAA 4		4743 654AA	4							[WF7], Chrome
RM26 PAKAA 4		4743 218AA	4							[WN3], 16 x 6.5
RJ24 TAEAB 4 [WN2], 16 x 6.5 Sparkle Silver 6 6502 738 20 NUT, Wheel Chrome, M12x1.5, [WNY,WN3,WFY,WNB] 7 6504 672 20 NUT, Wheel, M12x1.5, [WCP,WDK] CAP, Wheel Center 4743 123AA 4 [WN2] 4782 258AA 4 [WN3,WNB] 4284 004 4 [WNY] MEXICO 4743 728AA 4 [WNY] 4743 655AA 4 [WF7] -9 4472 551AC- 1 LABEL, Tire Pressure, Air Bag 10 WEIGHT, Wheel Balance Tape, (NOT SERVICED) (Not Serviced) -11 52088 990AC- 5 SENSOR, Tire Pressure, valve stem -12 4897 346AA- 5 VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome		RM26 PAKAA	. 4							
RJ24 TAEAB 4 [WN2], 16 x 6.5 Sparkle Silver 6 6502 738 20 NUT, Wheel Chrome, M12x1.5, [WNY,WN3,WFY,WNB] 7 6504 672 20 NUT, Wheel, M12x1.5, [WCP,WDK] CAP, Wheel Center 4743 123AA 4 [WN2] 4782 258AA 4 [WN3,WNB] 4284 004 4 [WNY] MEXICO 4743 728AA 4 [WNY] 4743 655AA 4 [WF7] -9 4472 551AC- 1 LABEL, Tire Pressure, Air Bag 10 WEIGHT, Wheel Balance Tape, (NOT SERVICED) (Not Serviced) -11 52088 990AC- 5 SENSOR, Tire Pressure, valve stem -12 4897 346AA- 5 VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome		XP27 PAKAA	4							[WNB], 16 x 6.5
6 6502 738 20 NUT, Wheel Chrome, M12x1.5, [WNY,WN3,WFY,WNB] 7 6504 672 20 NUT, Wheel, M12x1.5, [WCP,WDK] 8 CAP, Wheel Center 4743 123AA 4 [WN2] 4782 258AA 4 [WN3,WNB] 4284 004 4 [WNY] MEXICO 4743 728AA 4 [WNY] 4743 655AA 4 [WF7] -9 4472 551AC- 1 LABEL, Tire Pressure, Air Bag 10 WEIGHT, Wheel Balance Tape, (NOT SERVICED) (Not Serviced) -11 52088 990AC- 5 SENSOR, Tire Pressure, valve stem -12 4897 346AA- 5 VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome		RJ24 TAEAB	4							
7 6504 672 20 NUT, Wheel, M12x1.5, [WCP,WDK] 8 CAP, Wheel Center 4743 123AA 4 [WN2] 4782 258AA 4 [WN3,WNB] 4284 004 4 [WNY] MEXICO 4743 728AA 4 [WF7] -9 4472 551AC- 1 LABEL, Tire Pressure, Air Bag 10 WEIGHT, Wheel Balance Tape, (NOT SERVICED) (Not Serviced) -11 52088 990AC- 5 SENSOR, Tire Pressure, valve stem -12 4897 346AA- 5 VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome	6	6502 738	20							
8 CAP, Wheel Center 4743 123AA 4 [WN2] 4782 258AA 4 [WN3,WNB] 4284 004 4 [WNY] MEXICO 4743 728AA 4 [WNY] 4743 655AA 4 [WF7] -9 4472 551AC- 1 LABEL, Tire Pressure, Air Bag 10 WEIGHT, Wheel Balance Tape, (NOT SERVICED) (Not Serviced) -11 52088 990AC- 5 SENSOR, Tire Pressure, valve stem -12 4897 346AA- 5 VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome										[WNY,WN3,WFY,WNB]
4743 123AA 4 [WN2]	7	6504 672	20							NUT, Wheel, M12x1.5, [WCP,WDK]
4782 258AA 4 [WN3,WNB] 4284 004 4 [WNY] MEXICO 4743 728AA 4 [WNY] 4743 655AA 4 [WF7] -9 4472 551AC- 1 LABEL, Tire Pressure, Air Bag 10 WEIGHT, Wheel Balance Tape, (NOT SERVICED) (Not Serviced) -11 52088 990AC- 5 SENSOR, Tire Pressure, valve stem -12 4897 346AA- 5 VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome	8									CAP, Wheel Center
4284 004		4743 123AA	4							[WN2]
4743 728AA 4 [WNY] 4743 655AA 4 [WF7] -9 4472 551AC- 1 LABEL, Tire Pressure, Air Bag WEIGHT, Wheel Balance Tape, (NOT SERVICED) (Not Serviced) -11 52088 990AC- 5 SENSOR, Tire Pressure, valve stem -12 4897 346AA- 5 VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome		4782 258AA	4							[WN3,WNB]
4743 655AA		4284 004	4							[WNY] MEXICO
-9 4472 551AC- 1 LABEL, Tire Pressure, Air Bag WEIGHT, Wheel Balance Tape, (NOT SERVICED) (Not Serviced) -11 52088 990AC- 5 SENSOR, Tire Pressure, valve stem -12 4897 346AA- 5 VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome		4743 728AA	4							[WNY]
10 WEIGHT, Wheel Balance Tape,		4743 655AA	4							[WF7]
Column	-9	4472 551AC-	1							LABEL, Tire Pressure, Air Bag
-11 52088 990AC- 5 SENSOR, Tire Pressure, valve stem -12 4897 346AA- 5 VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome	10									WEIGHT, Wheel Balance Tape,
-12 4897 346AA- 5 VALVE CORE, WHEEL SENSOR VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome										(NOT SERVICED) (Not Serviced)
VALVE, ALUMINUM -13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome	-11	52088 990AC	- 5							SENSOR, Tire Pressure, valve stem
-13 5083 123AA- 5 GROMMET -14 5083 124AA- 5 CAP, Valve Stem, Chrome	-12	4897 346AA-	5							VALVE CORE, WHEEL SENSOR
-14 5083 124AA- 5 CAP, Valve Stem, Chrome										VALVE, ALUMINUM
	-13	5083 123AA-	5							GROMMET
-15 52088 961AA- 5 NUT, Tire Pressure	-14	5083 124AA-	5							CAP, Valve Stem, Chrome
	-15	52088 961AA	- 5							NUT, Tire Pressure


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Covers and Caps, Wheels Figure 022-240

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
NOTE:Sal	es Codes:								
[WCP] = \	Wheels - 15 x	6.5 Bla	ck						
[WDK] = V	Wheels - 16 x	6.5 Ste	el						
[WF7] = V	Vheels - 17 in	ch Alum	ninum, Chr	ome					
[WFY] = V	Vheels - 17 x	7.5 Fro	nt/20 x 10	Rear, Alun	ninum				
[WNY] = V	Wheels - 16 x	6.5 Alu	minum						
[WN2] = V	Vheels - 16 in	ch Alun	ninum						
1									COVER, Wheel, 15"
	4694 958AA	4	K, Y		52				[W5D]
	4694 963AA	4	K, Y		52				[W5V]
	4766 971AA	4							[W5L]
	4766 976AA	4							[W5M]
	5006 441AA	4	K, Y		52				[W5K]
	4766 901AA	4							[W5C]
2	4743 065AA	4							COVER, Wheel, 16", [W6D]
3	4743 278AA	5							STEM, Wheel Valve
4	6502 738	20							NUT, Wheel Chrome, M12x1.5
5	6504 672	20							NUT, Wheel, M12x1.5, [WCP,WDK]




DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6504 118	1							U-NUT, M6 x 1.00, M6x1.00
2	5066 455AA	1							JACK, Scissors
3	4741 753AA	1							WRENCH, Wheel Lug Nut
-4	6035 995AA-	1							WINGNUT, Jack and Tire Hold Dowr
5	4716 535	1							SCREW, Jack




DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV




2	6101 283 4860 958AA 4860 959AB	2	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2	4860 958AA	2							
2	4860 958AA								U-NUT, M8x1.25
									WINCH, Spare Tire Carrier
		1							Compact Spare
		1							Full Size Spare
	SX76 WL8AB	1							Cover, [L5]
	SX76 XTMAB	1							Cover, [T5]
3	SX76 YQLAB	1							Cover, [QL]
	6100 575	4							BOLT AND CONED WASHER, He
									Head, M8x25x17
	4743 334AA	1							WHEEL, Spare, 16 x 4
5	C)/=0 \4# 0 4 D								PLUG
	SX76 WL8AB								[L5]
	SX76 XTMAB SX76 YQLAB								[T5]
	SA76 TQLAB	ı							[QL]
DGE - CH RIES	RYSLER MINIVAI LINE	N (RS) —		DDY	ENGINE			RANSM	ISSION
Base/SE	C = Chry	sler(AWI	D) 52	= 113 WB	EDZ, EI	00 = 2.4L 4	Cyl. [$OGC_1 = 3$	spd. Auto. (31TH)
LX, Spor	$\begin{array}{cc} Tt & D = Dod \\ Y = Chry \end{array}$	ge(AWD) ⁄sler(FWF	53 ()	= 119 WB	EGA = 3 FGH F	3.3L 6 Cyl. G0 = 3.8L 6 (Cvl. [)GL = 4 :)G0 = All	spd. Auto. (41TE) Automatic Transm
Limited EC	K = Dod				EGM =	3.3L 6 Cyl. F	FV	All	Tatomato manom

Group – 23D


Wiper/Lock Cylinder and Keys






GROUP 23D - Wiper/Lock Cylinder and Keys


Illustration Title	Group-Fig. No
Lock Cylinders and Keys	
Lock Cylinders, Keys and Repair Components	Fig. 23D-105
Windshield Wiper and Washer Systems	
Windshield Wiper System	Fig. 23D-205
Washer System	Fig. 23D-210
Rear Wiper and Washer System	
Rear Wiper	Fig. 23D-305






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[GXX=Se	entry Key]								
1									KEY, Blank
	5018 689AA	1	D, K						without Sentry
	5018 690AA	1	D, K						with Sentry
	5018 868AA	2	C, Y						without Sentry
	5018 869AA	2	C, Y						with Sentry
2									KEY, Valet
	5019 131AA	1	C, Y						with Sentry
		1	D, K						with Sentry
	5019 132AA	1	C, Y						without Sentry
		1	D, K						without Sentry
3									CYLINDER, Ignition Lock
	5003 843AB	1	C, Y						
		1	D, K						
4									TUMBLER, Ignition Number 1,
									Sidebar
	5010 879AA	1	C, Y						
		1	D, K						
-5									TUMBLER, Ignition Number 2,
									Sidebar
	5010 880AA-		C, Y						
		1	D, K						
-6									TUMBLER, Ignition Number 3,
									Sidebar
	5010 881AA-	1	C, Y						
		1	D, K						
-7									TUMBLER, Ignition Number 4,
									Sidebar
	5010 882AA-	1	C, Y						
		1	D, K						
8									SPRING, Ignition Tumbler, Sideb
	5010 883AB	1	C, Y						
		1	D, K						
9									CYLINDER, Door Lock
	5011 040AA	1	C, Y						front and sliding doors
		1	D, K						front and sliding doors
10									TUMBLER, Door and Deck Numb
									1, Wide
	4778 117	1	C, Y						
		1	D, K						
-11									TUMBLER, Door and Deck Numb
									2, Wide
ODGE CI	HRYSLER MINIVA	N (De)							
ERIES	LINE		ВС	DDY	ENGIN			ΓRANSM	
= Base/SI	C = Chr	ysler(AWI lge(AWD)	D) 52	= 113 WB = 119 WB		D0 = 2.4L 4	Cyl. [DGC, = 3	spd. Auto. (31TH) spd. Auto. (41TE)
= LX, Spo = LXI, ES	Y = Chry	ysler(FWD	D)	- 119 000	EGH, E	$3.3L\ 6\ Cyl.$ $6G0 = 3.8L\ 6$	Cyl. [spa. Auto. (411E) I Automatic Transm
= Limited		ge(FWD)			EGM =	3.3L 6 Cyl. F	FV		

(22)





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4778 118	1	C, Y						
		1	D, K						
-12									TUMBLER, Door and Deck Num
	4770 440	4	C V						3, Wide
	4778 119	<u>1</u> 1	C, Y D, K						
-13		1	D, K						TUMBLER, Door and Deck Num
-13									4, Wide
	4778 120	1	C, Y						4, Wide
	1770 120	1	D, K						
14		·	Σ, π						SPRING, Door and Deck Tumble
	4778 121	1	C, Y						
		1	D, K						
15									LEVER, Front Door Cylinder
	5080 929AA	1	C, Y						Right & Left
		1	D, K						Right & Left
16									SPRING, Cylinder Return
	4378 793	1	C, Y						
		1	D, K						
17									CLIP, Latch
	4658 444	1	C, Y						Purple
		1	D, K						Purple
	4658 445	1	C, Y						Orange
40		1	D, K						Orange
18									SHUTTER, Door, Deck and Liftg
	4778 150	1	C, Y						Bright
	4770 130	1	D, K						
19		'	D, K						CAP, Door Lock Cylinder, Bright
10	4778 149	1	C, Y						Doors
		1	D, K						Doors
	5019 127AA	1	C, Y						Liftgate
20									CLIP, Retainer, (NOT SERVICE
									(Not Serviced)
21									LEVER, Sliding DoorLock Cylind
	5080 983AA	1	C, Y						
		1	D, K						
22									LOCK CYLINDER
	5019 130AC	1	C, Y						Liftgate comes with retainer to
									secure to liftgate
		1	D, K						Liftgate comes with retainer to
									secure to liftgate

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm


AR = Use as required -= Non illustrated part # = New this model year









	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-23									TUMBLER, Door and Deck Number
	4778 117	1	C, Y						1, Wide
	4//0 11/	1	С, т D, К						
-24		'	D, K						TUMBLER, Door and Deck Number
									2, Wide
	4778 118	1	C, Y						
		1	D, K						
-25									TUMBLER, Door and Deck Number
	4770 440		0. 1/						3, Wide
	4778 119	1	C, Y D, K						
-26	4778 120	1 1	D, К С, Y						TUMBLER, Door and Deck Number
	1110 120	<u> </u>	<u> </u>						4, Wide
-27									SPRING, Door and Deck Tumbler
	4778 121	1	C, Y						
		1	D, K						
-28									SHUTTER, Door, Deck and Liftgate,
	4770 450	4	0. \						Bright
	4778 150	1 1	C, Y D, K						
-29		'	D, K						CAP, Door Lock Cylinder, Bright
	5019 127AA-	1	C, Y						, 200. 200. 0,ac., 2g
		1	D, K						
30									LEVER, Liftgate Lock Cylinder
	5019 128AA	1	C, Y						
0.4		1	D, K						ODDING Odi I D (
31	4378 793	1	CV						SPRING, Cylinder Return
	4376 793	1 1	C, Y D, K						
-32	4717 921AB-	1	۵, ۱۲						ROD, Liftgate Handle to Latch
33									CLIP, Cylinder Retainer, serviced
									with Lock Cylinder, (NOT
									SERVICED) (Not Serviced)
34	4686 669AB	1							MODULE, Keyless Entry Receiver
35	4696 494 A C	2							TRANSMITTER, Keyless Entry
	4686 481AC 4686 797AB	2							with Power Sliding Doors and
	-1000 T3TAB	۷							Liftgate
-36	8350 4802	1							BATTERY, Transmitter
37	4685 774AA	1							TRIM RING, Ignition Key Cylinder
-38									CYLINDER, Glove Box Lock
NDGE C'	JDVCI ED MINIMA	n (Be)							
RIES	HRYSLER MINIVAN			DY	ENGINE			RANSMI	
= Base/SE = LX, Spo				= 113 WB = 119 WB		D0 = 2.4L 4 (3.3L 6 Cyl.			spd. Auto. (31TH) spd. Auto. (41TE)
= LX, Spc = LXI, ES		sler(FWI	D)		EGH, E	G0 = 3.8L6	Cyl. [Automatic Transm
Limited	K = Dodg					3.3L 6 Cyl. F			





		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4746 674	1	C, Y						Under Seat Box
_			1	D, K						Under Seat Box
		4778 448	1	C, Y						Glove Box And Console
			1	D, K						Glove Box And Console
	-39									TUMBLER, Ignition Number 1
		5257 132	1	C, Y						
			1	D, K						
	-40									TUMBLER, Ignition Number 2
_		5257 133	1	C, Y						
			1	D, K						
	-41	5257 134	1	C, Y						TUMBLER, Ignition Number 3
	-42									TUMBLER, Ignition Number 4
_		5257 135	1	C, Y						
			1	D, K						
	-43									SPRING, Lock Cylinder Tumbler
		4746 873	1	C, Y						
_			1	D, K						
	-44	4690 920AB-	1							HOUSING, Steering Column Lock



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SE H = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Windshield Wiper System Figure 23D-205

PART



Windshield Wiper System Figure 23D-205





		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-								
	1	4717 941AB	1							HOSE, Windshield Washer
_	2									NOZZLE, Washer, Windshield
		4717 940AA	2							Up to 7/15/01
		4894 508AA	2							After 7/15/01
	3	5018 127AA	AR							HOSE, Windshield Washer
	-4	4857 783AA-	1							NOZZLE, Washer, Liftgate
	-5	4334 799	1							CONNECTOR, Washer Hose, In Line
	6	4717 715AB	1							GROMMET AND HOSE, Liftgate
_										Washer
	7	5019 243AA	1							RESERVOIR, Washer
	8	5018 127AA	AR							HOSE, Windshield Washer
	-9	4717 059	4							CLIP, Washer Hose
_	-10	4334 799	1							CONNECTOR, Washer Hose, In Line
	-11									HOSE, Windshield Washer, serviced
										in body harness, (NOT SERVICED)
										(Not Serviced)
_	12	4797 694	1							CAP, Washer Reservoir
	13	5019 244AA	1							PUMP, Washer, Windshield
	14	5019 245AA	1							PUMP, Washer, Liftgate
	15	5018 131AA	1							GROMMET, Washer Reservoir,
_										Pump
	-16	5019 246AA-	1							SENSOR, Washer Fluid Level
	-17	5013 755AA-	1							GROMMET, Washer Reservoir
	-18	6034 716	3							SCREW AND WASHER, Hex Flange
_										Head, .25-14x.875, reservoir
										mounting
	-19	4717 213	2							CLIP, Washer Hose And Wiring
	-20	5086 004AA-	1							CHECK VALVE, Washer
_	-21	3799 520	2							GROMMET, Hose to Reservoir
	-22	HWV00 532AE	3- 1							HOSE 1FT, Windshield Washer, 5/
										32"
	-23	HWV00 764AE	3- 1							HOSE 1FT, Windshield Washer, 7/
_										64"
	-24	4805 409AA-	1							CLIP, Washer Hose, Hose retaining

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Rear Wiper Figure 23D-305

	PART			1		l '	1		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-									
1	5018 407AA	1							BLADE, Wiper
2	5019 265AA	1							ARM, Liftgate Wiper
3	4717 710AA	1							MOTOR, Liftgate Wiper
4	6503 056	3							NUT, Round, M6 x 1.00, Liftgate
									Wiper Motor to Inner Panel
5	6502 727	3							SCREW, Hex Flange Head, M6x1x
									60, Liftgate Wiper Motor to Inner
									Panel
6	6500 165	1							NUT, Wiper Arm
-7	55077 097AB	3- 1							CAP, Wiper Arm Nut
-8	5020 389AA-	. 1							GROMMET, Glass, Liftgate Wiper
									Pivot
-9									HOSE, Liftgate Washer, Interior Floor
	4717 714AB-	. 1			53				
	4717 976AC-	- 1	K, Y		52				


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 024 Air Conditioning & Heater




024–100 Air Conditioner and Heater Units	024–200 Air Conditioner and Heater Plumbing	024–300 Air Conditioner and Heater Controls	024–400 Air Conditioning Compressor
024-600 Air Ducts and Outlets			

GROUP 24 - Air Conditioning & Heater

Illustration Title	Group-Fig. N
Air Conditioner and Heater Units	
Air Conditioning and Heater Unit [HAA]	Fig. 024-120
Air Conditioning and Heater Unit - Zone [HAD,HAG]	Fig. 024-130
Air Conditioning and Heater, ATC with Zone [HAH]	Fig. 024-140
Aux. Air Conditioning and Heater	Fig. 024-150
Air Conditioner and Heater Plumbing	
Plumbing, Heater	Fig. 024-205
Plumbing, Heater, with Aux. Heater	Fig. 024-207
Plumbing, Air Conditioning, 2.4L	Fig. 024-215
Plumbing, Air Conditioning, 3.3L, 3.8L	Fig. 024-220
Plumbing, Air Conditioning and Heater, Rear	Fig. 024-230
Air Conditioner and Heater Controls	
Controls, A/C and Heater	Fig. 024-310
Air Conditioning Compressor	
Compressor and Mounting Brackets, All Engines	Fig. 024-410
Air Ducts and Outlets	
Ducts and Outlets, Front	Fig. 024-610
Ducts and Outlets, Rear	Fig. 024-620

Air Conditioning and Heater Unit [HAA] Figure 024-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co	odes:								
[HAA] =	AIR CONDITIO	NING							
1									HOUSING, Air Inlet
	5073 225AA	1							Includes:Upper Housing, Stud,
									Washer, Upper Recirc Door,
									Screw and Washer
	5083 106AA	1							Includes:Air Inlet Cover and Lov
									Recirc Door
2	5019 215AA	1	K, Y						HOUSING, Blower Motor, Include:
									Vane, Frame
-3	8220 5905	1	K, Y						FILTER KIT, Cabin Air
4	4885 463AA	1	K, Y						DOOR, Filter Access, A/C and
									Heater Unit
5	4734 227	60	K, Y						SCREW, Hex Head, M4.8-1.59x1
-6	4734 392	3	K, Y						STUD, A/C Heater Housing
-7	4734 671	4	K, Y						SEAL, Air Conditioning Unit
8	4885 475AC	1							MOTOR, Blower with Wheel
-9	4885 583AA-	1	K, Y						RESISTOR, Blower Motor
10	5019 217AC	1							EVAPORATOR, Air Conditioning,
									Includes: Insert, Sleeve, Liner,
									Grommet
-11	56000 724AB-	1							TUBE, Evaporator Housing, Drain
12	4885 488AA	1	K, Y						HOUSING, Distribution, Includes:
			,						Doors, Gears, Actuators, Covers
									Seals, Cams
13	4885 465AA	4							ACTUATOR, A/C and Heater
14	5019 219AA	1	K, Y						CORE, Heater, with Seal
-15	4885 024AC-	1							O RING, Heater Core
16	4885 520AA	1	K, Y						TUBE, Heater Core
17	4885 525AA	1	K, Y						COVER, Heater Core Tubes
18	4734 226	1	ĸ, Y						STRAP, A/C Unit Mounting
-19	4885 526AA-	1	ĸ, Y						WIRING, A/C and HEATER
-20	4734 723	1	ĸ, Y						NOZZLE, Radio Cooling
-21	5019 220AA-	1	K, Y						SEAL KIT, A/C And Heater Unit,
		-	,						Includes Drain Tube, Distribution
									Outlet, Evap Tube Grommets
-22	6036 237AA-	1							SCREW, A/C Heater Housing
	2000 201701	•							Support attaching
-23	4734 364	1							SCREW, Heater Core Mounting
-24	4885 491AA-	1							COVER, Center Distribution

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Air Conditioning and Heater Unit - Zone [HAD,HAG] Figure 024-130



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co	odes:								
	DUAL ZONE TE	MP CC	ONTROL						_
[HAG] =	W/3 ZONE TEN	ир соі	NTROL						
1									HOUSING, Air Inlet
	5073 225AA	1							Includes:Upper Housing, Stud,
									Washer, Upper Recirc Door,
									Screw and Washer
	5083 106AA	1							Includes:Air Inlet Cover and Lower
									Recirc Door
2	5019 216AC	1							HOUSING, Blower Motor
-3	8220 5905	1							FILTER KIT, Cabin Air
4	4885 463AA	1							DOOR, Filter Access, A/C and
									Heater Unit, Includes: Vane, Frame
5	4734 227	60							SCREW, Hex Head, M4.8-1.59x19
-6	4734 392	3							STUD, A/C Heater Housing
-7	4734 671	1							SEAL, Air Conditioning Unit
-8	4885 583AB-	1							RESISTOR, Blower Motor
9	4885 475AC	1							MOTOR, Blower with Wheel
10	5019 217AC	1							EVAPORATOR, Air Conditioning,
									Includes: Insert, Sleeve, Liner and
									Grommet
-11	56000 724AB	- 1							TUBE, Evaporator Housing, Drain
12	4885 487AB	1							HOUSING, Distribution,
									Includes:Doors, Gears, Actuators,
									Covers, Seals
13	4885 465AA	3							ACTUATOR, A/C and Heater
14	5019 219AD	1							CORE, Heater
15	4885 520AA	1							TUBE, Heater Core
16	4885 525AA	1							COVER, Heater Core Tubes
17	4734 226	1							STRAP, A/C Unit Mounting
-18	4885 527AA-	1							WIRING, A/C and HEATER
-19	4734 723	1							NOZZLE, Radio Cooling
-20	5019 220AD-	1							SEAL KIT, A/C And Heater Unit,
									Includes Drain Tube, Distribution
									Outlet, Evap Tube Grommets
-21	4734 671	4							SEAL, Air Conditioning Unit

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Air Conditioning and Heater, ATC with Zone [HAH] Figure 024-140

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co			ID CONTE	101					
	ATC - W/3 ZON	IE IEW	IP CONTR	OL					LIQUIQINO Air Inlet
1	5070 005 A A								HOUSING, Air Inlet
	5073 225AA	1							Includes:Upper Housing, Stud,
									Washer, Upper Recirc Door,
	5000 10011								Screw and Washer
	5083 106AA	1							Includes:air Inlet Cover and Low
_		_							Recirc Door
2	5019 216AA	1			53				HOUSING, Blower Motor
-3	8220 5905	1			53				FILTER KIT, Cabin Air
4	4885 463AA	1			53				DOOR, Filter Access, A/C and
									Heater Unit, Includes: Vane,
									Frame, Filters
5	4734 227	60			53				SCREW, Hex Head, M4.8-1.59x19
-6	4734 392	3			53				STUD, A/C Heater Housing
-7	4734 671	4			53				SEAL, Air Conditioning Unit
8	4885 482AA	1			53				MODULE, Power, Blower Motor
9	4885 475AB	1			53				MOTOR, Blower with Wheel
10	5019 217AA	1			53				EVAPORATOR, Air Conditioning,
									Includes: Insert, Sleeve, Liner ar
									Grommet
-11	56000 724AB-	1							TUBE, Evaporator Housing, Drain
12	4885 487AA	1			53				HOUSING, Distribution,
									Includes:Doors, Gears, Actuators
									Covers, Seals
13	4885 465AA	3							ACTUATOR, A/C and Heater
14	5019 219AA	1			53				CORE, Heater
15	4885 520AA	1			53				TUBE, Heater Core
16	4885 525AA	1			53				COVER, Heater Core Tubes
17	4734 226	1			53				STRAP, A/C Unit Mounting
-18	4885 528AA-	1			53				WIRING, A/C and HEATER
-19	4734 723	1			53				NOZZLE, Radio Cooling
-20	5019 220AA-	1			53				SEAL KIT, A/C And Heater Unit,
									Includes Drain Tube, Distribution
									Outlet, Evap Tube Grommets
-21	4734 671	4			53				SEAL, Air Conditioning Unit

DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SE H = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Aux. Air Conditioning and Heater Figure 024-150



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5019 181AA	1			53				HOUSING, A/C Upper
2	5019 182AA	1			53				HOUSING, A/C Lower
3	5134 526AA	1			53				PLATE, Retaining
4	5019 183AB	1			53				EVAPORATOR, Air Conditioning
5	5019 184AA	1			53				CORE, Heater
6	5019 185AA	1			53				MOTOR, Blower with Wheel
7	5019 189AA	1			53				RESISTOR, Blower Motor
8	5019 186AA	1			53				VALVE KIT, Expansion
-9	5139 728AA-	1			53				O RING PACKAGE, EXPANSION
									VALVE, Includes o-rings for both
									sides of the expansion valve
10	5019 187AA	1			53				EXTENSION, A/C Evaporator
11	5019 188AA	1			53				SEAL KIT, A/C And Heater Unit
-12	4886 013AA-	1			53				GROMMET AND SPACER, Auxiliary
									A/C and Heater
13	5019 190AA	1			53				WIRING, A/C and HEATER
14	5019 191AA	1			53				PLATE, Extension
15	5019 192AA	1			53				PLATE, Evaporator
16	5019 193AA	1			53				BRACKET, H Valve
17	4885 465AA	2			53				ACTUATOR, A/C and Heater
18	5019 194AA	1			53				HOSE, Heater
19	6501 938	3			53				SCREW AND WASHER, Unit
									Mounting
20	6101 712	3			53				NUT, U, M6x1, Unit Mounting
-21	6504 516	3			53				NUT AND WASHER, M6x1.00, Unit
									Mounting

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

	1 2.4L	2	
3	7 5 6 3.3L 3.5L	13 8 3.8L 9	12

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		7							
	les Codes:								
	.4L 4 Cyl DOHO								
	3.3L 6 Cyl SMPI								
	.5L High Outpu								
	3.8L 6 Cyl SMPI 3.3L 6 Cyl SMPI								
1	5019 194AA	1			53				HOSE, Heater, with Tube
2	0010 10 11 11	·			00				BOLT AND WASHER, Hex Head, M8x1.25x20
	6101 799	1				EDZ			
		1				EGA,			
						EGH,			
						EGM			
3									SCREW AND WASHER, Hex Head M6x1x16
	6501 755	2				EDZ			
		1				EGA,			
						EGH,			
4						EGM			CODEW Have Flavors Hand
4	6502 832	1				EGA,			SCREW, Hex Flange Head
	0302 032	- 1				EGH,			
						EGM			
	6504 386	2				EDZ			
5	5005 344AB	1				EGA,			HOSE, Heater Return, with Tube
						EGH,			
						EGM			
6	5505 5694	1				EGA,			CAP, Heater Hose, 5/8", with Oil
						EGH,			Cooler
-						EGM			CLAMB II . II
7	6502.047	4				ED7			CLAMP, Heater Hose
	6502 017	1				EDZ EGA,			
		'				EGH,			
						EGM			
8	5005 342AA	1				EGA,			HOSE, Oil Cooler Outlet, with Oil
						EGH,			Cooler
						EGM			
9									SCREW AND WASHER, Hex Head M6x1x25
	6506 348AA	1				EGF			


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Plumbing, Heater Figure 024-205




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGA,			
						EGH,			
						EGM			
10	6500 158	1				EGA,			SCREW AND WASHER, Hex Head
						EGH,			M10x1.5x25
						EGM			
11									HOSE, Heater Return
	5005 343AA	1				EGA,			with Tube, with Oil Cooler
						EGH,			
						EGM			
	5005 349AA	1				EGA,			[HAA, HAD]
						EGH,			
						EGM			
12	5005 341AB	1				EGA,			HOSE, Heater Return, with Oil
						EGH,			Cooler, with Tube, with Oil Coole
						EGM			
13	5005 347AA	1				EGA,			HOSE, Heater Supply
						EGH,			
						EGM			
-14	5005 312AB-	1				EDZ			TUBE & HOSE, Supply & Return
-15	5072 197AA-	1				EGA,			RESTRICTOR, Heater Return Hos
						EGH,			
						EGM			
-16									CLAMP, Supply Hose, 26 mm
									Diameter
	6503 422	1		_		EDZ			_
		1				EGA,			
						EGH,			
						EGM			
-17	5083 804AA-	1				EGA,			CONNECTOR, Heater Return Hose
						EGH,			
						EGM			


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Plumbing, Heater, with Aux. Heater Figure 024-207





-4-201	DART								
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TTO III DEIX	Ψ		02.1.20	505.	Litolitz			2233 11313
Note:Sale	s Codes								
	BL 6 Cyl SMPI								
	BL 6 Cyl SMPI								
	3L 6 Cyl SMP								
	5005 394AB	1			53	EGA,			TUBE & HOSE, Supply & Return w/
<u> </u>	0000 00 1718	<u> </u>				EGH,			Aux. Heater
						EGM			, taxi i idaloi
2	6101 444	4				LOW			NUT AND WASHER, Hex, M6x1.0
	6102 132AA	2							SCREW, Hex Head, M6x1x20
	0102 102/01								CONCEVY, FIGATIONAL, MICATAZO

DODGE - CHRYSLER MINIVAN (RS) – SERIES LINE

 SERIES
 LIN

 L = Base/SE
 C =

 H = LX, Sport
 D =

 P = LXI, ES
 Y =

 S = Limited
 K =


E = EC

LINE
C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Plumbing, Air Conditioning, 2.4L Figure 024-215

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: {	Sales Codes:								
	.4L 4 Cyl DOHO	C 16V S	ingle Mult	ti-Point Injed	ction				
1	6101 445	2		·					NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
2	5005 210AA	1	K, Y		52	EDZ			LINE, A/C Suction
3	5066 498AA	1	K, Y		52	EDZ			GASKET & O RING KIT, A/C Line
4	5066 500AA	1	K, Y		52	EDZ			O RING, A/C Line
5	5011 346AA	1	K, Y		52	EDZ			VALVE CORE, Service Port
6	5019 242AA	1	K, Y		52	EDZ			CAP, A/C Check Valve
7	5066 633AA	1	K, Y		52	EDZ			LINE, A/C Liquid, Drier to Condenser
8	5066 637AA	1	K, Y		52	EDZ			O RING, A/C Line, three port Drier Block
9	5264 638	1	K, Y		52	EDZ			VALVE, Charging
10	5072 866AA	1	K, Y		52	EDZ			CAP, A/C Charge Valve
11	5066 497AA	1	K, Y		52	EDZ			GASKET & O RING KIT, A/C Line, Contains 5103428AA- Gasket and 5102355AA - O-Ring
12	5066 634AA	1	K, Y		52	EDZ			LINE, A/C Liquid, Drier to Expansion Valve
13	5066 636AA	1	K, Y		52	EDZ			O RING, A/C Line, two port Drier Block
14	5096 084AA	1	K, Y		52	EDZ			TRANSDUCER, Air Conditioning
15	5073 618AA	1	K, Y		52	EDZ			O RING, Transducer
16	5066 504AA	1	K, Y		52	EDZ			O RING, A/C Line
17	6101 445	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Line to
									Expansion Valve
18	5066 635AB	1	K, Y		52	EDZ			DRIER, Receiver
19	5114 490AA	1	K, Y		52	EDZ			BRACKET, A/C Filter Drier
20	4809 267AC	1	K, Y		52	EDZ			CONDENSER, Air Conditioning
21	5005 211AB	1	K, Y		52	EDZ			LINE, A/C Discharge
22	5066 497AA	1	K, Y		52	EDZ			GASKET & O RING KIT, A/C Line,
			,						Discharge Line
23	5019 218AC	1							VALVE KIT, Expansion
-24									O RING, Expansion Valve
	4885 802AA-	1							15 mm
	4885 803AA-	1							10 mm
	4000 000AA-								10 111111

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Plumbing, Air Conditioning, 3.3L, 3.8L Figure 024-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						_	_	l	
lote: Sa	ales Codes:								
EGA]=3	3.3L V6 SMPI								
EGH]=3	3.8L V6 SMPI								
_	3,3L V6 SMPI								
	AIR CONDITIO	NING -	REAR W	HEATER					
1									LINE, A/C Suction
	5005 240AA	1				EGA,			
						EGH,			
	E00E 242AB	1			53	EGM			[LIDD]
	5005 243AB	'			53	EGA, EGH,			[HBB]
						EGH,			
2	5066 498AA	1				EGA,			GASKET & O RING KIT, A/C Line,
	0000 100701	•				EGH,			Suction Line to Compressor
						EGM			
-3	5066 500AA-	1				EGA,			O RING, A/C Line, Suction Line to H-
						EGH,			Valve
						EGM			
4	5264 638	1				EGA,			VALVE, Charging
						EGH,			
						EGM			
5	5019 242AA	1				EGA,			CAP, A/C Check Valve
						EGH,			
•	5005 044 AD	4				EGM			LINE A/C Discharge
6	5005 241AB	1				EGA, EGH,			LINE, A/C Discharge
						EGH, EGM			
7	5066 497AA	2				EGA,			GASKET & O RING KIT, A/C Line,
,	3000 437701	_				EGH,			Discharge Line to Compressor &
						EGM			Condensor
8									NUT, Discharge Line to A/C
									Compressor-Purchase Compressor
									(NOT SERVICED) (Not Serviced)
9									CONDENSER, Air Conditioning
	4809 227AD	1				EGA,			Dual A/C
						EGH,			
						EGM			
	4809 267AC	1				EGA,			Standard and Heavy Duty Cooling
						EGH,			without Rear A/C
						EGM			
-10									SUPPORT, Radiator, Condenser Mounting

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Plumbing, Air Conditioning, 3.3L, 3.8L Figure 024-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4809 274AC-	1				EGA,			Right
						EGH,			
						EGM			
	4809 273AC-	1				EGA,			Left
						EGH,			
						EGM			
11									NUT, Suction Line to A/C
									Compressor-Purchase Compressor
									(NOT SERVICED) (Not Serviced)
12	6101 445	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25
13	6101 445	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25
14	6101 445	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Liquid Line/
									Filter Drier to Shock Tower
									Mounting
15	5066 506AA	1				EGA,			LINE, A/C Liquid, to Condenser
						EGH,			
						EGM			
16	5066 497AA	1				EGA,			GASKET & O RING KIT, A/C Line,
						EGH,			Liquid Line to Drier & Condensor
						EGM			
17	4856 769	1				EGA,			CLIP, A/C Liquid Line
						EGH,			
						EGM			
18									LINE, A/C, Liquid to Expansion Valve
	5066 517AA	1				EGA,			
						EGH,			
						EGM			
	5066 505AA	1			53	EGA,			[HBB]
						EGH,			
						EGM			2 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1
19	5066 504AA	1				EGA,			O RING, A/C Line, Liquid Line to
						EGH,			Drier
	1000 :					EGM			0.500.000.000.000
20	4882 137	1				EGA,			O RING, A/C Line, Expansion Valve
						EGH,			
						EGM			


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Plumbing, Air Conditioning, 3.3L, 3.8L Figure 024-220



17514	PART	O.T.Y	LINE	050150	DODY	ENGINE	TDANO		DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	5019 881AA	1				EGA,			TRANSDUCER PACKAGE, A/C
						EGH,			Pressure
						EGM			
22	5066 503AA	1				EGA,			DRIER, Receiver
						EGH,			
						EGM			
23	5066 502AA	1				EGA,			BRACKET, A/C Filter Drier
						EGH,			
						EGM			
24	5003 463AA	1				EGA,			VALVE, Check
						EGH,			
						EGM			
25	5019 218AA	1							VALVE KIT, Expansion
-26									O RING, Expansion Valve
	4885 802AA-	1			53				
	4885 803AA-	1							
-27	4734 125	1							PLATE, Clamp, Expansion Valve
-28	6505 242AA-	1				EGA,			SCREW, Heater Hose Tube to Motor
						EGH,			Mount attaching
						EGM			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm


Plumbing, Air Conditioning and Heater, Rear Figure 024-230

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						1			
	ales Codes:								
	3.3L V6 SMPI E	_							
	3.5L High Outpu		ngine						
	B.8L V6 SMPI E	-							
	3,3L V6 SMPI E								TOUT AND WARLED ON THE
1	6502 059	1			53	EGA,			BOLT AND WASHER, Self Taping
						EGF,			Flange Head, M8x1.25x40.00,
						EGH, EGM			Liquid Line to Rear Evaporator Core Mounting
2	5066 523AA	1			53	EGA,			LINE, A/C Liquid
_	5000 525/ V	'			55	EGA, EGH,			LINE, AVO LIQUIO
						EGM			
-3	4882 137	2			53	EGA,			O RING, A/C Liquid Line
						EGH,			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
						EGM			
4	5066 520AA	1			53	EGA,			LINE, A/C Suction
						EGH,			
						EGM			
-5	4882 136	2			53	EGA,			O RING, A/C Line
						EGH,			
						EGM			
6	4798 683	1			53	EGA,			PLATE, Extention
						EGH,			
7	5000 5 0444	2			50	EGM			TUDE Harter
7	5066 524AA	2			53	EGA, EGH,			TUBE, Heater
						EGH, EGM			
8	5066 527AA	2			53	EGA,			HOSE, Heater, Front, Front
· ·	0000 02.7.1.	_				EGH,			
						EGM			
9	5066 525AA	2			53	EGA,			HOSE, Heater, Rear, Rear
						EGH,			
						EGM			
10	5066 526AA	2			53	EGA,			BRACKET, Aux A/C And Heater L
						EGH,			
						EGM			
11	4856 780	1			53	EGA,			BRACKET, Aux A/C And Heater L
						EGH,			
						EGM			
DODGE - C	HRYSLER MINIVA	N (RS) —							
SERIES L = Base/SE	LINE	ysler(AWI		DDY ? = 113 WB	ENGINE	E D0 = 2.4L 4		TRANSM	IISSION 3 spd. Auto. (31TH)
H = LX, Spo	ort $D = Dodg$	ige(AWD)) 53	B = 119 WB	EGA =	3.3L 6 Cyl.	[OGL = 4	spd. Auto. (41TE)
P = LXI, ES		ysler(FWD)				= 3.8 L 6		DG0 = Al	I Automatic Transm
S = Limited E = EC	v = nogó	lge(FWD)			EGIVI =	3.3L 6 Cyl. F	- I - V		



Plumbing, Air Conditioning and Heater, Rear Figure 024-230

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	5066 521AA	1			53	EGA,			BRACKET, Aux A/C And Heater Line
						EGH,			
						EGM			
13	5005 394AB	1			53	EGA,			TUBE & HOSE, Supply & Return w/
						EGH,			Aux. Heater
						EGM			
14	J320 3739	1			53	EGA,			HOSE, Heater, 5/8 Roll Stock
						EGH,			
						EGM			



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Controls, A/C and Heater Figure 024-310

3

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes:				21.175.				
-	AIR CONDITIO								
-	AIR CONDITIO				ONTROL				
-	ATC-w/3 Zone	Tempe	rature Con	trol					
1									CONTROL, A/C And Heater
	5005 000AD	1							Black
	5005 002AD	1	D, K, Y						Zone [HAD]
	5005 003AD	1			53				3 Zone [HAG]
	5005 004AH	1	D, K		53				ATC Zone [HAH]
		1	C, Y		53				ATC Zone [HAH]
	5005 001AG	1	K, Y						Rear Window Defroster [GFA]
		1	C, Y		53				Rear Window Defroster [GFA]
-2	6504 912AA-	6							SCREW, Tapping, A/C Control To
									Center Bezel mounting
3									KNOB, A/C And Heater Control -
									Rotary
	5019 526AA	3							[HAA,HAG]
	5019 527AA	2			53				[HAH]
	5019 594AA	1	D, K		53				- [HAH]
		1	C, Y		53				[HAH]
-4			,						KNOB, A/C And Heater Control -
									Slide
	5019 525AA-	1	D, K, Y						Driver
	5019 587AA-	1	D, K, Y						Passenger
-5	4685 797AA-	1	_,, .		53				SWITCH, Rear Blower, Rear
									Headliner, without ATC
-6	5005 009AC-	1			53				CONTROL, A/C And Heater, Real
Ü	0000 000/10	•			00				Headliner, ATC
-7	5028 053AA-	1			53				RETAINER, Overhead Console
- 8	SU73 TL2AA-	'			53				BEZEL, Overhead Console, Rear
3	JOI O ILLIAM	1			55				Control
9	5066 124AA	1							OUTLET, Air Conditioning & Heat
9	JUUU 124AA	1							COTLET, All Conditioning & Heat


DODGE - CHRYSLER MINIVAN (RS) -

SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Compressor and Mounting Brackets, All Engines Figure 024-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sale	es Codes								
[EDZ] = 2.	.4L 4 Cylinder	DOHC	16 Valve	SMPI					
= =	.3L V6 SMPI								
[EGF] = 3	.5L High Outp	ut V6							
[EGH] = 3	.8L V6 SMPI								
[EGM] = 3	3,3L V6 SMPI								
[HAA] = A	ir Conditioning	3							
[HAD] = A	ir Conditioning	g w/Dua	al Zone Te	mperature	Control				
[HBB] = A	ir Conditioning	Rear v	w/Heater						
1	6101 514	4				EDZ			BOLT AND WASHER, Hex Head,
									M10x1.5x35, A/C Bracket to Engine
									Block
2	5281 444	1				EDZ			BRACKET, A/C Compressor,
									Mounting
3	6502 425	4				EDZ			SCREW AND WASHER, Hex Head,
									M8x1.25x95, A/C Compressor to
									A/C Bracket
4	5005 410AA	1	K, Y		52	EDZ			COMPRESSOR, Air Conditioning,
									[HAA,HAD]
5	5066 229AA	1	K, Y		52	EDZ			PULLEY HUB KIT, A/C Compressor
	4797 384	2	K, Y		52	EDZ			NUT, Manifold Stud Mounting
-7	5066 228AA-	1	K, Y		52	EDZ			CLUTCH OVERHAUL KIT, A/C
									Compressor
	5066 226AA-	1	K, Y		52	EDZ			COIL, Stator, A/C Compressor Clutch
	5264 454	1	K, Y		52	EDZ			SNAP RING KIT, A/C Clutch
10									COMPRESSOR, Air Conditioning
	5005 440AA	1				EGA,			[HAA,HAD]
						EGH,			
						EGM			
	5005 441AA	1			53	EGA,			[HBB]
						EGH,			
						EGM			DULL EXCLUSION AND A
11	5066 227AA	1				EGA,			PULLEY HUB KIT, A/C Compressor
						EGH,			
40	5000 005 4 4					EGM			
-12	5066 225AA-	1				EGA,			CLUTCH OVERHAUL KIT, A/C
						EGH,			Compressor
40	4707 204	0				EGM			NUIT Marrifold Chied Manustines
-13	4797 384	2				EGA,			NUT, Manifold Stud Mounting
						EGH,			
						EGM			

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SE H = LX, Sport P = LXI, ES S = Limited


E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Compressor and Mounting Brackets, All Engines Figure 024-410





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-14	5066 226AA-	1				EGA,			COIL, Stator, A/C Compressor Clutch
						EGH,			
						EGM			
-15	5264 454	1				EGA,			SNAP RING KIT, A/C Clutch
						EGH,			
						EGM			
16	6101 623	1				EGA,			SCREW AND WASHER, Hex Head,
						EGH,			M10x1.5x105
						EGM			
17	6102 172AA	3				EGA,			SCREW AND WASHER, Hex Head,
						EGH,			M10x1.5x50
						EGM			
18	6101 448	2				EGA,			NUT AND WASHER, Hex Nut-Coned
						EGH,			Washer, M10 x 1.5
						EGM			
-19	8230 0102	1				EGA,			LUBRICANT, Oil, 75w90, ND-8 PAG
						EGH,			OIL
						EGM			
-20									CLUTCH OVERHAUL KIT, A/C
		_							Compressor
	5066 225AA-	1				EGA,			
						EGH,			
		_				EGM			
	5066 228AA-	1	K, Y		52	EDZ			
-21									NUT, Manifold Stud Mounting
	4797 384	1	K, Y		52	EDZ			
		1				EGA,			
						EGH,			
						EGM			

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Ducts and Outlets, Front Figure 024-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1							1	
NOTE:									
Demister	Grilles serviced	d in Ins	trument Pa	anel					
1									DUCT, Instrument Panel Demister,
									Serviced in Instrument Panel, (NO
									SERVICED) (Not Serviced)
2									DUCT, Defroster, Serviced in
									Instrument Panel, (NOT
_									SERVICED) (Not Serviced)
3									GRILLE, Demister, Left
	SJ35 WL8AA	1							[L5]
	SJ35 XTMAA	1							[T5]
	SJ35 YQLAA	1							[QL]
4									OUTLET, Air Conditioning & Heater,
	0004 14" 04 1								Left
	SC91 WL8AA	1							[L5]
	SC91 XTMAA	1							[T5]
	SC91 YQLAA	1							[QL]
5	5066 130AB	1							DUCT, Instrument Panel Door
0	5000 40444				50				Extension, with Seal
6	5066 124AA	1			53				OUTLET, A/C % Heater w/IP Sensor
7									OUTLET, A/C & Heater w/IR Sensor
	E010 9924 A	4	C V		5 2				and Harness
	5019 882AA	1	C, Y		53				
8		1	D, K		53				GRILLE, Demister, Right
	SJ13 WL8AA	1							
	SJ13 WLGAA	1							[L5] [T5]
	SJ13 YQLAA	1							[QL]
9	SSTS TQLAA	1							OUTLET, Air Conditioning & Heater
9	SC95 WL8AA	1							[L5]
	SC95 WLOAA SC95 XTMAA								[E3] [T5]
	SC95 XTMAA SC95 YQLAA	1							[QL]
10	5009 054AA	1							DUCT, Instrument Panel Door
10	3003 00 1 AA	- '							Extension, with Seal
-11	4678 396	3							CLIP, Air Duct, to top Cover
-11 -12	6504 324	6							SCREW AND WASHER, Hex Head,
14	300 I OLT	J							Air Distribution Duct to Cowl top
-13									OUTLET, Air Conditioning & Heater,
.0									Door Trin Panel
	SE98 WL5AA-	. 1							[L5], Right
	SE99 WL5AA-								[L5], Left
	SE98 XT5AA-								[T5], Right
		•							r -1,g
ODGE - CH	IRYSLER MINIVAN	I (RS) —							
ERIES	LINE			DDY	ENGINI			TRANSM	
= Base/SE = LX, Spo				= 113 WB = 119 WB		D0 = 2.4L 4 (3.3L 6 Cyl.			spd. Auto. (31TH) spd. Auto. (41TE)
= LXI, ES	Y = Chrys	slèr(FWÍ	D)	- 110 000	EGH, E	G0 = 3.8L 6	Cyl. I		Automatic Transm
= Limited = EC	K = Dodg	je(FWD))			3.3L 6 Cyl. F			
= =0									

3	2	1	8
4	6	(1)	

Ducts and Outlets, Front Figure 024-610

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SE99 XT5AA-	. 1							[T5], Left
SE98 YQLAA- 1 [QL], Right									[QL], Right
	SE99 YQLAA	- 1							[QL], Left
-14	SS98 XXXAA	- 1							SEAL, Air Inlet, Door Trin Panel
-15	6035 638	2							NUT/SPRING, "U"1THD, For .164-15
									Screw, Air Distribution Duct
									attaching




DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Ducts and Outlets, Rear Figure 024-620



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						-			
1	5005 197AB	1							DUCT, Floor Distribution, Right
2	5005 196AB	1							DUCT, Floor Distribution, Left
3	5005 190AB	1							DUCT, Floor Distribution, Center
4	5005 192AA	1			53				DUCT, Aux A/C And Heater
5	5005 193AB	1			53				DUCT, Heater Distribution
6	0153 856	2							SCREW, Tapping, .19-16x.625
-7	SU73 TL2AA-	1			53				BEZEL, Overhead Console
-8									OUTLET, Air Conditioning & Heater,
									Overhead
	JH92 TL2	2			53				Right
	JH93 TL2	2			53				Left
9	4885 625AA	1							COVER, Center Distribution, Lower
-10									RETAINER, Air Outlet
	5028 064AA-	1			53				Right
	5028 065AA-	1			53				Left
-11	UN04 1L2AA-	1			53				VENT, A/C Duct Right
-12	UN05 1L2AA-	1			53				VENT, A/C Duct Left
			_		_		_		



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 025 Emission Systems






GROUP 25 - Emission Systems

Illustration Litle	Group-Fig. No
Emission Labels Emission Labels	 Fig. 025-110
EGR System EGR System 2.4L [EDZ] EGR System 3.3L-3.8L [EGA],[EGH].[EGM]	Fig. 025-240 Fig. 025-260
Vacuum Canister Vapor Canister	 Fig. 025-310
Emission Harness Emission Harness Leak Detection Pump	Fig. 025-410 Fig. 025-490

	1	
	VEHICLE EMISSION CONTROL	INFORMATION
	THIS VEHICLE CONFORMS TO REGULATIONS APPLICABLE TO YEAR NEW MOTOR VEHICLES AT	20XX MODEL
	*BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.	X X LITER SPARK PLUGS MCR2.5V5HHP7 .035 m. GAP MCRVB RNI2YC
	*ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.	IDLE * MAN TIMING BTC 12°
ST	CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE	NO OTHER ADJUSTMENTS NEEDED
CATALYST	PURGE SOLENOID PURGE SOLENOID BACK PRESSURE EGR VALVE ORIFICE TO INTAKE MANIFOLD PCY VALVE	TO CRUISE CONTROL FILTER POWER BRAKE BOOSTER TO HEATER A/C CONTROL HEATED AIR DIAPH O TO AIR CLEAMER
CORPORATION	PRESSURE RELIEF/ ROLLOVER VALVE FUEL TANK VAPOR CANISTER	AIR INJECTION TO ASPIRATOR AIR — O TO CLEANER SILENCER CATALYST OPTIONAL VACUUM OPERATED ACCESSORIES


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•							
	les Codes								
	.4L 4 Cylinder		16V SMP	I Engine					
	.3L V6 SMPI								
	.8L V6 SMPI 3.3L V6 SMPI	-	el Engine						
1	7.02 VO OMI 1	1 10% 1 0	ioi Erigiilo						LABEL, Emission
	4809 625AA	1				EDZ			
	4809 731AA	1	C, Y			EGH			
	4809 733AA	<u>1</u> 1				EGA EGA			[NAS] U.S. 50 State Emissions [NAA] Federal Emissions
	4809 736AA 4809 738AA	1	D, K			EGA			[NAA] Federal Emissions
	5110 806AA	1	Β, π			EGM			[NAS]
DODGE - CHI SERIES	RYSLER MINIVA LINE	N (RS) —	B∩	DY	ENGINE		т	RANSM	ISSION
L = Base/SE	C = Chr	ysler(AW	D) 52	= 113 WB	EDZ, EI	00 = 2.4L 4	Cyl. [$OGC_1 = 3$	spd. Auto. (31TH)
H = LX, Spor $P = LXI$, ES	Y = Chr	ige(AWD) ysler(FWI	O)	= 119 WB	EGH, E	3.3L 6 Cyl. G0 = 3.8L 6	Cyl. [)GL = 4 :)G0 = Al	spd. Auto. (41TE) I Automatic Transm
S = Limited E = EC	K = Dod	ge(FWD)			EGM =	3.3L 6 Cyl. F	FV		

EGR System 2.4L [EDZ] Figure 025-240



ITEM	PART	OTY		eeniee	BODY	ENGINE	TDANE	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes								
DZ] = 2	2.4L 4 Cylinder		16V SMP	I Engine					
1	4287 820AC	1				EDZ			VALVE, EGR
2	4861 389AC	1				EDZ			TUBE, EGR
3	6506 440AA	2				EDZ			SCREW AND WASHER, Hex Hea
4	6500 464	2				EDZ	<u> </u>		BOLT, EGR Tube
5	4861 390AB	1				EDZ			HARNESS, EGR Supply
-6	4663 247AB-					EDZ			GASKET, EGR Valve
-7	4861 535AA-					EDZ			GASKET, EGR Tube Flange
-8	5277 928	1				EDZ			GASKET, EGR Tube Flange
INGE - CH	JBV61 FR MINIVAN	J (RS)							
ERIES	HRYSLER MINIVAN			DDY	ENGINE			TRANSMI	
ERIES = Base/SE	LINE E C = Chry	ysler(AWE	D) 52	! = 113 WB	EDZ, ED	00 = 2.4L 4	Cyl. [DGC, = 3	3 spd. Auto. (31TH)
ERIES	LINE E		D) 52) 53 D)		EDZ, EDG EGA = 3. EGH, EG		Cyl. [Cyl. [DGC, = 3 DGL = 4 s	

EGR System 3.3L-3.8L [EGA],[EGH].[EGM] Figure 025-260



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: C	Salaa Cadaa								
	3.3L V6 SMPI	Engine							
	3.8L V6 SMPI								
	3.3L V6 SMPI		ıel Engine						
1									BRACKET, EGR Valve Mtg.
	4861 360AA	1				EGA,			<u> </u>
						EGM			
		1				EGH			
2									VALVE, EGR
	4861 537AA	1				EGA,			
						EGM			
_		1				EGH			
3	4004.0004.4								HARNESS, EGR Vacuum
	4861 362AA	1				EGA, EGM			
		1				EGH			
4	4861 358AA	1				EGA,			TUBE, EGR
-	4001 0007 (1	•				EGM			TOBE, EGIC
5									BOLT, EGR Tube
	6500 464	2				EGA,			,
						EGM			
		2				EGH			
6	6505 812AA	2				EGA,			SCREW
						EGM			
-7									GASKET, EGR Valve
	4663 247AB-	1				EGA,			
						EGM			
0		1				EGH			CACKET FOR Value
-8	4891 068AB-	1				EGA,			GASKET, EGR Valve
	4091 U00AD-	'				EGA, EGM			
		1				EGH			
-9						LOIT			GASKET, EGR Tube Flange
	5277 928	1				EGA,			,
	-					EGM			
	4861 535AA-	1				EGH			
-10									COVER, EGR Port
	4591 227	1				EGA,			
						EGM			
		1				EGH			
-11									SCREW AND WASHER, Hex Head

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

EGR System 3.3L-3.8L [EGA],[EGH].[EGM] Figure 025-260



EGM Cover Plate	TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EGM 1 EGH -12 6506 652AA- AR EGA, SCREW, Strip-Out Repair, EGR EGM Cover Plate -13 SCREW, M8-1.25 6503 692 1 EGA, EGR Cover Plate EGM										
1 EGH -12 6506 652AA- AR EGA, SCREW, Strip-Out Repair, EGR EGM Cover Plate -13 SCREW, M8-1.25 6503 692 1 EGA, EGR Cover Plate EGM		6101 452	1				EGA,			
-12 6506 652AA- AR EGA, SCREW, Strip-Out Repair, EGR EGM Cover Plate -13 SCREW, M8-1.25 6503 692 1 EGA, EGR Cover Plate EGM							EGM			
EGM Cover Plate -13 6503 692 1 EGA, EGR Cover Plate EGM			1				EGH			
-13 SCREW, M8-1.25 6503 692 1 EGA, EGR Cover Plate EGM	-12	6506 652AA-	AR				EGA,			SCREW, Strip-Out Repair, EGR
6503 692 1 EGA, EGR Cover Plate EGM							EGM			Cover Plate
EGM	-13									SCREW, M8-1.25
		6503 692	1				EGA,			EGR Cover Plate
1 EGH EGR Cover Plate							EGM			
			1				EGH			EGR Cover Plate

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

PART

	5	
(18)	12 (19)	
16	14 17 20	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ΙΟΤ <u>Ε;</u> ε	Sales Codes								
-	2.4L 4 Cylinder			I Engine					
-	3.3L V6 SMPI I	•							
-	3.8L V6 SMPI I	•							
<u>EGM] =</u>	3.3L V6 SMPI	Flex Fu	uel Engine						
1	4861 436AA	1			 _				CANISTER, Vapor
2	4861 437AB	1							BRACKET, Vapor Canister
-3	6101 462	1							SCREW AND WASHER, Hex Head
									M8x1.25x30, Canister to Bracket
4	4669 177	2							GROMMET, Air Cleaner Bracket
5	4861 438AA	1							HOSE, Canister to Vent Valve
6	4669 865	1							VALVE, Vent
7	4885 705AA	3							CLAMP, Hose, Snap Type
-8	6101 452	1							SCREW AND WASHER, Hex Head
									M8x1.25x20
-9	6101 467	1							NUT, Hex Flange, M8x1.25
10	4861 439AB	1							HOSE, Vapor Canister Pass Thru,
									Used in both Canisters
11	4861 440AA	1							CANISTER, Vapor
12	4861 441AA	1							BRACKET, Vapor Canister
-13	4861 442AB-	· 1							BRACKET, Vapor Canister
14	4861 447AB	1							HOSE, Vapor Canister Load
-15	6505 106AA-								CLAMP, HOSE, Open Dia = M15.0
	0000								Thk = .88
16	4861 443AA	1							HOSE, Vapor Canister Purge
17									CLAMP, Hose, Snap Type
• •	4885 705AA	3							OE 1111 , 1.1335, 2.111 , 1
	4885 706AA	1							
18	4885 706AA	1							CLAMP, Hose, Snap Type
19	6503 543	3							BOLT AND CONED WASHER, He
	0000 0 .=	-							Head, M8x1.25x25
20	6102 132AA	2							SCREW, Hex Head, M6x1x20
-21	4809 184AE-				53				TUBE, Fuel Vapor

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

3	
3	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 0	alaa Cadaa								
	ales Codes 2.4L 4 Cylinder	DOHC	16\/ SMD	I Engine					
	3.3L V6 SMPI I		10 V SIVII	Liigiile					
	3.8L V6 SMPI								
	3.3L V6 SMPI		el Engine						
1			<u> </u>						HARNESS, Proportional Purge
									Solenoid
	5018 852AC	1				EDZ			
	5018 853AC	1				EGA,			
						EGH,			
						EGM			
2									SOLENOID, Proportional Purge
	4669 569	1				EDZ			
		1				EGA,			
						EGH,			
0						EGM			DDACKET Descriptional Duran
3									BRACKET, Proportional Purge Solenoid
	4861 539AA	1				EDZ			Soleriola
	4001 333AA	1				EGA,			
		•				EGH,			
						EGM			
-4	3580 172	2				EDZ			CAP, Vacuum
-5	4104 272	1				EDZ			TUBE, Roll Stock, .25 I.D.
-6	3780 508	1				EDZ			HOSE, Vacuum, 1/8" I.D. 50 Foot
									Roll
-7									TUBE, Roll Stock, .25 I.D.
	4104 272	1				EDZ			
		1				EDZ,			
						EGA,			
						EGH,			
						EGM			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Leak Detection Pump Figure 025-490

1
2 6

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	NOMBER	QII	LINE	JERIES	ВОВТ	LINGINE	IKANS	IIXIM	DESCRIPTION
NOTE: 9	Sales Codes								
	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
	3.3L V6 SMPI		TOV CIVII	Liigiilo					
	3.8L V6 SMPI	-							
	3.3L V6 SMPI	_	el Engine						
1	4861 060AE	1	.ogc			EDZ,			HARNESS, Leak Detection Pump
						EGA,			,
						EGH,			
						EGM			
2	4891 416AD	1				EDZ,			PUMP, Leak Detection
						EGA,			
						EGH,			
						EGM			
3	4612 662AB	1				EDZ,			BRACKET, Leak Detection Pump
						EGA,			
						EGH,			
						EGM			
4	4861 425AB	1							BRACKET & FILTER, LDP Base
5	4581 236	1							FILTER, Fuel Tank Air
6									SCREW AND WASHER, Oval Hea M6x1x25
	6101 718	2				EGF			WIGNIALS
	0.0.7.0	2				EDZ,			
		_				EGA,			
						EGH,			
						EGM			
7	4861 463AA	1				EDZ			HARNESS, LDP Vacuum Source
8	4612 812AE	1				EDZ,			HARNESS, Leak Detection Pump
						EGA,			Canister
						EGH,			
						EGM			
-9	6036 155AA-	AR							PIN, Push
-10									TUBE, Roll Stock, .25 I.D., 2001
				· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			used # 4104272, (NOT
									SERVICED) (Not Serviced)
-11	4307 218	1				EDZ,			CONNECTOR, "Y" Reserve Tank
						EGA,			
						EGH,			
						EGM			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm


Leak Detection Pump Figure 025-490


1
2 6

ITEM	PART NUMBER	QTY	LINE SER	IES BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-12	6036 039AA-	1			EDZ,			SCREW, .190-16x.542
12	0000 0007171	<u> </u>			EGA,			OCINEW, 1700 10X.042
					EGH, EGM			
					LGIVI			
NGE - CUI	RYSLER MINIVA	N (RS)						
RIES Base/SE	LINE	ysler(AWD)	BODY 52 = 113	ENGI WB FDZ	NE ED0 = 2.4L 4	Cyl 5	TRANSMI	ISSION spd. Auto. (31TH)
LX, Spor	D = Dod	ge(AWD) /sler(FWD)	53 = 119	WB EGA	= 3.3L 6 Cyl. EG0 = 3.8L 6		OGL = 4	spd. Auto. (311H) spd. Auto. (41TE) Automatic Transm
Limited	r = Chry K = Dod	ge(FWD)		EGH, FGM	= 3.3L 6 Cyl. F	Cyi. L	JGU = All	Automatic Hansill

Group – DRS


Doors and Related Parts





GROUP DRS - Doors and Related Parts

Illustration Title	Group-Fig. No
Front Door	
Door, Front Shell, Hinges and Handles	Fig. DRS-180
Door, Front Glass, Regulators and Speakers	Fig. DRS-190
Door, Sliding Cargo Door, Glass and Hardware	Fig. DRS-310
Exterior Mirror Mirrors, Exterior	Fig. DRS-510
Weatherstrips and Seals Weatherstrips	Fia. DRS-610




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	4717 716AD	1							Right
	4717 717AD	1							Left
-2									WATERSHIELD, Front Door
	4717 924AC-	1							Right
	4717 925AC-	1							Left
3									PANEL, Front Door Outer Repair
	4717 804AA	1							Right
	4717 805AA	1							Left
4									HANDLE, Door Interior, K5,L5
									Interior Trim Code
	RT76 WL5AA	. 1							[L5], without Power Door Locks,
									Right
	RT77 WL5AA	. 1							[L5], without Power Door Locks,
									Left
	RT76 WL8AA	. 1							[L5], with Power Door Locks,
									Right
	RT77 WL8AA	. 1							[L5], with Power Door Locks, Le
	RT76 XTMAA	. 1							[T5], without Power Door Locks,
									Right
	RT77 XTMAA	. 1							[T5], without Power Door Locks,
									Left
	RT76 XT5AA	1							[T5], with Power Door Locks,
									Right
	RT77 XT5AA	1							[T5], with Power Door Locks, Le
5									HANDLE, Door Interior, J7 Interior
									Trim Code
	RT76 XTMAA	. 1							[T5], without Power Door Locks,
									Right
	RT77 XTMAA	. 1							[T5], without Power Door Locks,
									Left
	RT76 XT5AA	1							[T5], with Power Door Locks,
									Right
	RT77 XT5AA	1							[T5], with Power Door Locks, Le
	RT76 WL8AA	. 1							[L5], without Power Door Locks,
									Right
	RT77 WL8AA	. 1							[L5], without Power Door Locks,
									Left
	RT76 WL5AA	1							[L5], with Power Door Locks,
									Right
	RT77 WL5AA	. 1							[L5], with Power Door Locks, Le

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			•	•	•		•	•	
6									HANDLE, Door Interior, NL Interior
									Trim Code
	RT76 WL5AA	1							[L5], Right
	RT77 WL5AA	1							[L5], Left
7									HANDLE, Door Interior, CL Interior
									Trim Code
	RT76 WL5AA	1							[L5], Right
	RT77 WL5AA	1							[L5], Left
	RT76 YQLAA	1							[QL], Right
	RT77 YQLAA	1							[QL], Left
8									HANDLE, Door Interior, A7 Interior
									Trim Code
	RT76 WL5AA	1							[L5], Right
	RT77 WL5AA	1							[L5], Left
	RT76 YQLAA	1							[QL], Right
	RT77 YQLAA	1							[QL], Left
	RT76 XT5AA	1							[T5], Right
	RT77 XT5AA	1							[T5], Left
9									HANDLE, Door Interior, DL Interio
									Trim Code
	4894 118AA	1							[DL] Chrome, Right
	4894 119AA	1							[DL] Chrome, Left
10									HANDLE, Door Interior, E7 Interior
									Trim Code
	RT76 XT5AA	1							[T5], Right
	RT77 XT5AA	1							[T5], Left
	RT76 YQLAA	1							[QL], Right
	RT77 YQLAA	1							[QL], Left
	RT76 WL5AA	1							[L5], Right
	RT77 WL5AA	1							[L5], Left
11									BEZEL, Front Door Trim Panel,
									Serviced With Door Trim Panel,
									(NOT SERVICED) (Not Serviced
12									BEZEL, Power Window Switch
	SA76 WL5AB	1		H, L					[JPD][L5], Right
	SA75 WL5AB	1		H, L					[JPD][L5], Left
	SA76 XT5AB	1		H, L					[JPD][T5], Right
	SA75 XT5AB	1		H, L					[JPD][T5], Left
	SA76 YQLAB	1		H, L					[JPD][QL], Right
	SA75 YQLAB	1		H, L					[JPD][QL], Left
	SA79 WL5AB	1		Р	53				[JPD][L5], Right

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	CA 70 \A/I EA D	4		В	5 0				LIDDILLET LOSS
	SA78 WL5AB SA79 XT5AB	<u>1</u> 1		<u>Р</u> Р	53 53				[JPD][L5], Left [JPD][T5], Right
	SA79 XT5AB	1		P	53 53				[JPD][T5], Kight [JPD][T5], Left
	SA79 YQLAB	1		P	53 53				[JPD][V5], Left [JPD][QL], Right
	SA79 TQLAB	1		P	53 53				[JPD][QL], Kigiit [JPD][QL], Left
	SA80 AAAAB	1	C, Y	S	53				[JPD][QL] With Memory, Left
	TQ11 AAAAB		C, Y	S	53				[JPD][L5,QL] Woodgrain, Right
	TQ70 XT5AA	1	O, 1	3	33				[JPB,JPA][T5], Right
	TQ70 XT5AA	1							[JPB,JPA][T5], Left
	TQ70 WL5AA								[JPB,JPA][L5], Right
	TQ70 WL5AA								[JPB,JPA][L5], Left
13	1971 1120/01	•							HANDLE, Front Door Exterior
	4717 512AC	1		L					Black Grained, Right
	4717 513AC	1		<u>-</u>					Black Grained, Left
	4717 512AC	1		E					Black Grained, Right
	4717 513AC	1		E					Black Grained, Left
	RP70 YB2AB	1		H					[B2], Right
	RP71 YB2AB	1		H					[B2], Left
	RP70 YB2AB	1		Р					[B2], Right
	RP71 YB2AB	1		Р					[B2], Left
	RP70 YB2AB	1		S					[B2], Right
	RP71 YB2AB	1		S					[B2], Left
	RP70 WB7AB	1		Н					[B7], Right
	RP71 WB7AB	1		Н					[B7], Left
	RP70 WB7AB	1		Р					[B7], Right
	RP71 WB7AB	1		Р					[B7], Left
	RP70 WB7AB	1		S					[B7], Right
	RP71 WB7AB	1		S					[B7], Left
	RP70 SW1AB	1		Н					[W1], Right
'	RP71 SW1AB	1		Н					[W1], Left
	RP70 SW1AB	1		Р					[W1], Right
	RP71 SW1AB	1		Р					[W1], Left
	RP70 SW1AB	1		S					[W1], Right
	RP71 SW1AB	1		S					[W1], Left
	RP70 XBQAB	1		Н					[BQ], Right
	RP71 XBQAB	1		Н					[BQ], Left
	RP70 XBQAB			Р					[BQ], Right
	RP71 XBQAB			Р					[BQ], Left
	RP70 XBQAB			S					[BQ], Right
	RP71 XBQAB			S					[BQ], Left
	RP70 WELAB	1		Н					[EL], Right

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RP71 WELAE	3 1		Н					[EL], Left
	RP70 WELAE			P					[EL], Right
	RP71 WELAB			P					[EL], Left
	RP70 WELAE			S					[EL], Right
	RP71 WELAB			S					[EL], Left
	RP70 XRVAB			Н					[RV], Right
	RP71 XRVAB	1		Н					[RV], Left
	RP70 XRVAB	1		Р					[RV], Right
	RP71 XRVAB	1		Р					[RV], Left
	RP70 XRVAB	1		S					[RV], Right
	RP71 XRVAB	1		S					[RV], Left
	RP70 WS2AE	3 1		Н					[S2], Right
	RP71 WS2AE	3 1		Н					[S2], Left
	RP70 WS2AE	3 1		Р					[S2], Right
	RP71 WS2AB	3 1		Р					[S2], Left
	RP70 WS2AB	3 1		S					[S2], Right
	RP71 WS2AB	3 1		S					[S2], Left
	RP70 XQWA	3 1		Н					[QW], Right
	RP71 XQWA	3 1		Н					[QW], Left
	RP70 XQWA	3 1		L					[QW], Right
	RP71 XQWAE	3 1		L					[QW], Left
	RP70 ZKJAC	1		Р					[KJ], Right
	RP71 ZKJAC	1		Р					[KJ], Left
	RP70 ZKJAC	1		S					[KJ], Right
	RP71 ZKJAC	1		S					[KJ], Left
	RP70 ZKJAC	1		Н					[KJ], Right
	RP71 ZKJAC	1		Н					[KJ], Left
	RP70 ZKJAC	1		X					[KJ], Right
	RP71 ZKJAC	1		X					[KJ], Left
	RP70 ZKJAC	1		M					[KJ], Right
	RP71 ZKJAC	1		M					[KJ], Left
	RP70 YJRAB			Р					[JR], Right
	RP71 YJRAB			P					[JR], Left
	RP70 YJRAB			S					[JR], Right
	RP71 YJRAB			S					[JR], Left
	RP70 YJRAB			Н					[JR], Right
	RP71 YJRAB			Н					[JR], Left
	RP70 YJRAB			L					[JR], Right
	RP71 YJRAB			L					[JR], Left
	RP70 ABEAC			Р					[BE], Right
	RP71 ABEAC	1		Р					[BE], Left


L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RP70 ABEAC	1		S					[BE], Right
	RP71 ABEAC	1		S					[BE], Left
	RP70 ABEAC	1		Н					[BE], Right
	RP71 ABEAC	1		Н					[BE], Left
14									LINK, Exterior Door Handle
	4717 796AA	1							Right
	4717 797AA	1							Left
-15									CLIP, Outside Door Handle
	4717 164	1		Р					Right
	4717 165	1		Р					Left
	4717 164	1		S					Right
	4717 165	1		S					Left
	4717 164	1		Н					Right
	4717 165	1		Н					Left
	4717 164	1		L					Right
	4717 165	1		L					Left
16									LINK, Key Cylinder To Latch
	4717 798AA	1							Right
	4717 799AA	1							Left
17									KNOB, Door Lock
	4894 120AB	1							Right
	4894 121AB	1							Left
18									LINK, Remote Handle to Latch
	4717 790AB	1							Right
	4717 791AB	1							Left
19									HINGE, Front Door, Upper
	5069 062AA	1							Right
	5069 063AA	1							Left
-20	6503 991	8							SCREW AND WASHER, Hex Head
21	4717 388	AR							PIN, Door Hinge, Not Re-useable
22									HINGE, Front Door, Lower
	4717 210	1							Right
	4717 211	1							Left
23	6035 926AA	4							NUT, .312 Diameter, Door Hinge
-24	6502 975	12							SCREW AND WASHER, Hex Head
									M8x1.25x33, Hinge to Body
-25									BRACKET, Body Side Aperture
	4868 256AE-	1							Door Hinge Connector, Right
	4868 257AE-	1							Door Hinge Connector, Left
-26	4717 331	AR							SHIM, Door Hinge, Door Half, Low
27									LATCH, Front Door
	4717 800AA	1							without Power Locks, Right


DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm





6505 592AA		PART								
4717 802AA 1	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4717 802AA 1										
4717 803AA 1 Left,Power Door Locks SCREW, Door Latch attaching CLIP, Latch Link 4658 674 1 Red, Right 4658 675 1 Green, Left 4658 676 1 Right, Power Door Locks 4658 677 1 Left,Power Door Locks 4658 677 1 Left,Power Door Locks 30 6035 706 6 SCREW, Latch 31 STRIKER AND BUMPER, Door Latch 4717 779AA 2 Black 4717 779AB 2 Yellow 32 4520 289 AR SPACER, Door Latch Striker 33 SCREW, Oval Head, M8x1.25x3 6505 592AA 4 Black 6507 633AA 4 Yellow 34 6100 048 4 NUT, Hex, M6x1.00 35 6504 041 4 SCREW AND WASHER, Hex He M6x1x30 CHECK, Front Door 4717 228AB 1 Right 4717 229AB 1 Left -37 CLIP 6506 804AA- 1 Latch to Lock Rod, Right		4717 801AA	1							without Power Locks, Left
Care		4717 802AA	1							Right,Power Door Locks
CLIP, Latch Link Red, Right Red, Right Green, Left Green, Left Right, Power Door Locks A658 676		4717 803AA	1							Left,Power Door Locks
4658 674 1	-28	6507 121AA-	6							SCREW, Door Latch attaching
4658 675 1 Green, Left 4658 676 1 Right, Power Door Locks 4658 677 1 Left, Power Door Locks 30 6035 706 6 SCREW, Latch 31 STRIKER AND BUMPER, Door Latch 4717 779AA 2 Black 4717 779AB 2 Yellow 32 4520 289 AR SPACER, Door Latch Striker 33 SCREW, Oval Head, M8x1.25x3 6505 592AA 4 Black 6507 633AA 4 Yellow 34 6100 048 4 SCREW AND WASHER, Hex He M6x1x30 36 CHECK, Front Door 4717 228AB 1 4717 229AB 1 6506 804AA- 1 Latch to Lock Rod, Right	29									CLIP, Latch Link
4658 676 1 Right, Power Door Locks 30 6035 706 6 SCREW, Latch 31 STRIKER AND BUMPER, Door Latch 4717 779AA 2 Black 4717 779AB 2 Yellow 32 4520 289 AR SPACER, Door Latch Striker 33 SCREW, Oval Head, M8x1.25x3 6505 592AA 4 Black 6507 633AA 4 Yellow 34 6100 048 4 35 6504 041 4 SCREW AND WASHER, Hex He M6x1x30 36 CHECK, Front Door 4717 228AB 1 Right 4717 229AB 1 Left -37 CLIP 6506 804AA- 1 Latch to Lock Rod, Right		4658 674	1							Red, Right
A658 677 1		4658 675	1							Green, Left
30 6035 706 6 31 SCREW, Latch 31 STRIKER AND BUMPER, Door Latch 4717 779AA 2 Black 4717 779AB 2 Yellow 32 4520 289 AR SPACER, Door Latch Striker 33 SCREW, Oval Head, M8x1.25x3 6505 592AA 4 Black 6507 633AA 4 Yellow 34 6100 048 4 NUT, Hex, M6x1.00 35 6504 041 4 SCREW AND WASHER, Hex He M6x1x30 36 CHECK, Front Door 4717 228AB 1 Right 4717 229AB 1 Left -37 CLIP 6506 804AA- 1 Latch to Lock Rod, Right		4658 676	1							Right,Power Door Locks
STRIKER AND BUMPER, Door Latch		4658 677	1							Left,Power Door Locks
Latch 4717 779AA 2 Black 4717 779AB 2 Yellow 32 4520 289 AR SPACER, Door Latch Striker 33 SCREW, Oval Head, M8x1.25x3 6505 592AA 4 Black 6507 633AA 4 Yellow 34 6100 048 4 NUT, Hex, M6x1.00 35 6504 041 4 SCREW AND WASHER, Hex Hex M6x1x30 36 CHECK, Front Door 4717 228AB 1 Right 4717 229AB 1 Left -37 CLIP 6506 804AA- 1 Latch to Lock Rod, Right	30	6035 706	6							SCREW, Latch
## 4717 779AA 2 Black ## 4717 779AB 2 Yellow ## 32 # 4520 289 AR SPACER, Door Latch Striker ## 33 SCREW, Oval Head, M8x1.25x3 ## 6505 592AA 4 Black ## 6507 633AA 4 Yellow ## 34 6100 048 4 NUT, Hex, M6x1.00 ## 35 6504 041 4 SCREW AND WASHER, Hex He ## M6x1x30 ## 36 CHECK, Front Door ## 4717 228AB 1 Right ## 4717 229AB 1 Left ## 37 CLIP ## 6506 804AA- 1 Latch to Lock Rod, Right	31									STRIKER AND BUMPER, Door
4717 779AB 2 32 4520 289 AR 33 SCREW, Oval Head, M8x1.25x3 6505 592AA 4 6507 633AA 4 34 6100 048 4 35 6504 041 4 36 SCREW AND WASHER, Hex He M6x1x30 36 CHECK, Front Door 4717 228AB 1 4717 229AB 1 6506 804AA- 1 Left CLIP 6506 804AA- 1										Latch
32 4520 289 AR SPACER, Door Latch Striker 33 SCREW, Oval Head, M8x1.25x3 6505 592AA 4 Black 6507 633AA 4 Yellow 34 6100 048 4 NUT, Hex, M6x1.00 35 6504 041 4 SCREW AND WASHER, Hex He M6x1x30 36 CHECK, Front Door 4717 228AB 1 Right 4717 229AB 1 Left -37 CLIP 6506 804AA- 1 Latch to Lock Rod, Right		4717 779AA	2							Black
SCREW, Oval Head, M8x1.25x3		4717 779AB	2							Yellow
6505 592AA 4 Black Yellow	32	4520 289	AR							SPACER, Door Latch Striker
6507 633AA 4 Yellow 34 6100 048 4 NUT, Hex, M6x1.00 35 6504 041 4 SCREW AND WASHER, Hex He	33									SCREW, Oval Head, M8x1.25x39.5
34 6100 048 4 35 6504 041 4 SCREW AND WASHER, Hex He M6x1x30 CHECK, Front Door 4717 228AB 1 4717 229AB 1 Left CLIP 6506 804AA- 1 Latch to Lock Rod, Right		6505 592AA	4							Black
35 6504 041 4 SCREW AND WASHER, Hex He M6x1x30 36 CHECK, Front Door 4717 228AB 1 Right 4717 229AB 1 Left CLIP 6506 804AA- 1 Latch to Lock Rod, Right		6507 633AA	4							Yellow
M6x1x30 CHECK, Front Door 4717 228AB 1 Right Left CLIP 6506 804AA- 1 Latch to Lock Rod, Right Latch to Lock Rod, Right CLIP CTIP C	34	6100 048	4							NUT, Hex, M6x1.00
36	35	6504 041	4							SCREW AND WASHER, Hex Head,
4717 228AB 1 Right 4717 229AB 1 Left -37 CLIP 6506 804AA- 1 Latch to Lock Rod, Right										M6x1x30
4717 229AB 1 Left -37 CLIP 6506 804AA- 1 Latch to Lock Rod, Right	36									CHECK, Front Door
-37 CLIP 6506 804AA- 1 Latch to Lock Rod, Right		4717 228AB	1							Right
6506 804AA- 1 Latch to Lock Rod, Right		4717 229AB	1							Left
	-37									CLIP
6506 807AA- 1 Latch to Lock Pod Loft		6506 804AA-	1							Latch to Lock Rod, Right
Later to Lock Rou, Left		6506 807AA-	1							Latch to Lock Rod, Left


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Door, Front Glass, Regulators and Speakers Figure DRS-190



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;	1.0								
-	4 Speaker								
	6 Speaker								
	Infinity Speaker								
	onents Availab	ole For	Regulator	Assembly's	<u> </u>				
1									GLASS, Front Door
	4717 822AA	1							[GAE] Solar With Lift plate, Righ
	4717 823AA	1							[GAE] Solar With Lift plate, Left
	4717 814AA	1							[GAC] Tinted With Liftplate, Righ
	4717 815AA	1							[GAC] Tinted With Liftplate, Left
2									REGULATOR, Front Door Window
	4894 016AA	1							Right
	4894 017AA	11							Left
	4717 766AB	1							Power, Right
	4717 767AB	1							Power, Left
3	4796 314	3							NUT, Well, Power Regulator
4	4796 315AB	3							SCREW, Power Regulator
5									SPEAKER, Front Door
	4685 855AE	2							[RCE]
	4685 935AD	2							[RCD] Up to 2-21-02 St Louis
									Assy, Up to 3-22-02 Windsor
									Assy.
	5082 418AA	2							[RCD] After 3-22-02 St Louis Ass
									After 2-21-02 Windsor Assy.
	4685 945AE	2							[RCG] Up to 3-27-02 St Louis
									Assy, Up to 3-19-02 Windsor
									Assy.
	5082 418AA	2							[RCG] After 3-27-02 St Louis Ass
									After 3-19-02 Windsor Assy.
6									SCREW, .164-18x.75, (NOT
									SERVICED) (Not Serviced)
-7	4685 702AA-	1							CHOKE, Speaker, [RCE]
8									SPACER, Window Regulator
	GY80 WL5	2							[L5]
	GY80 XT5	2							[T5]
9									HANDLE, Window Regulator
	FW80 WL5	2							[L5]
	FW80 XT5	2							[T5]
-10	4725 647AA-	1							STABILIZER, Door Glass
11	6503 526	2							SCREW, Truss Head, M6x1x15

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SE H = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Door, Glass and Hardware Figure DRS-310



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Sliding
	4717 632AH	1							Right
	4717 633AH	1							Left
2									PANEL, Sliding Door
	4717 642AA	1							Right
	4717 643AA	1							Left
3									LATCH, Sliding Door Hold Open
	4675 846AB	1							Right
	4675 847AB	1							Left
	4894 026AA	1							Power Doors, Right
	4894 027AA	1							Power Doors, Left
4									HINGE, Sliding Door Body Side,
									Lower
	4717 578AD	1							Power Doors, Right
	4717 579AD	1							Power Doors, Left
	4717 752AB	1		H, L, P					Right
	4717 753AB	1		H, L, P					Left
5	6500 274	2							LOCK NUT, M6x1.0x6, Manual Latch
6									CABLE, Sliding Door Release, Hold
									Open
	4717 944AB	1		H, L, P					Right
	4717 945AA	1		H, L, P					Left
	4717 956AA	1							Power, Right
	4717 957AA	1							Power, Left
7									CABLE, Outside Handle
	4717 666AC	1							Right
	4717 667AB	1							Left
8									CABLE, Inside Handle
	4894 148AC	1							Right
	4894 149AB	1		P, S					Left
		1		H, L, P					Left
-9	4894 509AA-	4							CLIP, Cable Routing
10									BRACKET, Door Pull Handle
	4894 136AA	1							Right
	4894 137AA	1							Left
11									NUT, (NOT SERVICED) (Not
									Serviced)
12	6035 401	2							NUT, Snap In, .164-18
13	6102 179AA	2							SCREW
14									COVER, Sliding Door Hinge
	4894 090AA	1							Right


DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•			•		
27	4675 654	1							BUMPER, Sliding Door Hinge
28	6503 526	2							SCREW, Truss Head, M6x1x15
29	4717 965AA	1							BUMPER, Sliding Door
-30	4894 098AB-	1							BUMPER, Sliding Door, Overslam
31	4675 516	2							STABILIZER, Sliding Door
32									SCREW AND WASHER, M6X1.
									0X23.3, (NOT SERVICED) (Not
									Serviced)
33	6503 448	2							SCREW, Round Head, M8x1.25x30
34									LEVER, Sliding Door
	4717 942AA	1							Right
	4717 943AA	1							Left
-35	4658 677	2							CLIP, Latch Link, Lever
36	6505 480AA	2							SCREW AND WASHER, Hex Head,
									M6 x 1.00 x 23.30
37									STRIKER PACKAGE, Sliding Door
	5080 942AA	1							Up to 01-14-02, Right
	5080 943AA	1							Up to 01-14-02, Left
38									STRIKER, Sliding Door
	4894 506AA	1							After 01-14-02, Right
	4894 507AA	1							After 01-14-02, Left
39	4717 303	2							BRACKET, Grab Handle
40	4004 000AD	4							HINGE, Sliding Door Body Side
	4894 036AB	1							Right
	4894 037AB	1							Left CLASS Sliding Page
41	5018 146AA	1							GLASS, Sliding Door
	5018 146AA 5018 147AA	1							Tinted, Right
		1							Tinted, Left Sunscreen, Right
	5018 148AA 5018 149AA	<u>'</u> 1							Sunscreen, Right
-42	6506 601AA-	20							NUT AND WASHER, Glass
-42	4717 376	1							SEAL, Catch
44	4717 370	'							HANDLE, Sliding Door Exterior, With
									Gasket
	4894 510AA	1		L					Black textured without cylinder
	100 1 0 107 11 1	•		_					hole, Right
	4894 511AA	1		L					Black textured without cylinder
		<u> </u>							hole, Left
	4894 510AA	1		Е					Black textured without cylinder
									hole, Right
	4894 511AA	1		Е					Black textured without cylinder
		-							hole, Left

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-46	4894 150AA-	1							CLIP, Latch, Cylinder
47	4894 122AA	2							KNOB AND LINK, Door Lock
48									LINK, Exterior Door Handle
	4894 478AB	1							Right
	4894 479AB	1							Left
49									NUT AND WASHER, M6X1.00,
									(NOT SERVICED) (Not Serviced)
50	4675 987	1							STRIKER, Sliding Door Stop
-51	4520 289	AR							SPACER, Door Latch Striker
-52									LINK, Fuel Door to Sliding Door
	4717 982AD-	1	K, Y		52				
	4717 672AD-	1			53				
-53	4894 097AA-	1							LABEL, Child Protection Lock, 'Slide
									Lever towards Vehicle to engage
-54	4717 371AB-	1							STOP, Fuel Filler Door To Sliding
									Door Lockout
-55	4897 971AA-	1							TAPE, Sliding Door Inner Panel
									Reflector
-56	5017 430AA-	2							TAPE, Anti-Rattle
-57	5028 062AA-	2		Н	53				PLUG, Door, Slidinf Door Grab
									Handle
-58	4894 373AA-	1							FOAM PAD, Antirattle Rear Door
									Lock, Sliding Door Cable
-59									PAD
	4894 324AB-	1							Sliding Door Inner Panel Absorber
									Right
	4894 325AB-	1							Sliding Door Inner Panel Absorber
									Left

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes:								
-	POWER HEATI								
-	POWER HEAT	ED, FO	LD-AWAY						
_	FOLD-AWAY								
	POWER, FOLD)-AWA	<u>′</u>						
1									MIRROR, Outside, Rearview,
									Electric, Heated
	4894 408AA	1							[GTL], Right
	4894 401AA	1							[GTL], Left
	4894 404AA	1							[GTS], Right
	4894 403AA	1							[GTS] with auto-dim, Left
2	4894 405AA	1							[GTS] without auto-dim, Left
-2	4798 904	1							GLASS, Mirror Replacement
	4798 904 4798 905	1							[GTL,GTS], Right [GTS] without auto-dim, Left
	5011 060AA-	1							[GTS] with auto-dim, Left
3	3011 000AA-	ı							MIRROR, Outside Rearview
	4894 410AA	1							[GUM], Right
	4894 411AA	1							[GUM], Left
-4	1001 111701	•							GLASS, Mirror Replacement
•	4798 902	1							[GUM], Right
	4798 903	1							[GUM], Left
5		·							MIRROR, Outside, Rearview,
									Electric, Foldaway
	4857 876AA	1							[GTN], Right
	4857 877AA	1							[GTN], Left
-6									GLASS, Mirror Replacement
	4798 902	1							[GTN], Right
	4798 903	1							[GTN], Left
7									COVER, Mirror
	4717 556AA	1							Right
	4717 557AA	1							Left
8	6507 316AA	6							SCREW AND WASHER

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY


52 = 113 WB 53 = 119 WB

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

Weatherstrips Figure DRS-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NOMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	I I KIIVI	DESCRIPTION
1									WEATHERSTRIP, Sliding Door
									Secondary
	4717 792AA	1							Right
	4717 795AA	1							Left
2	4717 750AA	2							WEATHERSTRIP, Front Door Belt,
									Inner
3									WEATHERSTRIP, Front Door Belt,
									Outer
	4717 832AE	1							Right
	4717 833AE	1							Left
4									WEATHERSTRIP, Front Door, Door
									Mounted
	4717 720AA	1							Right
	4717 721AA	1							Left
5	4717 728AB	2							WEATHERSTRIP, Front Door, Body
									Mounted
-6	4894 034AA-	4							SEAL, Front Door Belt, Rear
7	4717 678AB	1							WEATHERSTRIP, Sliding Door B
									Pillar
8									WEATHERSTRIP, Sliding Door
	4894 014AF	1							Right
	4894 015AF	1							Left
9									WEATHERSTRIP, Sliding Door
									Secondary, Upper
	4717 630AC	1							Right
	4717 631AC	1							Left
10									RUN, Front Door Glass
	4894 124AC	1							Right
	4894 125AC	1							Left
11	6503 526	AR							SCREW, Truss Head, M6x1x15
-12	4040 732	27							RETAINER, M6.3x19.65, Front Door
									Weatherstrip

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SE H = LX, Sport P = LXI, ES S = Limited


E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – ERS

Exterior Ornamentation







GROUP ERS - Exterior Ornamentation

Illustration Title	Group-Fig. No
Nameplates Nameplates	Fig. FRS-110
Moldings and Ornamentation	1 ig. 2100 110
Moldings, Dodge	•

Nameplates Figure ERS-110







4857 406AA 4857 589AA	1 1 1 1 1	C, Y C, Y C, Y C, Y	P S H X	53 53 53				PLINTH, Winged Medallion
	1 1 1	C, Y C, Y C, Y	S H X	53				PLINTH, Winged Medallion
	1 1 1	C, Y C, Y C, Y	S H X	53				
4857 589AA	1 1	C, Y C, Y	H X					
4857 589AA	1	C, Y Y	Х	53				
4857 589AA	1	Y						
4857 589AA	-							
4857 589AA	1		L	52				
4857 589AA		Υ	Е	52				
	1							NAMEPLATE, Liftgate, Town an Country
								NAMEPLATE, Ex
4857 758AA	1							Up to 9-17-01
4857 872AA	1							After 9-17-01
4857 873AA-	1							NAMEPLATE, Ec, [MSQ]
4857 874AA-	1							NAMEPLATE, EL, [MSZ]
4805 553AB	1							NAMEPLATE, LX
4805 554AB	1							NAMEPLATE, LXI
								NAMEPLATE, LIMITED
								NAMEPLATE, AWD
								NAMEPLATE, Chrysler
								NAMEPLATE, Voyager
4857 578AA	1							NAMEPLATE, Grand Voyager
4705 54644	4	IZ.		50				MEDALLION, Grille
4725 546AA								
				55				
	-							
4857 564AA		-,						NAMEPLATE, Caravan
								NAMEPLATE, Dodge, Chrome
								NAMEPLATE, SE
	1							NAMEPLATE, ES
4857 565AA	1							NAMEPLATE, Grand Caravan
4857 566AA	1							NAMEPLATE, Sport
4805 105	1							NAMEPLATE, Deck Lid, Chrysle
4857 930AA-	2							NAMEPLATE, Touring Edition,
								Fender
	4857 872AA 4857 873AA- 4857 874AA- 4805 553AB 4805 554AB 4857 563AA 4857 570AA 4805 060 4857 561AA 4857 578AA 4725 546AA 4805 292AA 4805 292AA 4805 648AB 4805 183AB 4857 566AA 4805 105	1857 872AA 1 1857 873AA- 1 1857 874AA- 1 1805 553AB 1 1805 554AB 1 1857 563AA 1 1857 570AA 1 1857 561AA 1 1857 578AA 1 1725 546AA 1 1 1 1 1 1 1 1857 564AA 1 1805 292AA 2 1805 648AB 1 1805 183AB 1 1857 566AA 1 1805 105 1	1857 872AA 1 1857 873AA- 1 1857 874AA- 1 1805 553AB 1 1805 554AB 1 1857 563AA 1 1857 570AA 1 1857 561AA 1 1857 578AA 1 1725 546AA 1 1 D, K 1 D	1857 872AA 1 1857 873AA- 1 1857 874AA- 1 1805 553AB 1 1805 554AB 1 1857 570AA 1 1857 570AA 1 1857 570AA 1 1857 578AA 1 1725 546AA 1 1 D, K L 1 D, K H 1 D, K K 1 D, K K 1 D, K X 1 D, K	1857 872AA 1 1857 873AA- 1 1857 874AA- 1 1805 553AB 1 1805 554AB 1 1857 570AA 1 1857 570AA 1 1857 561AA 1 1857 578AA 1 1725 546AA 1 K L 52 1 D, K L 53 1 D, K H 1 D, K P 1 D, K X 1857 564AA 1 1805 292AA 2 1805 648AB 1 1857 565AA 1 1857 566AA 1 1857 566AA 1 1857 566AA 1	1857 872AA 1 1857 873AA- 1 1857 874AA- 1 1805 553AB 1 1805 554AB 1 1857 563AA 1 1857 570AA 1 1857 570AA 1 1857 578AA 1 1725 546AA 1 K L 52 1 D, K L 53 1 D, K H 1 D, K P 1 D, K X 1857 564AA 1 1805 292AA 2 1805 648AB 1 1805 183AB 1 1857 566AA 1 1805 105 1	1857 872AA 1 1857 873AA- 1 1857 874AA- 1 1805 553AB 1 1805 554AB 1 1857 570AA 1 1805 060 2 1857 578AA 1 1725 546AA 1 K L 52 1 D, K L 53 1 D, K H 1 D, K P 1 D, K X 1857 564AA 1 1805 292AA 2 1805 648AB 1 1805 183AB 1 1805 105 1	14857 872AA 1 14857 873AA- 1 14857 874AA- 1 14805 553AB 1 14805 554AB 1 14857 570AA 1 14805 060 2 14857 578AA 1 14725 546AA 1 1 D, K L 53 1 D, K H 1 D, K X 14857 564AA 1 14805 292AA 2 14805 183AB 1 14805 183AB 1 14805 105 1

E = EC

	PAR				055:50	2021		TD /		
ITEM	NUMBI	ER (QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Noto:										
Note: [K2*] = 0	rder Code	e Color	Indicato	irs						
_	rder Code									
-	rder Code									
1	raoi ooa	00101	maioaic	10						MOLDING, Front Door
•	RQ44 AI	BVAA	1							[K2H], Right
	RQ45 AI		1							[K2H], Left
	RQ44 A		1							[K2L], Right
	RQ45 A		1							[K2L], Left
	RQ44 AI		1							[K2X], Right
	RQ45 AI	RXAA	1							[K2X], Left
	RQ44 H	S5AA	1							[K2Y], Right
	RQ45 H	S5AA	1							[K2Y], Left
	RQ44 SI	PNAA	1							[K2U], Right
	RQ45 SI	PNAA	1							[K2U], Left
	RQ44 YI	BMAA	1							[K2E], Right
	RQ45 YI	BMAA_	1							[K2E], Left
	RQ48 SV	W1AA	1							[K4W], Right
	RQ49 SV	W1AA	1							[K4W], Left
	RQ48 W	B7AA	1							[K4B], Right
	RQ49 W		1							[K4B], Left
	RQ48 W	'ELAA	1							[K4M], Right
	RQ49 W		1							[K4M], Left
	RQ48 W		1							[K4S], Right
	RQ49 W		1							[K4S], Left
	RQ48 XI		1							[K4A], Right
	RQ49 XI		1							[K4A], Left
	RQ48 XI		1							[K4R], Right
	RQ49 XI		1							[K4R], Left
	RQ48 YI		1							[K4F], Right
	RQ49 YI		1							[K4F], Left
	RQ48 Y		1							[K4K], Right
	RQ49 Y		1							[K4K], Left
	RQ48 Zł		1							[K4P], Right
	RQ49 Zł TV98 SV		1							[K4P], Left
			1							[K5W], Right
	TV99 SV		1							[K5W], Left [K5B], Right
	TV99 WI		1							[K5B], Right [K5B], Left
	TV98 WI		1							[K5M], Right
	TV99 WI		1							[K5M], Left
	TV98 W		1							[K5S], Right
	1 1 00 11	<i>521</i> (0	•							[AGO], ragin
	IRYSLER M		RS) ——						FD 41101	00001
ERIES = Base/SE	LIN : C:	NE = Chrysle	er(AWD)		DDY = 113 WB	ENGINI EDZ, E	≣ D0 = 2.4L 4 C		FRANSMI DGC, = 3	SSION spd. Auto. (31TH)
= LX, Spo	rt D	= Dodge((AWD)		= 119 WB	EGA =	3.3L 6 Cyl.		DGL = 4 s	spd. Auto. (41TE)
= LXI, ES = Limited	Υ :	= Chrysle = Dodge(er(FWD)				G0 = 3.8L 6 (3.3L 6 Cyl. F		JG0 = All	Automatic Transm





	PART								
 ГЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TV99 WS2AC	1							[K5S], Left
	TV98 XBQAC	1							[K5A], Right
	TV99 XBQAC	1							[K5A], Left
	TV98 XRVAC	1							[K5R], Right
	TV99 XRVAC	1							[K5R], Left
	TV98 YJRAC	1							[K5K], Right
	TV99 YJRAC	1							[K5K], Left
	TV98 ZKJAC	1							[K5P], Right
	TV99 ZKJAC	1							[K5P], Left
	TV98 ABEAC	1							[K5G], Right
	TV99 ABEAC	1							[K5G], Left
2									MOLDING, Sliding Door
	TW00 WB7AC	1							[K5B], Right
	TW01 WB7AC	1							[K5B], Left
	TW00 WELAC	1							[K5M], Right
	TW01 WELAC	1							[K5M], Left
	TW00 WS2AC	1							[K5S], Right
	TW01 WS2AC	1							[K5S], Left
	TW00 SW1AC	1							[K5W], Right
	TW01 SW1AC	1							[K5W], Left
	TW00 XBQAC	1							[K5A], Right
	TW01 XBQAC	1							[K5A], Left
	TW00 XRVAC	1							[K5R], Right
	TW01 XRVAC	1							[K5R], Left
	TW00 YJRAC	1							[K5K], Right
	TW01 YJRAC	1							[K5K], Left
	TW00 ZKJAC	1							[K5P], Right
	TW01 ZKJAC	1							[K5P], Left
	SV26 SW1AA		K, Y		52				[K4W], Right
	SV27 SW1AA	1	K, Y		52				[K4W], Left
	SV26 WELAA	1	K, Y		52				[K4M], Right
	SV27 WELAA	1	K, Y		52				[K4M], Left
	SU98 AJ6AA	1	K, Y		52				[K2L], Right
	SU99 AJ6AA	1	K, Y		52				[K2L], Left
	SU98 ARXAA	1	K, Y		52				[K2X], Right
	SU99 ARXAA	1	K, Y		52				[K2X], Left
	SU98 HS5AA	1	K, Y		52				[K2Y], Right
	SU99 HS5AA	1	K, Y		52				[K2Y], Left
	SU98 SPNAA		K, Y		52				[K2U], Right
	SU99 SPNAA		K, Y		52				[K2U], Left
	SU98 YBMAA	1	K, Y		52				[K2E], Right


L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'									
	SU99 YBMAA	. 1	K, Y		52				[K2E], Left
	RQ56 AJ6AA	1	, .		53				[K2L], Right
	RQ57 AJ6AA	1			53				[K2L], Left
	RQ56 ARXAA				53				[K2X], Right
	RQ57 ARXAA				53				[K2X], Left
	RQ56 HS5AA				53				[K2Y], Right
	RQ57 HS5AA	. 1			53				[K2Y], Left
	RQ56 SPNAA	. 1			53				[K2U], Right
	RQ57 SPNAA	. 1			53				[K2U], Left
	RQ56 YBMAA	1			53				[K2E], Right
	RQ57 YBMAA	1			53				[K2E], Left
	RQ56 ABVAA	. 1			53				[K2H], Right
	RQ57 ABVAA	. 1			53				[K2H], Left
	RQ60 SW1AA	\ 1			53				[K4W], Right
	RQ61 SW1AA	1			53				[K4W], Left
	RQ60 WB7AA	1			53				[K4B], Right
	RQ61 WB7AA	1			53				[K4B], Left
	RQ60 WELAA	1			53				[K4M], Right
	RQ61 WELAA	1			53				[K4M], Left
	RQ60 WS2AA	1			53				[K4S], Right
	RQ61 WS2AA	1			53				[K4S], Left
	RQ60 XBQAA	1			53				[K4A], Right
	RQ61 XBQAA	1			53				[K4A], Left
	RQ60 XRVAA	. 1			53				[K4R], Right
	RQ61 XRVAA	. 1			53				[K4R], Left
	RQ60 YB2AA	1			53				[K4F], Right
	RQ61 YB2AA				53				[K4F], Left
	RQ60 YJRAA				53				[K4K], Right
	RQ61 YJRAA				53				[K4K], Left
	RQ60 ZKJAA	1			53				[K4P], Right
	RQ61 ZKJAA	1			53				[K4P], Left
3		_							MOLDING, Quarter Panel
	RQ22 YBMAA				53				[K2E], Right
	RQ21 YBMAA				53				[K2E], Left
	RQ22 AJ6AA	1			53				[K2L], Right
	RQ21 AJ6AA	1			53				[K2L], Left
	RQ22 ARXAA				53				[K2X], Right
	RQ21 ARXAA				53				[K2X], Left
	RQ22 HS5AA				53				[K2Y], Right
	RQ21 HS5AA				53				[K2Y], Left
	RQ22 SPNAA	. 1			53				[K2U], Right


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RQ21 SPNAA	1			53				[K2U], Left
	RQ32 SW1AA	1			53				[K4W], Right
	RQ31 SW1AA	. 1			53				[K4W], Left
	RQ32 WB7AA	1			53				[K4B], Right
	RQ31 WB7AA	1			53				[K4B], Left
	RQ32 WELAA	. 1			53				[K4M], Right
	RQ31 WELAA	. 1			53				[K4M], Left
	RQ32 WS2AA	. 1			53				[K4S], Right
	RQ31 WS2AA	. 1			53				[K4S], Left
	RQ32 XBQAA	1			53				[K4A], Right
	RQ31 XBQAA	1			53				[K4A], Left
	RQ32 XRVAA	1			53				[K4R], Right
	RQ31 XRVAA	1			53				[K4R], Left
	RQ32 YB2AA	1			53				[K4F], Right
	RQ31 YB2AA	1			53				[K4F], Left
	RQ32 YJRAA	1			53				[K4K], Right
	RQ31 YJRAA	1			53				[K4K], Left
	RQ31 ZKJAA	1			53				[K4P], Right
	RQ32 ZKJAA	1			53				[K4P], Left
	TW08 SW1AC	: 1			53				[K5W], Right
	TW09 SW1AC	: 1			53				[K5W], Left
	TW08 WB7AC	: 1			53				[K5B], Right
	TW09 WB7AC				53				[K5B], Left
	TW08 WELAC	: 1			53				[K5M], Right
	TW09 WELAC	: 1			53				[K5M], Left
	TW08 WS2AC				53				[K5S], Right
	TW09 WS2AC				53				[K5S], Left
	TW08 XBQAC	1			53				[K5A], Right
	TW09 XBQAC	1			53				[K5A], Left
	TW08 XRVAC				53				[K5R], Right
	TW09 XRVAC				53				[K5R], Left
	TW08 YJRAC	1			53				[K5K], Right
	TW09 YJRAC	1			53				[K5K], Left
	TW08 ZKJAC	1			53				[K5P], Right
	TW09 ZKJAC	1			53				[K5P], Left
4									MOLDING, Roof
	4860 838AB	1	K, Y		52				Right
	4860 839AB	1	K, Y		52				Left
	4860 672AC	1	•		53				Right
	4860 673AC	1			53				Left
	4716 936	1							MOLDING, Windshield

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		l		!	<u> </u>			l .		
		RT30 WL5AB	4							[LE] Dight
_		RT31 WL5AB								[L5], Right
		RT30 XT5AB								[L5], Left
		RT31 XT5AB	1 1							[T5], Right [T5], Left
		RT30 YQLAB								[QL], Right
_		RT31 YQLAB								[QL], Ngm [QL], Left
	7	KISI IQLAD	'							MOLDING, Door Window Opening, B
	,									Pillar
		4717 770AB	1							Right
_		4717 770AB	<u>'</u> 1							Left
	-8	4717 171AB	6							CLIP, B-Pillar Applique, .53 Diameter
	-0 9	4/1/ 129	O							TAPE, C Pillar
	9	4857 777AA	2							Front
_		4857 516AA	2							Rear
	10	4037 310AA	2							SPAT, Front Fender
	10	RQ70 AJ6AA	1		L					[JR] Accent Color, Right
		RQ71 AJ6AA	1		- I					[JR] Accent Color, Left
_		RQ70 AJ6AA	<u>'</u> 1	D, K, Y	<u> </u>					[JR] Accent Color, Right
		RQ71 AJ6AA	1	D, K, Y	H					[JR] Accent Color, Left
		RQ70 ARXAA		D, 11, 1	L					[RV] Accent Color, Right
		RQ71 ARXAA			L					[RV] Accent Color, Left
_		RQ70 ARXAA		D, K, Y						[RV] Accent Color, Right
		RQ71 ARXAA		D, K, Y	Н					[RV] Accent Color, Left
		RQ70 HS5AA		_,, .	L					[EL,S2,W1] Accent Color, Right
		RQ71 HS5AA			L					[EL,S2,W1] Accent Color, Left
_		RQ70 HS5AA		D, K, Y	Н					[KJ,S2,W1] Accent Color, Right
		RQ71 HS5AA		D, K, Y	Н					[KJ,S2,W1] Accent Color, Left
		RQ70 HS5AA		D, K	Χ					[KJ,S2] Accent Color, Right
		RQ71 HS5AA	1	D, K	Χ					[KJ,S2] Accent Color, Left
_		RQ70 SPNAA		,	L					[QW] Accent Color, Right
		RQ71 SPNAA	. 1		L					[QW] Accent Color, Left
		RQ70 SPNAA		D, K, Y	Н					[QW] Accent Color, Right
		RQ71 SPNAA		D, K, Y	Н					[QW] Accent Color, Left
		RQ70 YBMAA	\ 1		L					[B7] Accent Color, Right
		RQ71 YBMAA	١ 1		L					[B7] Accent Color, Left
		RQ70 YBMAA	١ 1	D, K, Y	Н					[B7] Accent Color, Right
		RQ71 YBMAA	١ 1	D, K, Y	Н					[B7] Accent Color, Left
_		RQ70 YBMAA		D, K	Х					[B7] Accent Color, Right
		RQ71 YBMAA	1	D, K	X					[B7] Accent Color, Left
		RQ70 YBMAA	1		L					[BQ] Accent Color, Right
		RQ71 YBMAA	1		L					[BQ] Accent Color, Left
_										

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

9	6	5	
	3	2	10

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NOWBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	I KIIVI	DESCRIPTION
	RQ70 YBMAA		D, K, Y	H					[BQ] Accent Color, Right
	RQ71 YBMAA		D, K, Y	Н					[BQ] Accent Color, Left
	RQ72 SW1AA		D, K	Н					[W1] Body Color, Right
	RQ73 SW1AA		D, K	Н					[W1] Body Color, Left
	RQ72 SW1AA		D, K	Р	53				[W1] Body Color, Right
	RQ73 SW1AA	. 1	D, K	Р	53				[W1] Body Color, Left
	RQ72 SW1AA	. 1	D, K	Χ					[W1] Body Color, Right
	RQ73 SW1AA	. 1	D, K	Χ					[W1] Body Color, Left
	RQ72 WB7AA	. 1	D, K	Н					[B7] Body Color, Right
	RQ73 WB7AA	. 1	D, K	Н					[B7] Body Color, Left
	RQ72 WB7AA	. 1	D, K	Р	53				[B7] Body Color, Right
	RQ73 WB7AA	. 1	D, K	Р	53				[B7] Body Color, Left
	RQ72 WELAA	. 1	D, K	Р	53				[EL] Body Color, Right
	RQ73 WELAA	. 1	D, K	Р	53				[EL] Body Color, Left
	RQ72 WELAA	. 1	D, K, Y	Н					[EL] Body Color, Right
	RQ73 WELAA	. 1	D, K, Y	Н					[EL] Body Color, Left
	RQ72 WELAA	. 1	D, K	X					[EL] Body Color, Right
	RQ73 WELAA	. 1	D, K	Х					[EL] Body Color, Left
	RQ72 WELAA	. 1	D, K	М	53				[EL] Body Color, Right
	RQ73 WELAA	. 1	D, K	М	53				[EL] Body Color, Left
	RQ72 WS2AA		D, K	Н					[S2] Body Color, Right
	RQ73 WS2AA		D, K	Н					[S2] Body Color, Left
	RQ72 WS2AA		D, K	Р	53				[S2] Body Color, Right
	RQ73 WS2AA		D, K	Р	53				[S2] Body Color, Left
	RQ72 XBQAA		D, K	Р	53				[BQ] Body Color, Right
	RQ73 XBQAA		D, K	P	53				[BQ] Body Color, Left
	RQ72 XRVAA		D, K	Р	53				[RV] Body Color, Right
	RQ73 XRVAA		D, K	Р	53				[RV] Body Color, Left
	RQ72 YJRAA		D, K	Р	53				[JR] Body Color, Right
	RQ73 YJRAA	<u>·</u> 1	D, K	 P	53				[JR] Body Color, Left
	RQ72 ZKJAA	1	D, K	Р	53				[KJ] Body Color, Right
	RQ73 ZKJAA	1	D, K	r P	53				[KJ] Body Color, Night
-11	6504 611	2	D, IX	•	55				NUT, Hex Flange, M6x1, Spat to
- 1 1	300 + 011								Fender
-12									SCREW, [.190-16X.750], (NOT
-12									SERVICED) (Not Serviced)
									SEKVICED) (NOT Serviced)


DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

LINO-220											
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
'											
Note:											
$[K2^*] = Or$	der Code Col	or Indic	ators								
$[K4^*] = Or$	der Code Col	or Indica	ators								
[MRH] = 0	CLADDING - L	.OWER	BODYSID	E, BODYC	COLOR						
1									MOLDING, Roof		
	4860 838AC	1	K, Y		52				Right		
	4860 839AC	1	K, Y		52				Left		
	4860 672AC	1			53				Right		
	4860 673AC	1			53				l eft		



1						MOLDING, Roof
	4860 838AC	1	K, Y		52	Right
	4860 839AC	1	K, Y		52	Left
	4860 672AC	1			53	Right
	4860 673AC	1			53	Left
2						SPAT, Front Fender
	RQ70 AJ6AA	1		L		[JR] Accent Color, Right
	RQ71 AJ6AA	1		L		[JR] Accent Color, Left
	RQ70 AJ6AA	1	D, K, Y	Н		[JR] Accent Color, Right
	RQ71 AJ6AA	1	D, K, Y	Н		[JR] Accent Color, Left
	RQ70 ARXAA	1		L		[RV] Accent Color, Right
	RQ71 ARXAA	1		L		[RV] Accent Color, Left
	RQ70 ARXAA	1	D, K, Y	Н		[RV] Accent Color, Right
	RQ71 ARXAA	1	D, K, Y	Н		[RV] Accent Color, Left
	RQ70 HS5AA	1		L		[EL,S2,W1] Accent Color, Rigl
	RQ71 HS5AA	1		L		[EL,S2,W1] Accent Color, Left
	RQ70 HS5AA	1	D, K, Y	Н		[KJ,S2,W1] Accent Color, Righ
	RQ71 HS5AA	1	D, K, Y	Н		[KJ,S2,W1] Accent Color, Left
	RQ70 SPNAA	1		L		[QW] Accent Color, Right
	RQ71 SPNAA	1		L		[QW] Accent Color, Left
	RQ70 SPNAA	1	D, K, Y	Н		[QW] Accent Color, Right
	RQ71 SPNAA	1	D, K, Y	Н		[QW] Accent Color, Left
	RQ70 YBMAA	1		L		[B7] Accent Color, Right
	RQ71 YBMAA	1		L		[B7] Accent Color, Left
	RQ70 YBMAA	1	D, K, Y	Н		[B7,BQ] Accent Color, Right
	RQ71 YBMAA	1	D, K, Y	Н		[B7,BQ] Accent Color, Left
	RQ72 SW1AA	1	C, Y	Н	53	[W1] Body Color, Right
	RQ73 SW1AA	1	C, Y	Н	53	[W1] Body Color, Left
	RQ72 SW1AA	1	C, Y	X		[W1] Body Color, Right
	RQ73 SW1AA	1	C, Y	Х		[W1] Body Color, Left
	RQ72 SW1AA	1	C, Y	M	53	[W1] Body Color, Right
	RQ73 SW1AA	1	C, Y	M	53	[W1] Body Color, Left
	RQ72 WB7AA	1	C, Y	Н	53	[B7] Body Color, Right
	RQ73 WB7AA	1	C, Y	Н	53	[B7] Body Color, Left
	RQ72 WB7AA	1	C, Y	X		[B7] Body Color, Right
	RQ73 WB7AA	1	C, Y	X		[B7] Body Color, Left
	RQ72 WB7AA	1	C, Y	M	53	[B7] Body Color, Right

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANS

TRIM

DESCRIPTION

	RQ73 WB7AA 1 C, Y	М	53	[B7] Body Color, Left
	RQ72 WELAA 1 C, Y	Н	53	[EL] Body Color, Right
	RQ73 WELAA 1 C, Y	Н	53	[EL] Body Color, Left
	RQ72 WELAA 1 C, Y	Χ		[EL] Body Color, Right
	RQ73 WELAA 1 C, Y	Χ		[EL] Body Color, Left
	RQ72 WELAA 1 C, Y	М	53	[EL] Body Color, Right
	RQ73 WELAA 1 C, Y	М	53	[EL] Body Color, Left
	RQ72 WS2AA 1 C, Y	Н	53	[S2] Body Color, Right
	RQ73 WS2AA 1 C, Y	Н	53	[S2] Body Color, Left
	RQ72 WS2AA 1 C, Y	Х		[S2] Body Color, Right
	RQ73 WS2AA 1 C, Y	Χ		[S2] Body Color, Left
	RQ72 WS2AA 1 C, Y	М	53	[S2] Body Color, Right
	RQ73 WS2AA 1 C, Y	М	53	[S2] Body Color, Left
	RQ72 XBQAA 1 C, Y	Н	53	[BQ] Body Color, Right
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \end{array} \end{array} $	RQ73 XBQAA 1 C, Y	Н	53	[BQ] Body Color, Left
$\begin{array}{c} \\ \\ \end{array}$	RQ72 XRVAA 1 C, Y	Н	53	[RV] Body Color, Right
	RQ73 XRVAA 1 C, Y	Н	53	[RV] Body Color, Left
	RQ72 YB2AA 1 C, Y	Н	53	[B2] Body Color, Right
	RQ73 YB2AA 1 C, Y	Н	53	[B2] Body Color, Left
	RQ72 YJRAA 1 C, Y	Н	53	[JR] Body Color, Right
	RQ73 YJRAA 1 C, Y	Н	53	[JR] Body Color, Left
	RQ72 ZKJAA 1 C, Y	Н	53	[KJ] Body Color, Right
15	RQ73 ZKJAA 1 C, Y	Н	53	[KJ] Body Color, Left
	RQ72 ZKJAA 1 C, Y	Χ		[KJ] Body Color, Right
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	RQ73 ZKJAA 1 C, Y	X		[KJ] Body Color, Left
(2) (14) —	RQ72 ZKJAA 1 C, Y	М	53	[KJ] Body Color, Right
	RQ73 ZKJAA 1 C, Y	М	53	[KJ] Body Color, Left
	RQ66 SW1AD 1			[W1,MRH], Right
	RQ67 SW1AD 1			[W1,MRH], Left
	RQ66 WB7AD 1			[B7,MRH], Right
	RQ67 WB7AD 1			[B7,MRH], Left
	RQ66 WELAD 1			[EL,MRH], Right
	RQ67 WELAD 1			[EL,MRH], Left
	RQ66 WS2AD 1			[S2,MRH], Right
	RQ67 WS2AD 1			[S2,MRH], Left
	RQ66 XBQAD 1			[BQ,MRH], Right
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	RQ67 XBQAD 1			[BQ,MRH], Left
$\mathcal{L}_{\mathcal{A}}$	RQ66 XRVAD 1			[RV,MRH], Right
7) 9	RQ67 XRVAD 1			[RV,MRH], Left
	RQ66 YB2AD 1			[B2,MRH], Right
	RQ67 YB2AD 1			[B2,MRH], Left
<u></u>	RQ66 YJRAD 1			[JR,MRH], Right

BODY

52 = 113 WB

53 = 119 WB

DODGE - CHRYSLER MINIVAN (RS) -

LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

SERIES

L = Base/SE

H = LX, Sport P = LXI, ES

S = Limited E = EC

ITEM

PART NUMBER

QTY

LINE

SERIES

BODY

ENGINE

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANS

TRIM

DESCRIPTION

	RQ67 YJRAD 1	[JR,MRH], Left
	RQ66 ZKJAD 1	[KJ,MRH], Right
	RQ67 ZKJAD 1	[KJ,MRH], Left
	RQ66 ABEAD 1	[BE,MRH], Right
	RQ67 ABEAD 1	[BE,MRH], Left
	3	APPLIQUE, Front Door
	RQ38 SW1AB 1	[W1,MRH], Right
	RQ39 SW1AB 1	[W1,MRH], Left
	RQ38 WB7AB 1	[B7,MRH], Right
	RQ39 WB7AB 1	[B7,MRH], Left
	RQ38 WELAB 1	[EL,MRH], Right
	RQ39 WELAB 1	[EL,MRH], Left
(1)	RQ38 WS2AB 1	[S2,MRH], Right
	RQ39 WS2AB 1	[S2,MRH], Left
$\begin{array}{c} \begin{array}{c} \\ \end{array}$	RQ38 XBQAB 1	[BQ,MRH], Right
$\begin{array}{c} \\ \\ \end{array}$	RQ39 XBQAB 1	[BQ,MRH], Left
	RQ38 XRVAB 1	[RV,MRH], Right
	RQ39 XRVAB 1	[RV,MRH], Left
	RQ38 YB2AB 1	[B2,MRH], Right
	RQ39 YB2AB 1	[B2,MRH], Left
	RQ38 YJRAB 1	[JR,MRH], Right
	RQ39 YJRAB 1	[JR,MRH], Left
15	RQ38 ZKJAB 1	[KJ,MRH], Right
	RQ39 ZKJAB 1	[KJ,MRH], Left
	RQ38 ABEAB 1	[BE,MRH], Right
(17) (2) (14)	RQ39 ABEAB 1	[BE,MRH], Left
	-4 5161 632AA- 1	INSERT PACKAGE, Cladding,
		Chrome, Chrome, Right & Left
	5	APPLIQUE, Sliding Door Outside
	RQ50 SW1AB 1	[W1,MRH], Right
	RQ51 SW1AB 1	[W1,MRH], Left
	RQ50 WB7AB 1	[B7,MRH], Right
	RQ51 WB7AB 1	[B7,MRH], Left
	RQ50 WELAB 1	[EL,MRH], Right
	RQ51 WELAB 1	[EL,MRH], Left
	RQ50 WS2AB 1	[S2,MRH], Right
	RQ51 WS2AB 1	[S2,MRH], Left
$\begin{array}{c c} (12) & \hline \\ \hline$	RQ50 XBQAB 1	[BQ,MRH], Right
	RQ51 XBQAB 1	[BQ,MRH], Left
(7) (9)	RQ50 XRVAB 1	[RV,MRH], Right
	RQ51 XRVAB 1	[RV,MRH], Left
10)	RQ50 YB2AB 1	[B2,MRH], Right

September 16, 2005

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

BODY

52 = 113 WB

53 = 119 WB

DODGE - CHRYSLER MINIVAN (RS) -

LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

SERIES

L = Base/SE

H = LX, Sport P = LXI, ES

S = Limited E = EC

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	<u> </u>				•		•			
		RQ51 YB2AB 1 [i						[B2,MRH], Left		
		Q50 YJRAE								[JR,MRH], Right
		Q50 TJRAE								[JR,MRH], Left
		Q50 ZKJAE								[KJ,MRH], Right
		Q50 ZKJAB Q51 ZKJAB								[KJ,MRH], Left
		Q50 ABEAE								[BE,MRH], Right
		Q50 ABEAI								[BE,MRH], Left
	-6	IQST ABEAL	וכ							INSERT PACKAGE, Cladding,
	-0									Chrome, Chrome
		161 634AA-	1							Right
		161 635AA-								Left
	7	101 033AA-	1							APPLIQUE, Quarter Lower, (Chrome
(1)	,									insert serviced with Applique only)
		Q18 SW1A	D 1			53				[W1,MRH], Right
(13)		Q10 SW1A				53				[W1,MRH], Left
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		Q18 WB7A				53				[B7,MRH], Right
		Q10 WB7A				53				[B7,MRH], Left
		Q18 WELA				53				[EL,MRH], Right
		Q19 WELA				53				[EL,MRH], Left
		Q18 WS2A				53				[S2,MRH], Right
		Q19 WS2A				53				[S2,MRH], Left
		Q18 XBQAI				53				[BQ,MRH], Right
15		Q19 XBQAI				53				[BQ,MRH], Left
		Q18 XRVAI				53				[RV,MRH], Right
		Q19 XRVAI				53				[RV,MRH], Left
(17) (2) (14)		Q18 YB2AE				53				[B2,MRH], Right
	F	Q19 YB2AE	3 1			53				[B2,MRH], Left
	F	Q18 YJRAE	3 1			53				[JR,MRH], Right
	R	Q19 YJRAE	3 1			53				[JR,MRH], Left
	R	Q18 ZKJAE	3 1			53				[KJ,MRH], Right
	R	Q19 ZKJAE	3 1			53				[KJ,MRH], Left
	R	Q18 ABEAE	3 1			53				[BE,MRH], Right
	R	Q19 ABEAE	3 1			53				[BE,MRH], Left
	8									MOLDING, Front Door
		Q48 SW1A								[K4W], Right
		Q49 SW1A								[K4W], Left
		Q48 WB7A								[K4B], Right
$\mathcal{L} \supseteq (5)$		Q49 WB7A								[K4B], Left
(7) 9		Q48 WELA								[K4M], Right
		Q49 WELA								[K4M], Left
		Q48 WS2A								[K4S], Right
(10)	F	Q49 WS2A	A 1							[K4S], Left
	DODGE - CHR	SLER MINIVA	N (RS)							
	SERIES L = Base/SE	LINE	ysler(AWD)	BO	DY = 113 WB	ENGINI	E D0 = 2.4L 4 (Cyl	TRANSMI	SSION spd. Auto. (31TH)
	H = LX, Sport	D = Doc	dge(AWD)	53 :	= 113 WB = 119 WB	EGA =	3.3L 6 Cyl.	[DGL = 4 s	spd. Auto. (41TE)
	P = LXI, ES S = Limited	Y = Chr	ysler(FWD) lge(FWD))		EGH, E	G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. [DG0 = All	Automatic Transm
	S = Limited E = EC	r = D00	ige(i-MD)			EGIVI =	J.JL U UYI. F	ı · V		

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANS

TRIM

DESCRIPTION

	RQ48 XBQAA 1		[K4A], Right
	RQ49 XBQAA 1		[K4A], Left
	RQ48 XRVAA 1		[K4R], Right
	RQ49 XRVAA 1		[K4R], Left
	RQ48 YB2AA 1		[K4F], Right
	RQ49 YB2AA 1		[K4F], Left
	RQ48 YJRAA 1		[K4K], Right
	RQ49 YJRAA 1		[K4K], Left
	RQ48 ZKJAA 1		[K4P], Right
	RQ49 ZKJAA 1		[K4P], Left
	RQ44 AJ6AA 1		[K2L], Right
	RQ45 AJ6AA 1		[K2L], Left
(1)	RQ44 ARXAA 1		[K2X], Right
	RQ45 ARXAA 1		[K2X], Left
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	RQ44 HS5AA 1		[K2Y], Right
$\begin{array}{c} \\ \\ \end{array}$	RQ45 HS5AA 1		[K2Y], Left
	RQ44 SPNAA 1		[K2U], Right
	RQ45 SPNAA 1		[K2U], Left
	RQ44 YBMAA 1		[K2E], Right
	RQ45 YBMAA 1		[K2E], Left
	RQ44 ABVAA 1		[K2H], Right
	RQ45 ABVAA 1		[K2H], Left
15	9		MOLDING, Sliding Door
	RQ56 AJ6AA 1	53	[K2L], Right
	RQ57 AJ6AA 1	53	[K2L], Left
(17) (2) (14)	RQ56 ARXAA 1	53	[K2X], Right
	RQ57 ARXAA 1	53	[K2X], Left
	RQ56 HS5AA 1	53	[K2Y], Right
	RQ57 HS5AA 1	53	[K2Y], Left
	RQ56 SPNAA 1	53	[K2U], Right
	RQ57 SPNAA 1	53	[K2U], Left
	RQ56 YBMAA 1	53	[K2E], Right
	RQ57 YBMAA 1	53	[K2E], Left
	RQ56 ABVAA 1	53	[K2H], Right
	RQ57 ABVAA 1	53	[K2H], Left
	SU98 AJ6AA 1 K, Y	52	[K2L], Right
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	SU99 AJ6AA 1 K, Y	52	[K2L], Left
$\downarrow \downarrow $	SU98 ARXAA 1 K, Y	52	[K2X], Right
7) (9)	SU99 ARXAA 1 K, Y	52	[K2X], Left
	SU98 HS5AA 1 K, Y	52	[K2Y], Right
	SU99 HS5AA 1 K, Y	52	[K2Y], Left
(10)			

《 》

BODY

52 = 113 WB

53 = 119 WB

DODGE - CHRYSLER MINIVAN (RS) -

LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

SERIES

L = Base/SE

H = LX, Sport P = LXI, ES

S = Limited E = EC

	13 12 12 14 15 15 19 3 8
--	--------------------------

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
		SU98 SPNAA	1	K, Y		52				[K2U], Right
_		SU99 SPNAA		K, Y		52				[K2U], Left
		SU98 YBMAA		K, Y		52				[K2E], Right
		SU99 YBMAA		K, Y		52				[K2E], Left
		SV26 SW1AA		K, Y		52				[K4W], Right
_		SV27 SW1AA		K, Y		52				[K4W], Left
		SV26 WELAA	1	K, Y		52				[K4M], Right
		SV27 WELAA	1	K, Y		52				[K4M], Left
		RQ60 SW1AA	. 1			53				[K4W], Right
_		RQ61 SW1AA	. 1			53				[K4W], Left
		RQ60 WB7AA	. 1			53				[K4B], Right
		RQ61 WB7AA	. 1			53				[K4B], Left
		RQ60 WELAA	. 1			53				[K4M], Right
		RQ61 WELAA	. 1			53				[K4M], Left
		RQ60 WS2AA	. 1			53				[K4S], Right
		RQ61 WS2AA	. 1			53				[K4S], Left
_		RQ60 XBQAA	. 1			53				[K4A], Right
		RQ61 XBQAA	. 1			53				[K4A], Left
		RQ60 XRVAA	. 1			53				[K4R], Right
		RQ61 XRVAA	. 1			53				[K4R], Left
_		RQ60 YB2AA	1			53				[K4F], Right
		RQ61 YB2AA	1			53				[K4F], Left
		RQ60 YJRAA	1			53				[K4K], Right
		RQ61 YJRAA	1			53				[K4K], Left
_		RQ60 ZKJAA	1			53				[K4P], Right
		RQ61 ZKJAA	1			53				[K4P], Left
		RQ60 ABEAA				53				[K4G], Right
		RQ61 ABEAA	1			53				[K4G], Left
_	10									MOLDING, Quarter Panel
		RQ32 SW1AA				53				[K4W], Right
		RQ31 SW1AA				53				[K4W], Left
		RQ32 WB7AA				53				[K4B], Right
_		RQ31 WB7AA				53				[K4B], Left
		RQ32 WELAA				53				[K4M], Right
		RQ31 WELAA				53				[K4M], Left
		RQ32 WS2AA				53 53				[K4S], Right
_		RQ31 WS2AA				53				[K4S], Left
		RQ32 XBQAA				53				[K4A], Right
		RQ31 XBQAA RQ32 XRVAA				53				[K4A], Left
						53				[K4R], Right
_		RQ31 XRVAA	. 1			53				[K4R], Left

L = Base/SEH = LX, Sport
P = LXI, ES
S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



	1 13 15 2 14 12 7 10 9 3 8
--	--

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RQ32 YB2AA	1			53				[K4F], Right
	RQ31 YB2AA				53				[K4F], Left
	RQ32 YJRAA	1			53				[K4K], Right
	RQ31 YJRAA				53				[K4K], Left
	RQ32 ZKJAA	1			53				[K4P], Right
	RQ31 ZKJAA	1			53				[K4P], Left
	RQ22 AJ6AA	1			53				[K2L], Right
	RQ21 AJ6AA	1			53				[K2L], Left
	RQ22 ARXAA	. 1			53				[K2X], Right
	RQ21 ARXAA	. 1			53				[K2X], Left
	RQ22 HS5AA	. 1			53				[K2Y], Right
	RQ21 HS5AA	. 1			53				[K2Y], Left
	RQ22 SPNAA	. 1			53				[K2U], Right
	RQ21 SPNAA	. 1			53				[K2U], Left
	RQ22 YBMAA	1			53				[K2E], Right
	RQ21 YBMAA	1			53				[K2E], Left
	RQ21 ABVAA	. 1			53				[K2H], Right
	RQ22 ABVAA	. 1			53				[K2H], Left
11									MOLDING, Sliding Door, Upper
	RT30 WL5AB	1							[L5], Right
	RT31 WL5AB	1							[L5], Left
	RT30 XT5AB	1							[T5], Right
	RT31 XT5AB	1							[T5], Left
	RT30 YQLAB	1							[QL], Right
	RT31 YQLAB	1							[QL], Left
12									SCREW, [.190-16X.750], (NOT
									SERVICED) (Not Serviced)
13	4716 936	1							MOLDING, Windshield
14									RIVET, Blind, 3 Leg, Open End,
									(NOT SERVICED) (Not Serviced)
15									MOLDING, Door Window Opening
	4717 770AB	1							Right
	4717 771AB	1							Left
-16	4717 129	6	· · · · · · · · · · · · · · · · · · ·	·		· · · · · · · · · · · · · · · · · · ·			CLIP, B-Pillar Applique, .53 Diameter
17									TAPE, C Pillar
	4857 777AA	2							Front
	4857 516AA	2							Rear

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Group – IRS


Interior Trim





Group – IRS

Interior Trim



GROUP IRS - Interior Trim	
Illustration Title	Group-Fig. No.
Headliner and Visor	
Headliner and Visor	Fig. IRS-110
Cowl Panel and Silencer	Fig. IRS-210
Molding A Pillar and Scuff Plates	Fig. IRS-215
B Pillar Trim	Fig. IRS-220
C Pillar	Fig. IRS-225
D Pillar	Fig. IRS-230
Quarter Panel - Right	Fig. IRS-235
Quarter Panel - Left	Fig. IRS-240
Cargo Organizer	Fig. IRS-245
	3
Carpet	Fig. IDC 240
Carpet	Fig. IRS-310
Door Trim Panels, Front and Sliding	
Door Panel - Front	Fig. IRS-410
Door Panel - Rear Sliding	Fig. IRS-420
Front Seats and Attaching Parts	
Seat Front - Trim Code [E7,L5,H5]	Fig. IRS-510
Seat Front - Trim Code [J7, K5]	Fig. IRS-515
Seat Front - Trim Code [A7]	Fig. IRS-520
Seat Front - Trim Code [CL, ML]	Fig. IRS-525
Seat Front - Trim Code [DL]	Fig. IRS-530
Front Seat - Attaching Parts	Fig. IRS-535
Front Seat - Attaching Parts	Fig. IRS-540
Rear Seats-Folding and Quads	
Rear Seat, 2-Passenger Trim Code [E7, J7, L5,H5]	Fig. IRS-610
Rear Seat, 2- Passenger Trim Code [K5]	Fig. IRS-615
Quad Seats, Trim Code [DL]	Fig. IRS-620
Quad Seats, Trim Code [CL ML]	Fig. IRS-625
Quad Seats, Trim Code [A7]	Fig. IRS-630
Quad Seats, Trim Code [E7, H5, L5]	Fig. IRS-635
Third Seat - 3 Passenger	Fig. IRS-640
Seat Belts-Front and Rear	
Seat Belts, Front Seat	Fig. IRS-710
Seat Belt, Quad Seats	Fig. IRS-720
Seat Belts, Rear Inner, 2 And 3 Passengers	Fig. IRS-730
Seat Belts, Rear Second Seat, Outer	Fig. IRS-740


Seat Belts, Rear Third Seat, Outer Fig. IRS-750

GROUP IRS - Interior Trim


Illustration Title	Group-Fig. No.
Adjusters, Covers, Shields and Risers	
Seat - Rear Attachments Floor Pan	Fig. IRS-810
Rear Seat - 2 Passenger Adjusters - Covers/Shields and Attaching Parts	Fig. IRS-815
Quad Seats - Attaching Parts (Adjusters, Covers and Shields)	Fig. IRS-820
Rear Seat - 3 Passenger Attaching Parts, Straight Bench, Straight Bench With Center Armrest	Fig. IRS-825
Rear Seat, 3 Passenger, 50/50 Seat, Attaching Parts	Fig. IRS-830
Lift Gate Trim	
Panel - Liftgate	Fig. IRS-1010

Headliner and Visor Figure IRS-110

PART



Headliner and Visor Figure IRS-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SE11 1L2AF	1		P	53			00	With Rear Air-Conditioning, Power
									Right and Left Door, and [JRC],
									Without [XGM]
	RR34 1L2AF	1		Р	53			O0	With Rear Air-Conditioning, Without
									[JRC and XGM]
	WJ22 1L2AA	1		Р	53			O0	With [XGM], Without [JRC]
	WJ21 1L2AA	1		Р	53			O0	With [JRC and XGM]
		1		S	53			00	With [JRC and XGM]
	RR32 TL2AE	1		L	53			O0	Base Model
		1		Н	53			O0	Base Model
	XQ30 1L2AA	1		X	53			00	With Town & Country Touring Edition with DVD
	WY76 TL2AA	1		L	53			00	Base
2	WITO ILZAA	'		<u>L</u>	- 33				PIN, Push
2	TY98 TL2AA	3	K, Y		52			00	Beige
	1190 ILZAA	4	13, 1		53			00	Beige
3		7			33			00	SCREW, [.164-18x.375], (NOT
									SERVICED) (Not Serviced)
4	5028 069AA	1							BRACKET, Overhead Console
5	6501 916	8							RETAINER, Push On, Headliner
3	0001 010	O							Panel To Roof Bow
6									VISOR, W/Mirror
J	TS02 TL2AB	1		Н	53			00	Right
	1002 122/10	1		L	53			00	Right
		1	K, Y	L	52			00	Right
		<u>·</u> 1	K, Y	H	52			00	Right
		1	K, Y	E	52			00	Right
	TS03 TL2AB	1	K, Y	E	52			00	Left
	. 000	1	K, Y	– L	52			00	Left
	TS02 TL2AB	1	K, Y	 H	52			00	Left
		1	,	L	53			00	Left
	TS03 TL2AB	1		Н	53			00	Left
7									VISOR, Illuminated
	TR96 1L2AB	1		Н	53			00	Beige, Right
	_	1	K, Y	Н	52			00	Beige, Right
	TR97 1L2AA	1		Н	53			00	Beige, With Slide Out Extender,
									Left
	TR97 1L2AB	1	K, Y	Н	52			00	Beige, With Slide Out Extender,
									Left
-8									LABEL, Airbag
	4897 875AA-	1	K, Y	Н	52			00	Visor
	-031 013AA-	ı	13, 1	11	J <u>Z</u>				V 1501

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



Headliner and Visor Figure IRS-110



Headliner and Visor Figure IRS-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SH75 TL2AA	2		S	53			O0	Left
		2		Р	53			O0	Left
-15									LENS, w/Grab Handle
	5019 809AA-	1		S	53			O0	
		1		Р	53			O0	
-16									CLIP, Headliner Mounting
	5016 132AA-	1		Р	53			O0	
		10		S	53			00	
		6		H	53			00	
		6		Χ	53			00	
17	5000 000 A A		IZ V		5 0			00	CLIP, Roof Rail
	5028 203AA	6	K, Y	H	52 52			O0 O0	
		6 8	K, Y	L P	53			00	
		6		H	53 53			00	
		10		S	53			00	
		6		X	53			00	
18	6036 480AA	4							NUT, Push, .164-18, Visor Attaching-
		-							Copper Color
-19									RETAINER, Sunvisor
	5028 440AA-	2		L	53			O0	,
		2		Р	53			O0	
		2		Н	53			O0	
		2		Χ	53			O0	
-20									PAD, Foam Compounding
	5086 279AA-	1		Р	53			O0	Headliner
		1		Χ	53			O0	Headliner
		1		Н	53			O0	Headliner
		1		L	53			O0	Headliner
21									BRACKET, Pivot
	5170 755AA	1	K, Y	L	52			00	
		1	K, Y	H	52			00	
		1		Н	53			O0	

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Cowl Panel and Silencer Figure IRS-210



	PART	O.T./		050150	Denv.	- FNONE			DECODURTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	D000 W# 54D								MOLDING, Cowl Trim
	RS20 WL5AD							00	[L5], Right
	RS20 XT5AD							00	[T5], Right
	RS20 YQLAD							00	[QL], Right
	RS21 WL5AD							00	[L5], Left
	RS21 XT5AD							00	[T5], Left
0	RS21 YQLAD	1						O0	[QL], Left
2	RV26 DX9AA	4						00	MOLDING, Extension
	RV26 DX9AA RV27 DX9AA								Right Left
3	5028 269AA	2						O0	RETAINER, Molding
3 4	6506 490AA	4							CLIP, Molding, Cowl Attaching
-5	6504 434	1						00	CLIP, Side Molding
- <u>5</u> -6	0304 434								SILENCER, Dash Panel
-0	5020 280AF-	1							Dash Panel Engine Compartmer
	5028 400AB-	1							Dash Panel
	3020 1 00AD	'							Dasii i aliei

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Molding A Pillar and Scuff Plates Figure IRS-215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Windshield Garnish
	RS16 WL8AF	1						00	[L5], Right
	RS16 XTMAF	1						O0	[T5], Right
	RS16 YQLAF	1						00	[QL], Right
	RS17 WL8AF	1						O0	[L5], Left
	RS17 XTMAF	1						O0	[T5], Left
	RS17 YQLAF	1						00	[QL], Left
	RT50 WL8AE	1						00	[L5], Right,Grab Handle
	RT50 XTMAE	1						00	[T5], Right,Grab Handle
	RT50 YQLAE	1						O0	[QL], Right,Grab Handle
2	6504 990AA	2							NUT, Rivet
3									HANDLE, Grab
	RS24 WL8AA	1						00	[L5]
	RS24 XTMAA	1						O0	[T5]
	RS24 YQLAA	1						00	[QL]
4									CAP, Assist Handle Screw Cover
	SZ82 WL8AA	1						00	[L5], Upper
	SZ82 XTMAA	1						O0	[T5], Upper
	SZ82 YQLAA	1						00	[QL], Upper
	SZ83 WL8AA	1						00	[L5], Lower
	SZ83 XTMAA	1						00	[T5], Lower
	SZ83 YQLAA	1						O0	[QL], Lower
5	6505 806AA	8							SCREW, Round Head, M6x1x16
6	6506 490AA	8							CLIP, Molding, Scuff Plates
7									PANEL, Scuff
	RS46 WL5AC	1						O0	[L5], Right,Front
	RS46 XT5AC	1						00	[T5], Right,Front
	RS46 YQLAC	1						00	[QL], Right,Front
	RS47 WL5AC	1						00	[L5], Left,Front
	RS47 XT5AC	1						O0	[T5], Left,Front
	RS47 YQLAC	1						00	[QL], Left,Front
8									PLATE, Scuff
	RS36 WL5AA	1						00	[L5], Right
	RS36 XT5AA	1						O0	[T5], Right
	RS36 YQLAA	1						00	[QL], Right
	RS37 WL5AA	1						00	[L5], Left
	RS37 XT5AA	1						00	[T5], Left
	RS37 YQLAA	1						O0	[QL], Left
9									SCREW, (.190-16x1.00), (NOT
									SERVICED) (Not Serviced)
10	5028 155AB	1							BRACKET, Scuff Plate

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Molding A Pillar and Scuff Plates Figure IRS-215

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-11	6504 738	1						00 (CLIP, Molding
$\frac{2}{3}$										
5)										
9 (10)										
	DODGE CUE	DYSI ED MINIMA	N (PS)							
	SERIES L = Base/SE H = LX, Sport	RYSLER MINIVA LINE C = Chr D = Doo Y = Chr K = Doo	ysler(AWD dge(AWD)	BO 52 53	DY = 113 WB = 119 WB	ENGINE EDZ, EI EGA = 3	00 = 2.4L 4 (3.3L 6 Cyl. G0 = 3.8L 6 (3.3L 6 Cyl. F	TI Cyl. D D	RANSMIS OGC, = 3 s OGL = 4 sp	SSION spd. Auto. (31TH) od. Auto. (41TE) Automatic Transm
	P = LXI, ES S = Limited E = EC	Y = Chr K = Doo	ysler(FWD lge(FWD)))		EGH, EGM =	G0 = 3.8Ĺ 6 (3.3L 6 Cyl. F	Cyl. D FV	OGO = All A	Automatic Tranśm

B Pillar Trim Figure IRS-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•			•	•	
1									MOLDING, B-Pillar
	RS26 WL5AD	1						O0	[L5], Right,Upper
	RS26 XT5AD	1						00	[T5], Right,Upper
	RS26 YQLAD	1						00	[QL], Right,Upper
	RS27 WL5AD	1						O0	[L5], Left,Upper
	RS27 XT5AD	1						00	[T5], Left,Upper
	RS27 YQLAD	1						00	[QL], Left,Upper
2									MOLDING, B-Pillar
	RS28 WL5AC							00	[L5], Right,Lower
	RS28 XT5AC	1						00	[T5], Right,Lower
	RS28 YQLAC	1						00	[QL], Right,Lower
	RS29 WL5AC							00	[L5], Left,Lower
	RS29 XT5AC	1						00	[T5], Left,Lower
	RS29 YQLAC	1						00	[QL], Left,Lower
	SR24 WL5AD	1						O0	[L5], With Power Sliding Door,
	SR24 XT5AD	1						00	Right,Lower [T5], With Power Sliding Door,
	3K24 X13AD	- 1						- 00	Right,Lower
	SR24 YQLAD	1						00	[QL], With Power Sliding Door,
	SINZ4 TQLAD	'						00	Right,Lower
	SR25 WL5AD	1						00	[L5], With Power Sliding Door, Le
	CITEO WEOME	•							Lower
	SR25 XT5AD	1						00	[T5], With Power Sliding Door, Let
	0.120 /1.0/12	•							Lower
	SR25 YQLAD	1						00	[QL], With Power Sliding Door,
	·								Left,Lower
3	6031 869	2							NUT, Push, .19, B Pillar
4	6505 976AA	4							CLIP, Molding, Lower
5	0153 856	2							SCREW, Tapping, .19-16x.625, B
									Pillar Trim Upper
6									PLUG, B Pillar
	RS32 WL5AA	2						00	[WL]
	RS32 XT5AA	2						O0	[T5]
	RS32 YQLAA	2						00	[QL]
7									FASTENER, Trim Panel Attaching
	6505 340AA	3			53			O0	
		3	K, Y	L	52			O0	
8	6505 928AA	1						O0	FASTENER, Push Pin
9	6506 369AA	1			53			00	CLIP, Quarter Panel
10	6505 548AA	1	K, Y	Н	52			00	CLIP, Molding
11	3420 2599	3	K, Y	L	52			O0	FASTENER, Trim Panel Attaching

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

B Pillar Trim Figure IRS-220



TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I LIVI	NOWBER	QII	LINE	JERILO	ВОВТ	LINGINE	TRANS	TIXIIWI	DESCRIPTION
	UZ12 WL5AA	ΔR						00	[L5] B Pilar Lower, Right
	UZ12 XT5AA							00	[T5] B Pilar Lower, Right
	UZ12 YQLAA							00	[QL] B Pilar Lower, Right
	UZ13 WL5AA							00	[L5] B Pilar Lower, Left
	UZ13 XT5AA							00	[T5] B Pilar Lower, Left
	UZ13 YQLAA							00	[QL] B Pilar Lower, Left
									,

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

C Pillar Figure IRS-225

3	


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q I I	LINE	OLIVILO	ВОВТ	LIVOINE	TRAITO	1131141	DESCRIPTION
1									MOLDING, C-Pillar
•	RT58 WL5AC	1						00	[L5], (Use Up To 9-1-01), Right
									Upper
	RT58 WL5AD	1						00	[L5], (Use After Up To 9-1-01),
									Right,Upper
	RT58 XT5AC	1						O0	[T5], (Use Up To 9-1-01), Right
									Upper
	RT58 XT5AD	1						00	[T5], (Use After Up To 9-1-01),
									Right,Upper
	RT58 YQLAC	1						00	[QL], (Use Up To 9-1-01), Right
									Upper
	RT58 YQLAD	1						00	[QL], (Use After Up To 9-1-01),
									Right,Upper
	RT67 WL5AC	1						00	[L5], (Use Up To 9-1-01), Left,
									Upper
	RT67 WL5AD	1						O 0	[L5], (Use After Up To 9-1-01),
									Left,Upper
	RT67 XT5AC	1						O0	[T5], (Use Up To 9-1-01), Left,
								_	Upper
	RT67 XT5AD	1						O0	[T5], (Use After Up To 9-1-01),
	DT07.1/01.40								Left,Upper
	RT67 YQLAC	1						00	[QL], (Use Up To 9-1-01), Left,
	DTCZ VOLAD	4						00	Upper
	RT67 YQLAD	1						00	[QL], (Use After Up To 9-1-01),
2	0153 856	2							Left, Upper
2	0103 000	2							SCREW, Tapping, .19-16x.625, C Pillar Attaching
3	6031 869	2							NUT, Push, .19, Snap-In
3	0031 003	2							1401, 1 usii, .18, Silap-iii

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

D Pillar Figure IRS-230



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
[RCE] Sp	eaker System								
1									MOLDING, D-Pillar
	SJ16 WL5AC	1	K, Y	L	52			00	[L5], Without [RCE], Right
	SJ16 XT5AC	1	K, Y	L	52			O0	[T5], Without [RCE], Right
	SJ17 WL5AC	1	K, Y	L	52			00	[L5], Without [RCE], Left
	SJ17 XT5AC	1	K, Y	L	52			00	[T5], Without [RCE], Left
	SJ14 WL5AC	1	K, Y	L	52			00	[L5], With [RCE], Right
	SJ14 XT5AC	1	K, Y	L	52			O0	[T5], With [RCE], Right
	SJ14 YQLAC	1	K, Y	Н	52			00	[QL], With [RCE], Right
	SJ15 WL5AC	1	K, Y	L	52			00	[L5], With [RCE], Left
	SJ15 XT5AC	1	K, Y	L	52			00	[T5], With [RCE], Left
	SJ15 YQLAC	1	K, Y	Н	52			00	[QL], With [RCE], Left
	RS40 WL5AC	1			53			00	[L5], Without Air Conditioning,
									Right
	RS40 XT5AC	1			53			00	[T5], Without Air Conditioning,
									Right
	RS40 YQLAC	1			53			O0	[QL], Without Air Conditioning,
									Right
	RT60 WL5AC				53			00	[L5], With Air Conditioning, Right
	RT60 XT5AC	1			53			00	[T5], With Air Conditioning, Right
	RT60 YQLAC	1			53			00	[QL], With Air Conditioning, Right
	RT61 WL5AC				53			00	[L5], Without Power Liftgate, Left
	RT61 XT5AC	1			53			O0	[T5], Without Power Liftgate, Left
	RT61 YQLAC				53			00	[QL], Without Power Liftgate, Left
	RV07 WL5AC				53			00	[L5], With Power Liftgate, Left
	RV07 XT5AC	1			53			00	[T5], With Power Liftgate, Left
	RV07 YQLAC	1			53			00	[QL], With Power Liftgate, Left
	SJ16 YQLAC	1	K, Y		52			00	[QL], Without [RCE], Right
	SJ17 YQLAC	1	K, Y		52			O0	[QL], Without [RCE], Left
2	6506 934AA	1			53				NUT, Spring, Mounting Bracket, D
									Pillar
3	6102 152AA	1			53				SCREW, Tapping Hex Flange Head
					_				M6.3x1.81x20.00
4	5028 112AA	1			53				BRACKET, Molding, Right, Upper
5									FASTENER, Trim Panel Attaching
	6505 340AA	3			53			00	
_		3	K, Y	L	52			00	
6	6505 928AA	3						00	FASTENER, Push Pin
7	6506 369AA	1			53			00	CLIP, Quarter Panel
8	6505 548AA	1	K, Y	<u>H</u>	52			00	CLIP, Molding

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

D Pillar Figure I



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	3420 2599	3	K, Y	L	52			00	FASTENER, Trim Panel Attaching
-10	0 120 2000		11, 1						RECEPTACLE, Organizer
	UA94 WL8AA	۸- 1						00	[L5], Right
	UA94 XTMAA							O0	[T5], Right
	UA94 YQLAA							O0	[QL], Right
	UA95 WL8AA							00	[L5], Left
	UA95 XTMAA							00	[T5], Left
	UA95 YQLAA	1						00	[QL], Left

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quarter Panel - Right Figure IRS-235



Right			PART								
RS58 WL5AC 1 53 00 [L5], Without Rear Air Conditioning, Right RS58 XT5AC 1 53 00 [T5], Without Rear Air Conditioning, Right RS58 YQLAC 1 53 00 [CL], Without Rear Air Conditioning, Right Conditioning, Right SL64 WL5AD 1 K, Y H 52 00 [L5], Right SL64 XT5AD 1 K, Y H 52 00 [L5], Right SL64 XT5AD 1 K, Y H 52 00 [T5], Right SL64 YQLAD 1 K, Y H 52 00 [L5], Right SW20 WL5AC 1 K, Y L 52 00 [L5], Right SW20 WL5AC 1 K, Y L 52 00 [T5], Right SW20 WL5AC 1 K, Y L 52 00 [T5], Right SW20 WL5AC 1 K, Y L 52 00 [T5], With Rear Air Conditioning RT62 WL5AE 1 53 00 [L5], With Rear Air Conditioning RT62 YQLAE 1 53 00 [T5], With Rear Air Conditioning RT62 YQLAE 1 53 00 [CL], With Rear Air Conditioning RT62 YQLAE 1 53 00 [CL], With Rear Air Conditioning RS62 WL5AB 1 53 E7 [L5], Without Rear Air Conditioning, Right RS66 WL5AB 1 53 E7 [CL], Without Rear Air Conditioning, Right RS66 WL5AB 1 53 E7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 WL5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 WL5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 WL5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 S3 CL [L5], With Air Conditioning, Right RS66 WL5AB 1 S3 CL [L5], With Air Conditioning, Right RS66 WL5AB 1	ITEN	M	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
RS58 WL5AC 1 53 00 [L5], Without Rear Air Conditioning, Right RS58 XT5AC 1 53 00 [T5], Without Rear Air Conditioning, Right RS58 YQLAC 1 53 00 [CL], Without Rear Air Conditioning, Right Conditioning, Right SL64 WL5AD 1 K, Y H 52 00 [L5], Right SL64 XT5AD 1 K, Y H 52 00 [L5], Right SL64 XT5AD 1 K, Y H 52 00 [T5], Right SL64 YQLAD 1 K, Y H 52 00 [L5], Right SW20 WL5AC 1 K, Y L 52 00 [L5], Right SW20 WL5AC 1 K, Y L 52 00 [T5], Right SW20 WL5AC 1 K, Y L 52 00 [T5], Right SW20 WL5AC 1 K, Y L 52 00 [T5], With Rear Air Conditioning RT62 WL5AE 1 53 00 [L5], With Rear Air Conditioning RT62 YQLAE 1 53 00 [T5], With Rear Air Conditioning RT62 YQLAE 1 53 00 [CL], With Rear Air Conditioning RT62 YQLAE 1 53 00 [CL], With Rear Air Conditioning RS62 WL5AB 1 53 E7 [L5], Without Rear Air Conditioning, Right RS66 WL5AB 1 53 E7 [CL], Without Rear Air Conditioning, Right RS66 WL5AB 1 53 E7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 WL5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 WL5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 WL5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS66 WL5AB 1 S3 CL [L5], With Air Conditioning, Right RS66 WL5AB 1 S3 CL [L5], With Air Conditioning, Right RS66 WL5AB 1											
Right	1										PANEL, Quarter Trim
R\$58 XT5AC 1 53			RS58 WL5AC	; 1			53			00	[L5], Without Rear Air Conditioning,
RS58 YQLAC 1 53 00 [QL], Without Rear Air Conditioning, Right											Right
RSS8 YQLAC S1			RS58 XT5AC	1			53			00	[T5], Without Rear Air Conditioning,
SL64 WL5AD											Right
SL64 WL5AD			RS58 YQLAC	1			53			00	[QL], Without Rear Air
SL64 XT5AD											Conditioning, Right
SL64 YQLAD			SL64 WL5AD	1	K, Y	Н	52			00	[L5], Right
SW20 WL5AC		,	SL64 XT5AD	1						O0	[T5], Right
SW20 XT5AC			SL64 YQLAD	1		Н	52			O0	[QL], Right
RT62 WL5AE						L				00	
RT62 XT5AE					K, Y	L					
RT62 YQLAE				1							
SCREW, Tapping, .19-16x.625 BOLSTER, Quarter Trim Panel RS62 WL5AB 1 53 E7 [L5], Without Rear Air Conditioning, Right RS62 XT5AB 1 53 E7 [T5], Without Rear Air Conditioning, Right RS62 YQLAB 1 53 E7 [QL], Without Rear Air Conditioning, Right RS66 WL5AB 1 53 E7 [QL], With Air Conditioning, Right RS66 WL5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 YQLAB 1 53 E7 [QL], With Air Conditioning, Right RS66 YQLAB 1 53 E7 [QL], With Air Conditioning, Right RS68 YQLAB 1 53 E7 [QL], With Air Conditioning, Right RS68 XT5AB 1 53 A7 [L5], With Air Conditioning, Right RS68 YQLAB 1 53 A7 [QL], With Air Conditioning, Right RS68 YQLAB 1 53 A7 [QL], With Air Conditioning, Right RS70 YQLAB 1 53 A7 [QL], With Air Conditioning, Right RS70 YQLAB 1 53 DL [QL], With Air Conditioning, Right RT22 YQLAB 1 53 DL [QL], With Air Conditioning, Right RT22 YQLAB 1 53 CL [L5], With Air Conditioning, Right RT22 YQLAB 1 53 CL [QL], With Air Conditioning, Right RT22 YQLAB 1 K, Y 52 E7 [L5], Right SS16 XT5AA 1 K, Y 52 E7 [T5], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 K, Y 52 E7 [QL], Without Rear Air Conditioning, Right RT20 WL5AB 1 K, Y 52 E7 [QL], W											
RS62 WL5AB							53			00	
RS62 WL5AB 1 53			0153 856	2							
Right RS62 XT5AB 1 53 E7 [T5], Without Rear Air Conditioning, Right RS62 YQLAB 1 53 E7 [QL], Without Rear Air Conditioning, Right RS66 WL5AB 1 53 E7 [L5], With Air Conditioning, Right RS66 XT5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 YQLAB 1 53 E7 [QL], With Air Conditioning, Right RS68 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS68 XT5AB 1 53 A7 [L5], With Air Conditioning, Right RS68 XT5AB 1 53 A7 [T5], With Air Conditioning, Right RS68 YQLAB 1 53 A7 [QL], With Air Conditioning, Right RS70 WL5AB 1 53 DL [L5], With Air Conditioning, Right RS70 YQLAB 1 53 DL [QL], With Air Conditioning, Right RT22 WL5AB 1 53 DL [QL], With Air Conditioning, Right RT22 YQLAB 1 53 CL [QL], With Air Conditioning, Right RT22 YQLAB 1 S3 CL [QL], With Air Conditioning, Right RT22 YQLAB 1 K, Y 52 E7 [L5], Right SS16 XT5AA 1 K, Y 52 E7 [L5], Right SS16 YQLAA 1 K, Y 52 E7 [L5], Right RT20 WL5AB 1 S3 K5 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 S7 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S7 [L5], Without Rear Air	3										
RS62 XT5AB 1 53			RS62 WL5AB	1			53			E7	
Right RS62 YQLAB 1 53											_
RS62 YQLAB			RS62 X 15AB	1			53			E/	
Conditioning, Right			DOCO VOLAD								
RS66 WL5AB 1 53 E7 [L5], With Air Conditioning, Right RS66 XT5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 YQLAB 1 53 E7 [QL], With Air Conditioning, Right RS68 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS68 XT5AB 1 53 A7 [T5], With Air Conditioning, Right RS68 YQLAB 1 53 A7 [QL], With Air Conditioning, Right RS70 WL5AB 1 53 DL [L5], With Air Conditioning, Right RS70 YQLAB 1 53 DL [QL], With Air Conditioning, Right RT22 WL5AB 1 53 CL [L5], With Air Conditioning, Right RT22 YQLAB 1 53 CL [L5], With Air Conditioning, Right RT22 YQLAB 1 53 CL [L5], With Air Conditioning, Right SS16 WL5AA 1 K, Y 52 E7 [L5], Right SS16 XT5AA 1 K, Y 52 E7 [T5], Right SS16 YQLAA 1 K, Y 52 E7 <t< td=""><td></td><td></td><td>RS62 YQLAB</td><td>1</td><td></td><td></td><td>53</td><td></td><td></td><td>⊏/</td><td></td></t<>			RS62 YQLAB	1			53			⊏/	
RS66 XT5AB 1 53 E7 [T5], With Air Conditioning, Right RS66 YQLAB 1 53 E7 [QL], With Air Conditioning, Right RS68 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS68 XT5AB 1 53 A7 [T5], With Air Conditioning, Right RS68 YQLAB 1 53 A7 [QL], With Air Conditioning, Right RS70 WL5AB 1 53 DL [L5], With Air Conditioning, Right RS70 YQLAB 1 53 DL [QL], With Air Conditioning, Right RT22 WL5AB 1 53 CL [L5], With Air Conditioning, Right RT22 YQLAB 1 53 CL [QL], With Air Conditioning, Right RT22 YQLAB 1 53 CL [QL], With Air Conditioning, Right SS16 WL5AA 1 K, Y 52 E7 [L5], Right SS16 XT5AA 1 K, Y 52 E7 [DL], Right SS16 YQLAA 1 K, Y 52 E7 [DL], Without Rear A				. 1			5 2			E 7	
RS66 YQLAB 1 53 E7 [QL], With Air Conditioning, Right RS68 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS68 XT5AB 1 53 A7 [T5], With Air Conditioning, Right RS68 YQLAB 1 53 A7 [QL], With Air Conditioning, Right RS70 WL5AB 1 53 DL [L5], With Air Conditioning, Right RS70 YQLAB 1 53 DL [QL], With Air Conditioning, Right RT22 WL5AB 1 53 DL [QL], With Air Conditioning, Right RT22 YQLAB 1 53 CL [L5], With Air Conditioning, Right RT22 YQLAB 1 53 CL [QL], With Air Conditioning, Right RT22 YQLAB 1 S3 CL [QL], With Air Conditioning, Right RT22 YQLAB 1 S3 CL [QL], With Air Conditioning, Right RT20 WL5AA 1 K, Y 52 E7 [L5], Right RT20 WL5AB 1 S3 K5 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 K5 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 S3 B7 [L5], Without Rear Air Conditioning, Right											
RS68 WL5AB 1 53 A7 [L5], With Air Conditioning, Right RS68 XT5AB 1 53 A7 [T5], With Air Conditioning, Right RS68 YQLAB 1 53 A7 [QL], With Air Conditioning, Right RS70 WL5AB 1 53 DL [L5], With Air Conditioning, Right RS70 YQLAB 1 53 DL [QL], With Air Conditioning, Right RT22 WL5AB 1 53 CL [L5], With Air Conditioning, Right RT22 YQLAB 1 53 CL [QL], With Air Conditioning, Right SS16 WL5AA 1 K, Y 52 E7 [L5], Right SS16 XT5AA 1 K, Y 52 E7 [QL], Right SS16 YQLAA 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 53 K5 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right											
RS68 XT5AB 1 53 A7 [T5], With Air Conditioning, Right RS68 YQLAB 1 53 DL [L5], With Air Conditioning, Right RS70 WL5AB 1 53 DL [L5], With Air Conditioning, Right RS70 YQLAB 1 53 DL [QL], With Air Conditioning, Right RT22 WL5AB 1 53 CL [L5], With Air Conditioning, Right RT22 YQLAB 1 53 CL [QL], With Air Conditioning, Right RT22 YQLAB 1 53 CL [QL], With Air Conditioning, Right SS16 WL5AA 1 K, Y 52 E7 [L5], Right SS16 XT5AA 1 K, Y 52 E7 [T5], Right SS16 YQLAA 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 53 K5 [L5], Without Rear Air Conditioning, Right RT20 WL5AB 1 53 K5 [L5], Without Rear Air Conditioning, Right 1 53 B7											
RS68 YQLAB 1 53											
RS70 WL5AB 1 53 DL [L5], With Air Conditioning, Right RS70 YQLAB 1 53 DL [QL], With Air Conditioning, Right RT22 WL5AB 1 53 CL [L5], With Air Conditioning, Right RT22 YQLAB 1 53 CL [QL], With Air Conditioning, Right SS16 WL5AA 1 K, Y 52 E7 [L5], Right SS16 XT5AA 1 K, Y 52 E7 [T5], Right SS16 YQLAA 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 53 K5 [L5], Without Rear Air Conditioning, Right 1 53 J7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right 1 S4 [L5], Without Rear Air Conditioning, Right 1 S4 [L5], Without Rear Air Con											
RS70 YQLAB 1 53 DL [QL], With Air Conditioning, Right RT22 WL5AB 1 53 CL [L5], With Air Conditioning, Right RT22 YQLAB 1 53 CL [QL], With Air Conditioning, Right SS16 WL5AA 1 K, Y 52 E7 [L5], Right SS16 XT5AA 1 K, Y 52 E7 [T5], Right SS16 YQLAA 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 53 K5 [L5], Without Rear Air Conditioning, Right 1 53 J7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right 1 S3 B7 [L5], Without Rear Air Conditioning, Right 1 S3 B7 [L5], Without Rear Air Conditioning, Right 1 S3 B7 [L5], Without Rear Air Conditioning, Right 1 S3 B7 [L5], Without Rear Air Conditioning, Right 1 S3 B7 [L5], Without Rear Air Conditioning, Right 1 S3 B7 [L5], Without Rear Air Conditioning, Right 1 S3 B7 [L5], Without Rear Air Conditioning, Right 1 S3 B7 [L5], Without Rear Air Conditioning, Right 1 S3 B7 [L5], Without Rear Air Conditioning, Right 1 S3 B7 [L5], Without Rear Air Conditioning, Right S4 B7 [L5], Without Rear Air Conditioning, Right S											
RT22 WL5AB 1 53 CL [L5], With Air Conditioning, Right RT22 YQLAB 1 53 CL [QL], With Air Conditioning, Right SS16 WL5AA 1 K, Y 52 E7 [L5], Right SS16 XT5AA 1 K, Y 52 E7 [T5], Right SS16 YQLAA 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 53 K5 [L5], Without Rear Air Conditioning, Right 1 53 J7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right											
RT22 YQLAB 1 53 CL											
SS16 WL5AA 1 K, Y 52 E7 [L5], Right SS16 XT5AA 1 K, Y 52 E7 [T5], Right SS16 YQLAA 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 53 K5 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right											
SS16 XT5AA 1 K, Y 52 E7 [T5], Right SS16 YQLAA 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 53 K5 [L5], Without Rear Air Conditioning, Right 1 53 J7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Without Rear Air Conditioning, Right					K. Y						
SS16 YQLAA 1 K, Y 52 E7 [QL], Right RT20 WL5AB 1 53 K5 [L5], Without Rear Air Conditioning, Right 1 53 J7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Without Rear Air Conditioning, Right											
RT20 WL5AB 1 53 K5 [L5], Without Rear Air Conditioning, Right 1 53 J7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning, Right											-
Right 1 53 J7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning,					,						
1 53 J7 [L5], Without Rear Air Conditioning, Right 1 53 B7 [L5], Without Rear Air Conditioning,											
1 53 B7 [L5], Without Rear Air Conditioning,				1			53			J7	[L5], Without Rear Air Conditioning,
1 53 B7 [L5], Without Rear Air Conditioning,											
Right				1			53			B7	[L5], Without Rear Air Conditioning,
·											Right

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quarter Panel - Right Figure IRS-235



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		RT20 XT5AB	1			53			K5	[T5], Without Rear Air Conditioning,
										Right
			1			53			J7	[T5], Without Rear Air Conditioning,
										Right
			1			53			В7	[T5], Without Rear Air Conditioning,
										Right
		WY32 WL5AA	1			53			O0	[L5], Without Heater and A/C, Right
		WY32 XT5AA	. 1			53			O0	[T5], Without Heater and A/C, Right
_		WY32 YQLAA	1			53			O0	[QL], Without Heater and A/C,
										Right
		WY34 WL5AA	1			53			O0	[L5], With Heater and A/C, Right
		WY34 XT5AA	. 1			53			00	[T5], With Heater and A/C, Right
_		WY34 YQLAA	1			53			O0	[QL], With Heater and A/C, Right
		SK72 WL5AA	. 1	K, Y		52			O0	[L5], Right
		SK72 XT5AA	1	K, Y		52			00	[T5], Right
		SK72 YQLAA	1	K, Y		52			O0	[QL], Right
_	4	5028 152AB	1			53				BRACKET, Quarter Trim, Right, With
										Air Conditioning
	5	6036 353AA	2			53				SCREW, Tapping
	6	6031 869	8							NUT, Push, .19, Snap-In
_	7	4754 886AC	1			53				BRACKET, Without Air Conditioning,
										Right
	8	6036 353AA	2			53				SCREW, Tapping
	9	5028 266AA	1	K, Y		52				BRACKET, Quarter Trim, Right
_	10	4706 606	1			53			O0	LATCH, Storage Bin Lid, Model 52 &
										53
	-11	4860 934AA-	1							PLUG, Quarter Trim Panel, Inner
										Upper Blocker
_	-12	4860 895AA-	1	K, Y		52				BRACKET, Quarter Inner, Coat Hook
										attaching
	-13	4860 787AB-	2			53				BRACKET, Grab Handle, 1/4 Inner

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quarter Panel - Left Figure IRS-240



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1							<u>!</u>	
	1	4793 554	1						00	POWER OUTLET, Cigar Lighter
-	2	4685 766AA	1							MOUNT, Power Outlet
	3	4754 885AB	1			53				BRACKET, Attaching, Quarter Panel,
										Left
	4	6031 869	2							NUT, Push, .19, Snap-In
_	5									SCREW, Tapping, .19-16x.625
		0153 856	10			53				Attaching, Quarter Panel, Left
			9	K, Y		52				Attaching, Quarter Panel, Left
_	6									PANEL, Quarter Trim
		SW19 WL5AC	1	K, Y	L	52			00	[L5], Left
		SW19 XT5AC	1	K, Y	L	52			00	[T5], Left
		SL61 WL5AD	1	K, Y	Н	52			O0	[L5], Left
_		SL61 XT5AD	1	K, Y	Н	52			00	[T5], Left
		SL61 YQLAD	1	K, Y	Н	52			00	[QL], Left
		RT59 WL5AD	1			53			00	[L5], Left
		RT59 XT5AD	1			53			O0	[T5], Left
_		RT59 YQLAD	1			53			00	[QL], Left
	7								_	BOLSTER, Quarter Trim Panel
		SK71 WL5AA	1	K, Y		52			00	[L5], Left
		SK71 XT5AA	1	K, Y		52			B7	[T5], Left
_			1	K, Y		52			00	[T5], Left
			1	K, Y		52			J7	[T5], Left
		01/74 \/01 A A	1	K, Y		52			K5	[T5], Left
		SK71 YQLAA	1	K, Y		52			00	[QL], Left
-		SK71 WL5AA	1	K, Y		52			J7	[L5], Left
			1	K, Y		52 52			K5	[L5], Left
		RT25 YQLAB	1	K, Y		52 53			B7 CL	[L5], Left
		RT25 TQLAB	1 1			53 53			J7	[QL], Left [T5], Left
-		K125 X15Ab	1			53			B7	[T5], Left
		RT25 WL5AB	1			53			K5	[L5], Left
		K125 WESAB	1			53			B7	[L5], Left
			1			53			CL	[L5], Left
-			<u>'</u>			53			J7	[L5], Left
		RS71 YQLAB	1			53			DL	[QL], Left
		RS71 WL5AB				53			DL	[L5], Left
		SS19 WL5AA	1	K, Y		52			E7	[L5], Left
-		SS19 XT5AA	1	K, Y		52			 E7	[T5], Left
		SS19 YQLAA	1	K, Y		52			E7	[QL], Left
		WY31 WL5AA		, -		53			00	[L5], Left
		WY31 XT5AA				53			00	[T5], Left
-										L 2'

L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quarter Panel - Left Figure IRS-240



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		-								
		WY31 YQLAA	. 1			53			00	[QL], Left
_		RS63 YQLAB	1			53			A7	[QL], Left
		RS63 XT5AB	1			53			A7	[T5], Left
		RS63 WL5AB	1			53			A7	[L5], Left
	8									COVER, Quarter Trim Opening
		RS59 WL5AA	1			53			O0	[L5] Jack Stowage Cover, Left
		RS59 XT5AA	1			53			00	[T5] Jack Stowage Cover, Left
		RS59 YQLAA	1			53			00	[QL] Jack Stowage Cover, Left
	9									COVER, Jack
		SK73 WL5AA	1	K, Y	Н	52			O0	[L5], Left
			1	K, Y	L	52			00	[L5], Left
		SK73 XT5AA	1	K, Y	Н	52			00	[T5], Left
			1	K, Y	L	52			00	[T5], Left
		SK73 YQLAA	1	K, Y	Н	52			O0	[QL], Left
	10									ASH RECEIVER, Quarter Panel
		JU27 WL5	2						00	[L5]
		JU27 XT5	2						00	[T5]
		JU27 YQL	2						00	[QL]
	-11	4860 935AA-	1							PLUG, Quarter Trim Panel, Inner
										Upper Blocker
	-12	4754 478	2	K, Y	Н	52			00	BUMPER, Armrest Lid, 1/4 Trim
_	-13	5028 267AA-	1	K, Y		52				BRACKET, Quarter Trim

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Cargo Organizer Figure IRS-245

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE TRANS TRIM

DESCRIPTION

		NOMBER	۷	LINE	OLIVILO	БОБТ	LINGINE	IIIAIIO	TIXIIVI	DESCRIPTION
<u>.</u>	1									ESCUTCHEON, Seat Anchor
		RR27 WL8AA							00	[L5], Double Rear, Inboard
		RR27 XTMAA							O0	[T5], Double Rear, Inboard
		RR27 YQLAA							00	[QL], Double Rear, Inboard
·		RR28 WL8AA							00	[L5], Double Rear, Outboard
		RR28 XTMAA							00	[T5], Double Rear, Outboard
		RR28 YQLAA	4						00	[QL], Double Rear, Outboard
	2									SCREW, (.164-18x1.250), (NOT
·										SERVICED) (Not Serviced)
	3									RECEPTACLE, Organizer
		UA94 WL8AA							00	[L5], Floor Mounted, Right
		UA94 XTMAA							00	[T5], Floor Mounted, Right
·		UA94 YQLAA							00	[QL], Floor Mounted, Right
		UA95 WL8AA							00	[L5], Floor Mounted, Left
		UA95 XTMAA							00	[T5], Floor Mounted, Left
	4	UA95 YQLAA	1						O0	[QL], Floor Mounted, Left
	4	TM43 WL5AA	1						00	RECEPTACLE, Organizer [L5], D-Pillar, Left
		TM43 WESAA							00	[T5], D-Pillar, Left
		TM43 XT3AA							00	[QL], D-Pillar, Left
		TM44 WL5AA							00	[L5], D-Pillar, Right
		TM44 XT5AA							00	[T5], D-Pillar, Right
		TM44 YQLAA							00	[QL], D-Pillar, Right
	5		•							MOLDING, Liftgate, With Attaching
	· ·									Clips
		RS34 WL5AB	1			53			O0	[L5]
		RS34 XT5AB				53			O0	[T5]
		RS34 YQLAB	1			53			O0	[QL]
		SR62 WL5AC	1	K, Y		52			O0	[L5]
		SR62 XT5AC	1	K, Y		52			O0	[T5]
		SR62 YQLAC	1	K, Y		52			00	[QL]
	6									NUT, U Multi Thread, M6 x 1.00,
										(NOT SERVICED) (Not Serviced)
(8)	7									ORGANIZER, CARGO
		TM39 1L5AA	1						00	[L5]
(6)		TM39 1QLAA							O0	[QL]
		TM39 1T5AA	1						O0	[T5]
	8									BRACKET, D Pillar
		5028 308AA	1							Right
		5028 309AA	1							Left
-	9									RIVET, (.190x920), (NOT
										SERVICED) (Not Serviced)

AR = Use as required -= Non illustrated part # = New this model year

BODY

52 = 113 WB

53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

DODGE - CHRYSLER MINIVAN (RS) -

LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

SERIES

L = Base/SE


H = LX, Sport P = LXI, ES

S = Limited E = EC

Cargo Organizer Figure IRS-245

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-10									PLATE, Scuff
	TM46 WL5AA	- 1						O0	[L5] Liftgate Cargo Oraganizer
	TM46 XT5AA-	· 1						O0	[T5] Liftgate Cargo Oraganizer
	TM46 YQLAA	- 1						O0	[QL] Liftgate Cargo Oraganizer
-11									SILL, Rear
	WA27 1L5AA-	· 1						O0	[L5] Cargo Organizer
	WA27 1QLAA	- 1						00	[QL] Cargo Organizer
	WA27 1T5AA-	- 1						O0	[T5] Cargo Oraganizer
-12	5072 274AA-	1						O0	PLUG, Sill, Button, Cargo Oraganizer
-13	5072 275AA-	1						O0	NET, Cargo



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Carpet Figure IRS-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-									
1									CARPET, Floor
	RR20 WL8AE	1			53			00	[L5], Without Console, Rear,Air
	11120 1120/12	•			00			00	Conditioning
	RR20 XTMAE	1			53			00	[T5], Without Console, Rear,Air
									Conditioning
	RR20 YQLAE	1			53			O0	[QL], Without Console, Rear,Air
									Conditioning
	RR21 WL8AE	1			53			O0	[L5], With Console, Rear, Air
									Conditioning
	RR21 YQLAE	1			53			00	[QL], With Console, Rear,Air
									Conditioning
	RR22 WL8AE	1			53			O0	[L5] Without Rear Air Conditioning
									and Console
	RR22 XTMAE	1			53			O0	[T5], Without Rear Air Conditioning
	DD00 VOLAE				50			00	and Console
	RR22 YQLAE	1			53			O0	[QL], Without Rear Air Conditioning
	RR24 WL8AE	. 1			F2			00	and Console
	KKZ4 WLOAE	1			53			O0	[L5], With Rear Console, Rear,Air Conditioning
	RR24 XTMAE	1			53			00	[T5], With Rear Console, Rear,Air
	IXIX24 X I WAL	. !			33			00	Conditioning
	RR24 YQLAE	1			53			00	[QL], With Rear Console, Rear,Air
		•			00			00	Conditioning
	SK50 WL8AC	1	K, Y		52			00	[L5]
	SK50 XTMAC	: 1	K, Y		52			00	[T5]
	SK50 YQLAC	1	K, Y		52			O0	[QL]
2	6506 788AA	2							PIN, Push, Carpet Retainer
3	5028 025AC	2							LOCATOR, Floor Carpet
4	4754 324	2							GROMMET, Floor Carpet
-5									PROTECTOR, Heel
	UC47 WL8AA							00	[L5], Heel Blocker (Plastic)
	UC47 XTMAA							00	[T5], Heel Blocker (Plastic)
	UC47 YQLAA	- 1						O0	[QL], Heel Blocker (Plastic)
-6		_							RECEPTACLE, Organizer
	UA94 WL8AA							00	[L5], Right
	UA94 XTMAA							00	[T5], Right
	UA94 YQLAA							00	[QL], Right
	UA95 WL8AA UA95 XTMAA							O0 O0	[L5], Left [T5], Left
	UA95 XTMAA UA95 YQLAA							00	[QL], Left
-7	JAGO TQLAA	ı						00	ORGANIZER, CARGO
									CITCHITZEIT, OHITOO

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SE H = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Carpet **Figure**



	PART	ОТУ		OFFICE	DODY	ENOINE	TDANG		DESCRIPTION
EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TM39 1L5AA-							00	[L5]
	TM39 1QLAA							O0	[QL]
	TM39 1T5AA	- 1						00	[T5]
-8									TRAY, Molded Cargo
	WA29 1L5AA							00	[L5]
	WA29 1QLAA							00	[QL]
	WA29 1T5AA	- 1						O0	

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SE H = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION



vithout A/C Vents.			
1			PANEL, Front Door Trim
RS50 1L5AC	1	E7	[L5], (Use Up To 6-22-02) Cloth
			Bolster, Right,Power Window
RS50 1QLAC	1	E7	[QL], (Use Up To 6-22-02) Cloth
			Bolster, Right, Power Window
RS50 1T5AC	1	E7	[T5], (Use Up To 6-22-02) Cloth
			Bolster, Right,Power Window
RS51 1L5AC	1	E7	[L5], (Use Up To 6-22-02) Cloth
			Bolster, Left, Power Window
RS51 1QLAC	1	E7	[QL], (Use Up To 6-22-02) Cloth
			Bolster, Left, Power Window
RS51 1T5AC	1	E7	[T5], (Use Up To 6-22-02) Cloth
			Bolster, Left,Power Window
RS52 1L5AE	1	A7	[L5], Right
	1	CL	[L5], Right
RS52 1QLAE	1	A7	[QL], Right
	1	CL	[QL], Right
RS52 1T5AE	1	A7	[T5], Right
RS53 1L5AE	1	A7	[L5], Left
	1	CL	[L5], Left
RS53 1QLAE	1	A7	[QL], Left
	1	CL	[QL], Left
RS53 1T5AE	1	A7	[T5], Left
TM80 1L5AF	1	E7	[L5], (Use After 6-22-02) Vinyl
			Boster, Right, Power Window &
			Power Locks
	1	L5	[L5], Right, Power Window & Power
			Locks
TM80 1QLAF	1	E7	[QL], (Use After 6-22-02) Vinyl
			Boster, Right, Power Window &
			Power Locks
	1	L5	[QL], Right,Power Window & Pow
			Locks
TM80 1T5AF	1	E7	[T5], (Use After 6-22-02) Vinyl
			Boster, Right, Power Window &
			Power Locks
	1	L5	[T5], Right,Power Window & Pow
	•		Locks


DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Door Panel - Front Figure IRS-410



Door Panel - Front Figure IRS-410




Door Panel - Front Figure IRS-410



Door Panel - Front Figure IRS-410

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4717 879AB	1							Door Frame Close-Out B-Pillar,
		6503 204 SE87 XXXAA	1 1							Left FASTENER, Door Trim Panel BEZEL, Lock Knob FASTENER, Door Trim Panel
		6505 292AA	6 6 6						E7 J7 K5	<u> </u>
(12)			6 6 6						DL CL	
(10)	16	6505 759AA	6 3						A7 J7	FASTENER, Door Trim Panel
(13)										
	DODGE - CH	RYSLER MINIVA	N (RS)							
5#3 	SERIES L = Base/SE H = LX, Spor P = LXI, ES S = Limited E = EC	LINE C = Chr t D = Dod Y = Chr	ysler(AWD) ge(AWD) ysler(FWD) ge(FWD)	BO 52 : 53 :	DY = 113 WB = 119 WB	ENGINE EDZ, EI EGA = 3 EGH, EG	: 00 = 2.4L 4 (3.3L 6 Cyl. 30 = 3.8L 6 3.3L 6 Cyl. F	Cyl. D Cyl. D FV	RANSMI GC, = 3 GL = 4 s GO = All	SSION spd. Auto. (31TH) pd. Auto. (41TE) Automatic Transm
	45	o roquirod	N		Marri	later on ended a				Sentember 16, 2005



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1									PANEL, Sliding Door Trim
	RU12 1QLAC	: 1						A7	[QL], Right
	RU13 1QLAC							A7	[QL], Left
	RU12 1L5AC	1						A7	[L5], Right
	RU12 1T5AC	1						A7	[T5], Right
	RU13 1L5AC	1						A7	[L5], Left
	RU13 1T5AC	1						A7	[T5], Left
	RT34 1QLAC	1						CL	[QL], Right
	RT34 1L5AC	1						CL	[L5], Right
	RT35 1L5AC	1						CL	[L5], Left
	RT35 1QLAC	1						CL	[QL], Left
	RV20 1L5AC	1						DL	[L5], Right
	RV20 1QLAC	1						DL	[QL], Right
	RV21 1QLAB	1						DL	[QL], Left
	RV21 1L5AB	1						DL	[L5], Left
	WL90 1T5AB	1						E7	[T5], (Use After 7-9-01), Right
	WL91 1T5AB	1						E7	[T5], (Use After 7-9-01), Left
	RT47 1T5AC	1						E7	[T5] (Use Up To 7-9-01), Left
	RT47 1QLAC	1						E7	[QL], (Use Up To 7-9-01), Left
	WL91 1L5AB	1						E7	[L5], (Use After 7-9-01), Left
	RT47 1L5AC	1						E7	[L5], (Use Up To 7-9-01), Left
	WL90 1QLAB	1						E7	[QL], (Use After 7-9-01), Right
	RT46 1T5AC	1						E7	[T5] (Use Up To 7-9-01), Right
	RT46 1QLAC							E7	[QL], (Use Up To 7-9-01), Right
	WL91 1QLAB	1						E7	[QL], (Use After 7-9-01), Left
	WL90 1L5AB	1						E7	[L5], (Use After 7-9-01), Right
	RT46 1L5AC	1						E7	[L5], (Use Up To 7-9-01), Right
	SK22 1T5AD	1						H5	[T5], Right
	SK23 1L5AD	1						H5	[L5], Left
	SK22 1L5AD	1						H5	[L5], Right
	SK23 1T5AD	1						H5	[T5], Left
	SK22 1T5AC	1						J7	[T5], Right
	SK23 1L5AC	1						J7	[L5], Left
	SK23 1T5AC	1						J7 	[T5], Left
	SK22 1L5AC	1						J7	[L5], Right
	SK23 1T5AC	1						K5	[T5], Left
	SK23 1L5AC	1						K5	[L5], Left
	SK22 1L5AC	1						K5	[L5], Right
	SK22 1T5AC	1						K5	[T5], Right
	WL90 1L5AB							L5	[L5], Right
	WL91 1QLAB	1						L5	[QL], (Use After 7-9-01), Left

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	\\!\ 04 41 5 4 5								
	WL91 1L5AB	1						L5	[L5], Left
	WL91 1T5AB	1						L5	[QL], Left
	WL90 1QLAB	1						L5	[QL], Right
	WL91 1T5AB	1						L5	[T5], (Use After 7-9-01), Left
	WL90 1T5AB	1						L5	[T5], Right
	WL91 1QLAB	1						L5	[T5], Left
	WL90 1L5AB	1						L5	[L5], (Use After 7-9-01), Right
	WL90 1QLAB	1						L5	[QL], (Use After 7-9-01), Right
	WL90 1T5AB	1						L5	[T5], (Use After 7-9-01), Right
	WL91 1L5AB	1						L5	[L5], (Use After 7-9-01), Left
		1						ML	[L5], (Use After 7-9-01), Left
	WL90 1L5AB	1						ML	[L5], (Use After 7-9-01), Right
	RT46 1L5AC	1						NL	[L5], (Use Up To 7-9-01), Right
	RT47 1L5AC	1						NL	[L5], (Use Up To 7-9-01), Left
2									BRACKET, Sliding Door Track
	5028 048AB	1							Right
	5028 049AB	1							Left
3	6035 401	2							NUT, Snap In, .164-18
4									MOLDING, Sliding Door
	RT30 WL5AB	1						00	[L5], Right
	RT30 XT5AB	1						O0	[T5], Right
	RT30 YQLAB	1						O0	[QL], Right
	RT31 WL5AB	1						O0	[L5], Left
	RT31 XT5AB	1						O0	[T5], Left
	RT31 YQLAB	1						00	[QL], Left
-5	6503 174	2						O0	CLIP, Molding, M8.3x15.20x0.50,
									Upper Molding
-6	6504 301	3						CL	CLIP, Moulding, Metal Upper Moldin
7									PLUG, Bezel Trim
	SF10 WL5AA	2		Н				O0	[L5]
		2		Р				00	[L5]
		2		S				00	[L5]
		2		Χ				O0	[L5]
	SF10 WL8AA	2		L				O0	[L5]
	SF10 XT5AA	2		Н				00	[T5]
		2		Р				00	[T5]
	SF10 XTMAA	2		L				00	[T5]
	SF10 YQLAA	2		Н				00	[QL]
		2		Р				00	[QL]
		2		S				00	[QL]
8		-		-					SCREW, [.164-18x.750], (NOT
									SERVICED) (Not Serviced)

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005





9 -10	NUMBER 6035 401 6505 918AA- 5028 438AA-	QTY 2 8	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6505 918AA-								
	6505 918AA-								
	6505 918AA-								NUT, Snap In, .164-18
		8							FASTENER, Door Trim Panel
								00	Yellow & White
		12						DL	Green & White
		12						CL	Green & White
		13						A7	Green & White
		13						E7	Green & White
		13						K5	Green & White
		13						J7	Green & White
		13						L5	Green & White
		13						H5	Green & White
		13						ML	Green & White
11									BEZEL, Sliding Door Bumper
	RT32 WL5AA	1						00	[L5], Right
	RT32 XT5AA	1						O0	[T5], Right
	RT32 YQLAA	1						00	[QL], Right
	RT33 WL5AA	1						00	[L5], Left
	RT33 XT5AA	1						00	[T5], Left
	RT33 YQLAA	1						00	[QL], Left
12	4747 75044								BUMPER, Sliding Door
	4717 756AA	1							Right
40	4717 757AA	1							Left
13	6504 453	3							SCREW, M6x1.00x15.00, Bumper
14									and Bracket Sliding Door Attaching
14									PLUG, Sliding Door/Liftgate, Hinge Access
	KK36 WL5	1						E7	[L5]
	TATOO WES	1						K5	[L5]
		1						J7	[L5]
		. 1						NL	[L5]
	KK36 WL8	1						CL	[L5]
		1						A7	[L5]
		1						DL	[L5]
	KK36 XT5	1						E7	[T5]
		1						K5	[T5]
		1						J7	[T5]
	KK36 XTM	1						A7	[T5]
	KK36 YQL	1						CL	[QL]
		1						E7	[QL]
		1						A7	[QL]
		1						DL	[QL]
-15									STRIKER PACKAGE, Sliding Door

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						<u> </u>			
	5080 942AA-	1							Includes: Striker, Bumper and
			•		•				Instructions, Right
	5080 943AA-	1							Includes: Striker, Bumper and
									Instructions, Left
-16									FASTENER, Door Trim Panel
	5028 438AA-	13						CL	
		12						CL	
17									CUP, Door Pull
	1AH91 1T5AA	A 1						B7	[T5]
	1AH91 1L5AA	1						В7	[L5]
	1AH91 1T5AA	A 1						H5	[T5]
	1AH91 1L5AA	1						H5	[L5]
		1						H7	[T5]
	1AH91 1T5AA	1						H7	[L5]
		1						J7	[T5]
	1AH91 1L5AA	1						J7	[L5]
	1AH91 1T5AA	1						K5	[T5]
	1AH91 1L5AA	\ 1						K5	[L5]
-18									WEATHERSTRIP, Door Panel
	4754 945AB-	1						A7	Noise Vibration Harness Seal, L
	4754 944AB-	1						A7	Noise Vibration Harness Seal,
									Right
	4754 945AB-	1						CL	Noise Vibration Harness Seal, L
	4754 944AB-	1						CL	Noise Vibration Harness Seal,
									Right
	-	1	-		-			DL	Noise Vibration Harness Seal,
									Right
	4754 945AB-	1						DL	Noise Vibration Harness Seal, I
		1						E7	Noise Vibration Harness Seal, I
	4754 944AB-	1						E7	Noise Vibration Harness Seal,
									Right
		1						L5	Noise Vibration Harness Seal,
									Right
	4754 945AB-	1						L5	Noise Vibration Harness Seal,
	4754 944AB-	1						ML	Noise Vibration Harness Seal,
									Right
	4754 945AB-	1						ML	Noise Vibration Harness Seal,

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Seat Front - Trim Code [E7,L5,H5] Figure IRS-510



ITEM	NUMBER	QTY	LINE			ENIONE	TDANO	TOIN	DECODIDEION
				SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes								
[CGS] =	Air Bags - Side								
1									CUSHION, Front Seat
	UD70 1L5AA	1						E7	[L5], Right & Left
	UD70 1QLAA	1						E7	[QL], Right & Left
	UD70 1T5AA	1						E7	[T5], Right & Left
	WW78 1L5AA							L5	[L5], Right & Left
	WW78 1QLAA							L5	[QL], Right & Left
	WW78 1T5AA							L5	[T5], Right & Left
	WW78 1L5AA	1						H5	[L5], Right & Left
	WW78 1T5AB	1						H5	[T5], Right & Left
2									COVER, Seat, Cushion (Serviced
									With Cushion Only), (NOT
									SERVICED) (Not Serviced)
3									SEAT BACK, Front
	UE84 1L5AA	1						E7	[L5], Without [CGS], Right
	UE84 1QLAA	1						E7	[QL], Without [CGS], Right
	UE84 1T5AA	1						E7	[T5]. Without [CGS], Right
	UE85 1L5AA	1						E7	[L5], Without [CGS], Left
	UE85 1QLAA	1						E7	[QL], Without [CGS], Left
	UE85 1T5AA	1						E7	[T5]. Without [CGS], Left
	UD72 1L5AA	1						E7	[L5], With [CGS], Right
	UD72 1QLAA	1						E7	[QL], With [CGS], Right
	UD72 1T5AA	1						E7	[T5]. With [CGS], Right
	UD73 1L5AA	1						E7	[L5], With [CGS], Left
	UD73 1T5AA	1						E7	[T5], With [CGS], Left
	UD73 1QLAA	1						E7	[QL]. With [CGS], Left
	WW80 1L5AA	1						L5	[L5], Right
	WW80 1QLAA	١ 1						L5	[QL], Right
	WW80 1T5AA	. 1						L5	[T5], Right
	WW81 1L5AA	1						L5	[L5], Left
	WW81 1QLAA	. 1						L5	[QL], Left
	WW81 1T5AA	. 1						L5	[T5], Left
	WW80 1L5AA	1						H5	[L5], Right
	WW80 1T5AA	. 1						H5	[T5], Right
	WW81 1L5AA	1						H5	[L5], Left
	WW81 1T5AA	. 1						H5	[T5], Left
4									COVER, Seat Back, Serviced With
									Seat Back Only, (NOT SERVICED)
									(Not Serviced)
5									ARMREST, Seat

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

BODY

52 = 113 WB 53 = 119 WB

Seat Front - Trim Code [E7,L5,H5] Figure IRS-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
	UD74 1QLAA	1						E7	[QL], Right
	UD74 2L5AA	<u>'</u> 1						E7	[L5], Right
	UD75 1QLAA							E7	[QL], Left
	UD75 2L5AA	1						E7	[L5], Left
	UD75 2T5AA	1						E7	[T5], Left
	MW08 1L5	<u>·</u> 1						 L5	[L5], Right
	MW08 1QL	1						L5	[QL], Right
	MW08 1T5	1						L5	[T5], Right
	MW08 1L5	1						H5	[L5], Right
	MW09 1L5	<u>·</u>						L5	[L5], Left
	MW09 1QL	1						L5	[QL], Left
	MW09 1T5	1						L5	[T5], Left
	MW09 1L5	1						H5	[L5], Left
	MW09 1T5	1						H5	[T5], Left
	MW08 2T5	1						E7	[T5], Right
6									HEADREST, Front
	UD71 1L5AA	1						E7	[L5]
	UD71 1QLAA							E7	[QL]
	UD71 1T5AA	1						E7	[T5]
7									SLEEVE, Headrest
	QT98 1QLAA	1						E7	[QL], Locking
	QT98 2L5AA	1						E7	[L5], Locking
	QT98 2T5AA	1						E7	[T5], Locking
	QT99 1QLAA	1						E7	[QL], Slave Cylinder
	QT99 2L5AA	1						E7	[L5], Slave Cylinder
	QT99 2T5AA	1						E7	[T5], Slave Cylinder
8									SEAT COMPLETE, Front, (NOT
									SERVICED) (Not Serviced)
9									PANEL, Front Seat Back
	UE43 1L5AA	1						E7	[L5], With Strap
	UE43 1QLAA	1						E7	[QL]. With Strap
	UE43 1T5AA	1						E7	[T5], With Strap
-10									BOLT
	5018 961AA-	2						E7	Seat Back Panel Attaching
		2						H5	Seat Back Panel Attaching
		2						L5	Seat Back Panel Attaching
-11	4798 847	1						E7	REINFORCEMENT, Seat Cushion
									Frame
-12									HANDLE, Seat Back
	MV38 1L5	1						L5	[L5]
	MV38 1T5	1						L5	[T5]
-13									CAP, Handle Screw Cover

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



Seat Front - Trim Code [E7,L5,H5] Figure IRS-510



	PART				1		l		
EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	GN53 1L5	1						L5	[L5]
	GN53 1QL	1						L5	[QL]
	GN53 1T5 4856 027	1 1						L5 CL	[T5] NUT, Hex Flange, M8x1.25
	4856 02 <i>1</i> 4856 031	16						CL	NUT, Speed Round Flat
	6032 985	2						E7	SCREW, Tapping, .164-15x.50
Ü	0002 000	_							conzin, rapping, nor romoc

H = LX, Sport P = LXI, ES S = Limited D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


E = EC

53 = 119 WB

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Seat Front - Trim Code [J7, K5] Figure IRS-515



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE -	CGS = Air Bag	Side							
1	<u> </u>								CUSHION, Front Seat
	UE25 1L5AA	1						J7	[L5], Right & Left
	UE25 1T5AA	1						J7	[T5], Right & Left
	UE62 1L5AA	1						K5	[L5], Right & Left
	UE62 1T5AA	1						K5	[T5], Right & Left
2									COVER, Seat, Cushion (Serviced
									With Cushion Only), (NOT
									SERVICED) (Not Serviced)
3									SEAT BACK, Front
	UE64 1L5AA	1						J7	[L5], Right
	UE64 1T5AA	1						J7	[T5], Right
	UE65 1L5AA	1						J7	[L5], Left
	UE65 1T5AA	1						J7	[T5], Left
	UE82 1L5AA	1						K5	[L5], Right
	UE82 1T5AA	1						K5	[T5], Right
	UE83 1L5AA	1						K5	[L5], Left
	UE83 1T5AA	1						K5	[T5], Left
4									COVER, Seat Back, Serviced With
									Seat Back Only, (NOT SERVICED
									(Not Serviced)
5									ARMREST, Seat
	UD74 2L5AA	1						J7	[L5], Right
	UD74 2T5AA	1						J7	[T5], Right
	UD75 1L5AA	1						J7	[L5], Left
	UD75 1T5AA	1						J7	[T5], Left
	MW08 1L5	1						K5	[L5], Right
	MW08 1T5	1						K5	[T5], Right
	MW09 1L5	1						K5	[L5], Left
	MW09 1T5	1						K5	[T5], Left
6									HEADREST, Front
	UE66 1L5AA	1						J7	[L5]
	UE66 1T5AA	1						J7	[T5]
7									SLEEVE, Headrest
	QT98 2L5AA	1						J7	[L5], Locking
		1						K5	[L5], Locking
	QT98 2T5AA	1						J7	[T5], Locking
		1						K5	[T5], Locking
	QT99 2L5AA	1						J7	[L5], Slave Cylinder
		1						K5	[L5], Slave Cylinder
	QT99 2T5AA	1						K5	[T5], Slave Cylinder


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Seat Front - Trim Code [J7, K5] Figure IRS-515



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'									
		1						J7	[T5], Slave Cylinder
8									SEAT COMPLETE, Front
	WR80 1L5AA	1						K5	[L5], Right
	WR80 1T5AA	. 1						K5	[T5], Right
	WR81 1L5AA	1						K5	[L5], Left
	WR81 1T5AA	. 1						K5	[T5], Left
	WR82 1L5AA	1						J7	[L5], Right
	WR82 1T5AA	. 1						J7	[T5], Right
	WR83 1L5AA	1						J7	[L5], Left
	WR83 1T5AA	. 1						J7	[T5], Left
9									PANEL, Front Seat Back
	UE43 1L5AA	1						J7	[L5], With Strap
	UE43 1T5AA	1						J7	[T5], With Strap
-10	5018 961AA-	2						J7	BOLT, Seat Back Panel Attaching &
									K5 Trim Code
-11	4798 847	1						J7	REINFORCEMENT, Seat Cushion
									Frame
-12									CAP, Handle Screw Cover
	GN53 1L5	1						K5	[L5]
	GN53 1T5	1						K5	[T5]

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Seat Front - Trim Code [A7] Figure IRS-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
NOTE -	CGS = Air Bag	Side							
1		0.00							CUSHION, Front Seat
	UE58 1L5AA	1						A7	[L5], Right & Left
	UE58 1QLAA	1						A7	[QL], Right & Left
	UE58 1T5AA	1						A7	[T5], Right & Left
2									COVER, Seat, Cushion (Serviced
									With Cushion Only), (NOT
									SERVICED) (Not Serviced)
3									SEAT BACK, Front
	UE30 1L5AA	1						A7	[L5], Without [CGS], Right
	UE30 1QLAA	1						A7	[QL], Without [CGS], Right
	UE30 1T5AA	1						A7	[T5], Without [CGS], Right
	UE31 1L5AA	1						A7	[L5], Without [CGS], Left
	UE31 1QLAA	1						A7	[QL], Without [CGS], Left
	UE31 1T5AA	1						A7	[T5], Without [CGS], Left
	UE60 1L5AA	1						A7	[L5], With [CGS], Right
	UE60 1QLAA	1						A7	[QL], With [CGS], Right
	UE60 1T5AA	1						A7	[T5], With [CGS], Right
	UE61 1L5AA	1						A7	[L5], With [CGS], Left
	UE61 1QLAA	1						A7	[QL], With [CGS], Left
	UE61 1T5AA	1						A7	[T5], With [CGS], Left
4									COVER, Seat Back, Serviced With
									Seat Back Only, (NOT SERVICED
									(Not Serviced)
5									ARMREST, Seat
	UD74 1QLAA	1						A7	[QL], Right
	UD74 2L5AA	1						A7	[L5], Right
	UD74 2T5AA	1						A7	[T5], Right
	UD75 1QLAA	1						A7	[QL], Left
	UD75 2L5AA	1						A7	[L5], Left
	UD75 2T5AA	1						A7	[T5], Left
6									HEADREST, Front
	UE59 1L5AA	1						A7	[L5]
	UE59 1QLAA	1						A7	[QL]
	UE59 1T5AA	1						A7	[T5]
7									SLEEVE, Headrest
	QT98 1QLAA	1						A7	[QL],, Locking
	QT98 2L5AA	1			<u>-</u>		<u>-</u>	A7	[L5], Locking
	QT98 2T5AA	1						A7	[T5], Locking
	QT99 1QLAA	1						A7	[QL], Slave Cylinder
	QT99 2L5AA	1						A7	[L5], Slave Cylinder

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Seat Front - Trim Code [A7] Figure IRS-520



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-								
		QT99 2T5AA	1						A7	[T5], Slave Cylinder
	8									SEAT COMPLETE, Front
		WR66 1L5AA	1						A7	[L5], With [CGS], Right
		WR66 1QLAA	. 1						A7	[QL], With [CGS], Right
		WR66 1T5AA	1						A7	[T5], With [CGS], Right
		WR67 1L5AA	1						A7	[L5], With [CGS], Left
		WR67 1QLAA	. 1						A7	[QL], With [CGS], Left
		WR67 1T5AA	1						A7	[T5], With [CGS], Left
		WR88 1L5AA	1						A7	[L5], Without [CGS], Right
		WR88 1QLAA	. 1						A7	[QL], Without [CGS], Right
		WR88 1T5AA	1						A7	[T5], Without [CGS], Right
		WR89 1L5AA	1						A7	[L5], Without [CGS], Left
		WR89 1QLAA	. 1						A7	[QL], Without [CGS], Left
		WR89 1T5AA	1						A7	[T5], Without [CGS], Left
	9									PANEL, Front Seat Back
		UE43 1L5AA	1						A7	[L5], Left
		UE43 1QLAA	1						A7	[QL], Left
		UE43 1T5AA	1						A7	[T5], Left
		UE46 1L5AA	1						A7	[L5], Right
		UE46 1QLAA	1						A7	[QL], Right
_		UE46 1T5AA	1						A7	[T5], Right
	-10	5018 961AA-	2						A7	BOLT, Seat Back Panel Attaching

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Seat Front - Trim Code [CL, ML] Figure IRS-525

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: T	To Order Seet (`amplat	oo Ordor l	tom #10					
	To Order Seat C CGS = Air Bag		es Order i	tem #10					
1	CGS = All bag	Side							CUSHION, Front Seat
'	UF04 1L5AB	1						CL	[L5], Heated, Right & Left
	UF04 1QLAB	1						CL	[QL], Heated, Right & Left
	UK60 1L5AB	<u>'</u> 1						CL	[L5], Non Heated, Right & Left
	UK60 1QLAB	1						CL	[QL], Non Heated, Right & Left
0	UK60 1L5AB	1						ML	[L5], Right & Left
-2	4798 847	1						CL	REINFORCEMENT, Seat Cushion
									Frame, [CL & ML Trim Code]
3								01	COVER, Front Seat Cushion
	UK64 1L5AA	1						CL	[L5], Heated, Right & Left
	UK64 1QLAA							CL	[QL] Heated, Right & Left
	UK66 1L5AB	1						CL	[L5], Non Heated, Right & Left
	UK66 1QLAB							CL	[QL] Non Heated, Right & Left
	UK66 1L5AB	1						ML	[L5] Non Heated, Right & Left
4									SEAT BACK, Front
	UE81 1L5AC	1						CL	[L5], Heated, With [CGS], Left
	UE81 1QLAC	1						CL	[QL], Heated, With [CGS], Left
	UF02 2L5AC	1						CL	[L5], With [CGS], Right
	UF02 1QLAC	1						CL	[QL], With [CGS], Right
	UF03 1L5AA	1						CL	[L5], With [CGS], Left
	UF03 1QLAA	1						CL	[QL], With [CGS], Left
	UF06 1L5AC	1						CL	[L5], Without [CGS], Right
	UF06 1QLAC	1						CL	[QL], Without [CGS], Right
	UE80 1L5AC	1						CL	[L5], With [CGS] and Heated, Ri
	UE80 1QLAC	1						CL	[QL], With [CGS] and Heated,
									Right
	UE26 1L5AC	1						CL	[L5], Heated, Without [CGS], Rig
	UE26 1QLAC	1						CL	[QL], Heated, Without [CGS], Rig
	UE27 1L5AC	1						CL	[L5], Without [CGS], Left
	UE27 1QLAC	1						CL	[QL], Without [CGS], Left
	UE80 1L5AB	1						ML	[L5], Right
	UE81 1L5AB	1						ML	[L5], Left
5									COVER, Front Seat Back
	UE78 1L5AA	1						CL	[L5] Heated, Without [CGS], Rigi
	UE78 1QLAA	1						CL	[QL],Heated, Without [CGS], Rig
	UE79 1L5AA	1						CL	[L5] Heated, Without [CGS], Left
	UE79 1QLAA							CL	[QL],Heated, Without [CGS], Lef
	UF00 1L5AA	1						CL	[L5], Without [CGS], Right
	UF00 1QLAA	1						CL	[QL], Without [CGS], Right

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Seat Front - Trim Code [CL, ML] Figure IRS-525





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4						CI	[LE] Without [CCC] Loft
	UF01 1L5AA UF01 1QLAA	<u>1</u> 1						CL CL	[L5], Without [CGS], Left
	UF00 1L5AB								[QL], Without [CGS], Left
	UF01 1L5AB	1 1						ML	[L5], Right
6	UFUI ILSAB	'						ML	[L5], Left HEADREST
	UE77 1L5AA	1						CL	[L5]
	UE77 1QLAA	1						CL	[QL]
	UE77 1L5AA	1						ML	[L5]
7		•							ARMREST, Seat
	UD74 1QLAA	1						CL	[QL], Right
	UD74 2L5AA	1						CL	[L5], Right
	UD75 1QLAA	1						CL	[QL], Left
	UD75 2L5AA	1						CL	[L5], Left
	UD74 1L5AA	1						ML	[L5], Right
	UD75 1L5AA	1						ML	[L5], Left
8									SLEEVE, Headrest
	QT98 1QLAA	1						CL	[QL], Locking
	QT98 1L5AA	1						CL	[L5], Locking
		1						ML	[L5], Locking
	QT99 1QLAA	1						CL	[QL], Slave Cylinder
	QT99 1L5AA	1						CL	[L5], Slave Cylinder
		1						ML	[L5], Slave Cylinder
9									HANDLE, Seat Back, Serviced Wi
									Seat Back Only, (NOT SERVICE
									(Not Serviced)
10									SEAT COMPLETE, Front
	WR91 1L5AA	1						CL	[L5], Heated, Without [CGS], Le
									Power
	WR91 1QLAA	. 1						CL	[QL], Heated, Without [CGS], Le
									Power
	WR93 1L5AA	1						CL	[L5], Without, [CGS], Left,Power
	WR93 1QLAA	. 1						CL	[QL], Without, [CGS], Left,Powe
	WR73 1L5AA	1						CL	[L5], Heated, With [CGS], Left,
									Power
	WR73 1QLAA	. 1						CL	[QL], Heated, With [CGS], Left, Power
	WR69 1L5AA	1						CL	[L5], With [CGS], Left,Power
	WR69 1QLAA	. 1						CL	[QL], With [CGS], Left,Power
	WR84 1L5AA	1						CL	[L5], Without [CGS], Right,Manu
	WR84 1QLAA	. 1						CL	[QL], Without [CGS], Right,Manu
	WR72 1L5AA	1						CL	[L5], With, [CGS], Right,Manual

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm






Seat Front - Trim Code [CL, ML] Figure IRS-525



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WR72 1QLAA	. 1						CL	[QL], With, [CGS], Right, Manual
	WR90 1L5AA	1						CL	[L5], Without [CGS], Right,Power
	WR90 1QLAA	. 1						CL	[QL], Without [CGS], Right,Power
	WR92 1L5AA	1						CL	[L5], Heated, Without [CGS], Right,
									Power
	WR92 1QLAA	. 1						CL	[QL], Heated, Without [CGS], Right
									Power
	WR68 1L5AA	1						CL	[L5], With [CGS], Right,Power
	WR68 1QLAA	. 1						CL	[QL], With [CGS], Right,Power
	WR64 1L5AA	1						CL	[L5], Heated, With [CGS], Right,
									Power
	WR64 1QLAA	. 1						CL	[QL], Heated, With [CGS], Right,
									Power
	WR69 1L5AA	1						ML	[L5], With [CGS], Left,Power
	WR72 1L5AA	1						ML	[L5], With, [CGS], Right,Manual
	WR84 1L5AA	1						ML	[L5], Without [CGS], Right, Manual
	WR93 1L5AA	1						ML	[L5], Without, [CGS], Left,Power
11									PANEL, Front Seat Back
	UE43 1L5AA	1						CL	[L5], Without Map Pocket, Left
	UE43 1QLAA	1						CL	[QL], Without Map Pocket, Left
	UE46 1L5AA	1						CL	[L5], With Map Pocket, Right
	UE46 1QLAA	1						CL	[QL], With Map Pocket, Right
	UE43 1L5AA	1						ML	[L5], Without Map Pocket, Left
	UE46 1L5AA	1						ML	[L5], With Map Pocket, Right
-12									BOLT
	5018 961AA-	2						CL	Seat Back Panel Attaching
		2						ML	Seat Back Panel Attaching
-13									PAD, Heater
	5080 876AA-	1						CL	Seat Cushion, Right & Left
	5080 877AA-	1						CL	Seat Back, Right & Left



L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Seat Front - Trim Code [DL] Figure IRS-530

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	To Order Seat C		es Order It	em #10					
	CGS = Air Bag	Side							CLICLION, Front Coot
1	11504 41 5 4 4	4						DI	CUSHION, Front Seat
	UE91 1L5AA	1						DL	[L5], Non Heated, Right & Left,
	11504 401 44							DI	Power
	UE91 1QLAA	1						DL	[QL] Non Heated, Right & Left,
	11000 41 54 4							ы	Power
	UN00 1L5AA	1						DL	[L5], Heated, Right
	UN00 1QLAA	1						DL	[QL] Heated, Right
	UN01 1L5AA	1						DL	[L5], Heated, Left
0	UN01 1QLAA	1						DL	[QL] Heated, Left
2	11000 41 54 4							ы	COVER, Front Seat Cushion
	UD93 1L5AA	1						DL	[L5] Heated, Right & Left
	UD93 1QLAA	1						DL	[QL], Heated, Right & Left
	UK61 1L5AA	1						DL	[L5], Non Heated, Right & Left
2	UK61 1QLAA	1						DL	[QL], Non Heated, Right & Left
3	UE28 1L5AA							DL	SEAT BACK, Front [L5], Heated, Right, Power
	UE28 1QLAA	1							
		1						DL	[QL], Heated, Right, Power
	UE29 1L5AA	1						DL	[L5], Heated, Left, Power
	UE29 1QLAA	1						DL	[QL], Heated, Left,Power
	UE32 1L5AA	1						DL	[L5], Non Heated, Right, Power
	UE32 1QLAA	1						DL	[QL], Non Heated, Right, Power
	UE33 1L5AA	1						DL	[L5], Non Heated, Left, Power
	UE33 1QLAA	1						DL	[QL], Non Heated, Left,Power
4									COVER, Front Seat Back, (NOT
_									SERVICED) (Not Serviced)
5	11577 41 5 4 4	4						ы	HEADREST
	UE77 1L5AA	1						DL	[L5]
0	UE77 1QLAA	1						DL	[QL]
6	11074 401 44	4						ы	ARMREST, Seat
	UD74 1QLAA	1						DL	[QL], Right
	UD74 2L5AA	1						DL	[L5], Right
	UD75 1QLAA	1						DL	[QL], Left
7	UD75 2L5AA	1						DL	[L5], Left
7	OT00 4OL 4 4	4						Di	SLEEVE, Headrest
	QT98 1QLAA	1						DL	[QL], Locking
	QT98 2L5AA	1						DL	[L5], Locking
	QT99 1QLAA	1						DL	[QL], Slave Cylinder
	QT99 2L5AA	1						DL	[L5], Slave Cylinder

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Seat Front - Trim Code [DL] Figure IRS-530

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8									HANDLE, Seat Back, Serviced With
									Item 10, (NOT SERVICED) (Not
									Serviced)
9									SEAT COMPLETE, Front
	WR70 1L5AA	1						DL	[L5], Heated, Right,Power
	WR70 1QLAA	\ 1						DL	[QL], Heated, Right,Power
	WR71 1L5AA	1						DL	[L5], Heated, Left,Power
	WR71 1QLAA	\ 1						DL	[QL], Heated, Left,Power
	WR78 1L5AA	1						DL	[L5], Non Heated, Right,Power
	WR78 1QLAA	\ 1						DL	[QL], Non Heated, Right,Power
	WR79 1L5AA	1						DL	[L5], Non Heated, Left,Power
	WR79 1QLAA	\ 1						DL	[QL], Non Heated, Left,Power
10									PANEL, Front Seat Back
	UE46 1L5AA	1						DL	[L5], Right & Left
	UE46 1QLAA	1						DL	[QL], Right & Left
-11	5018 961AA-	2						DL	BOLT, Seat Back Panel Attaching
-12	5080 875AA-	1						DL	PAD, Heater




DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



























	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1									SCREW, Tress Head, #8x.5
	4856 025	1						DL	SCILLW, Hess Head, #6x.5
	4000 020	1						CL	
		1						A7	
		1						J7	
-		1						E7	
		1						K5	
		12						L5	
-2									HANDLE, Lumbar
	5003 208AA-	1						DL	·
		1						E7	
		1						A7	
		1						CL	
3									KNOB, Power Seat Switch
	4685 381	1						DL	Left
		1						E7	Left
		1						A7	Left
'		1						CL	Left
	4685 382	1						DL	Right
		1						CL	Right
4									KNOB
	4685 380	1						CL	
		1						DL	
5									SWITCH, Seat, Power Seat, For
									Parts See Electrical Group 8, (NOT
									REQUIRED)
6									SHIELD SIDE, Seat
	UD78 1L5AA	1						CL	Right,Outboard,Power
	11570 11 54 4	1						DL	Right,Outboard,Power
	UD79 1L5AA	1						CL	Right,Inboard,Power
_		1						NL	Right,Inboard,Power
7	11500 41 54 4								SHIELD SIDE, Seat
	UE23 1L5AA	1						E7	[L5], Left,Outboard,Power
		1						A7	[L5], Left,Outboard,Power
		1						CL	[L5], Left,Outboard,Power
	11522 401 44	1						NL Ez	[L5], Left,Outboard,Power
-	UE23 1QLAA	1						E7 A7	[QL], Left,Outboard,Power [QL], Left,Outboard,Power
		1						CL	[QL], Left,Outboard,Power
	UE23 1T5AA							E7	
	UEZS IIDAA	1							[T5], Left,Outboard,Power
		1						A7	[T5], Left,Outboard,Power

AR = Use as required -= Non illustrated part # = New this model year

E = EC




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UE24 1L5AA	1						E7	[L5], Left,Inboard,Power
		1						A7	[L5], Left,Inboard,Power
		1						CL	[L5], Left,Inboard,Power
		1						NL	[L5], Left,Inboard,Power
		1						DL	[L5], Left,Inboard,Power
	UE24 1QLAA	1						E7	[QL], Left,Inboard,Power
		1						A7	[QL], Left,Inboard,Power
		1						CL	[QL], Left,Inboard,Power
	UE24 1T5AA	1						E7	[T5], Left,Inboard,Power
		1						A7	[T5], Left,Inboard,Power
8									COVER, Front Power Seat Adjuster
	WA83 1T5AA	1						E7	[T5]
	WA83 1L5AA	1						DL	[L5]
		1						E7	[L5]
		1						CL	[L5]
		1						NL	[L5]
	WA83 1QLAA	. 1						CL	[QL]
		1						DL	[QL]
		1						E7	[QL]
9									BOLT
	5016 506AA	1						CL	
		1						A7	
		1						J7	
		1						E7	
		1						K5	
		1						DL	
40	0504.000	1						L5	NUT 11 51 NAC 4 75
10	6501 269	8							NUT, Hex Flange, M12x1.75
11	5018 882AA							DI	ADJUSTER, Power Seat
	3010 00ZAA	1						DL	8-Way, Right
		1						CL NL	8-Way, Right
	5018 883AA	1						E7	8-Way, Right
	5016 663AA	1						A7	8-Way Without Memory, Left 8-Way Without Memory, Left
		1						CL	-
		1						NL	8-Way Without Memory, Left 8-Way Without Memory, Left
	5018 885AA	1						DL	8-Way With Memory, Left
12	JU10 000AA	ı						DL	COVER, Front Power Seat Adjuster
14	UD84 1L5AA	1						DL	[L5], Lower, Right
	SDOT ILOMA	1						CL	[L5], Lower,Right
		1						NL	[L5], Lower,Right
		ı						INL	[LO], LOWEL, RIGHT

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						A7	[L5], Lower,Right
	UD84 1QLAA	1						DL	[QL], Lower,Right
		1						CL	[QL], Lower,Right
		1						A7	[QL], Lower,Right
	UD84 1T5AA	1						A7	[T5], Lower,Right
	UD85 1L5AA	1						DL	[L5], Lower,Left
		1						E7	[L5], Lower,Left
		1						A7	[L5], Lower,Left
		1						CL	[L5], Lower,Left
	UD85 1QLAA	1						E7	[QL], Lower,Left
		1						A7	[QL], Lower,Left
		1						CL	[QL], Lower,Left
	UD85 1T5AA	1						E7	[T5], Lower,Left
		1						A7	[T5], Lower,Left
-13									RECLINER, Seat Back
	5073 212AA-	1						E7	Dual - Recliner, Right
		1						A7	Dual - Recliner, Right
		1						CL	Dual - Recliner, Right
		1						NL	Dual - Recliner, Right
		1						J7	Dual - Recliner, Right
	5073 213AA-	1						E7	Dual - Recliner, Left
		1						J7	Dual - Recliner, Left
	5073 214AA-	1						K5	Right
	5073 215AA-	1						K5	Left

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Rear Seat, 2-Passenger Trim Code [E7, J7, L5,H5] Figure IRS-610

PART

4	2 3	5 6
	13	
16	9 7 8	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							-		
1									CUSHION, Rear Seat, Two
									Passenger
	UE02 1QLAA	1						E7	[QL]
	UE02 2L5AA	1						E7	[L5]
	UE02 2T5AA	1						E7	[T5]
	UE95 1QLAA	1						E7	[QL], Highline With Child Seat
	UE95 2L5AA	1						E7	[L5], Highline With Child Seat
	UE95 2T5AA	1						E7	[T5], Highline With Child Seat
	UE67 2L5AA	1						J7	[L5]
	UE67 2T5AA	1						J7	[T5]
	UG11 2L5AA	1						J7	[L5], Lowline With Child Seat
	UG11 2T5AA	1						J7	[T5], Lowline With Child Seat
	UE02 1L5AA	1						L5	[L5]
	UE02 1QLAA	1						L5	[QL]
	UE02 1T5AA	1						L5	[T5]
	UE95 1L5AA	1						L5	[L5], Highline With Child Seat
	UE95 1QLAA							L5	[QL], Highline With Child Seat
	UE95 1T5AA	1						L5	[T5], Highline With Child Seat
	UE02 1L5AA	1						H5	[L5]
	UE02 1T5AB	1						H5	[T5]
2									SEAT BACK, Rear, 2 Passenger
	UE68 2L5AA	1						J7	[L5]
	UE68 2T5AA	1						J7	[T5]
	UE04 1L5AB	1						E7	[L5]
		1						L5	[L5]
	UE04 1QLAB	1						E7	[QL]
		1						L5	[QL]
	UE04 1T5AB	1						E7	[T5]
		1						L5	[T5]
	UE04 1L5AA	1						H5	[L5]
	UE04 1T5AA	1						H5	[T5]
3	11500 41 545								SEAT BACK, Rear, w/Child Seat
	UE03 1L5AB	1						E7	[L5]
	LIE00 : 0: :=	1						L5	[L5]
	UE03 1QLAB							E7	[QL]
	1,500 47545	1						L5	[QL]
	UE03 1T5AB	1						E7	[T5]
	11500 41 545	1						L5	[T5]
	UE69 1L5AB	1						J7	[L5]
	UE69 1T5AB	1						J7	[T5]
	UE03 1L5AA	1						H5	[L5]

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Rear Seat, 2-Passenger Trim Code [E7, J7, L5,H5] Figure IRS-610



UE03 1T5AA 1	
ARMREST, Seat	
ARMREST, Seat	
ARMREST, Seat	
MW09 1L5 1 E7 [L5], Right 1 L5 [L5], Right MW09 1QL 1 E7 [QL], Right MW09 1T5 1 L5 [QL], Right MW09 1T5 1 L5 [T5], Right MW09 1L5 1 J7 [T5], Right MW09 1T5 1 H5 [L5], Right MW09 1T5 1 H5 [T5], Right MW09 1T5 1 H5 [T5], Right MEADREST, Rear HEADREST, Rear UE05 1QLAA 1 E7 [L5] UE05 2L5AA 1 E7 [L5] UE05 1QLAA 1 E7 [L5] UE05 2L5AA 1 E7 [L5] UE06 1QLAA 1 E7 [L5] UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE75 2L5AA 1 J7 [L5] UE75 2T5AA 1 J7 [T5] TR16 2L5AA 1 J7 [T5]	
1	
1 J7 [L5], Right MW09 1QL 1 E7 [QL], Right L5 [QL], Right MW09 1T5 1 E7 [T5], Right L5 [T5], Right MW09 1L5 1 H5 [L5], Right MW09 1T5 1 H5 [T5], Right MW09 1T5 1 H5 [T5], Right MW09 1T5 1 H5 [T5], Right MU05 2L5AA 1 E7 [QL] UE05 2L5AA 1 E7 [L5] UE06 1QLAA 1 E7 [T5] UE06 1QLAA 1 E7 [QL], With Child Seat UE06 2L5AA 1 E7 [T5], With Child Seat UE06 2T5AA 1 E7 [T5], With Child Seat UE06 2T5AA 1 J7 [L5] UE75 2L5AA 1 J7 [L5] TR16 2L5AA 1 J7 [T5], With Child Seat TR16 2L5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
MW09 1QL 1 E7 [QL], Right 1 L5 [QL], Right MW09 1T5 1 E7 [T5], Right 1 L5 [T5], Right MW09 1L5 1 H5 [L5], Right MW09 1T5 1 H5 [T5], Right MW09 1T5 1 H5 [T5], Right HEADREST, Rear HEADREST, Rear UE05 1QLAA 1 E7 [L5] UE05 2L5AA 1 E7 [L5] UE05 2T5AA 1 E7 [T5] UE06 1QLAA 1 E7 [CL], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2T5AA 1 E7 [T5], With Child Seat UE75 2L5AA 1 J7 [L5] UE75 2T5AA 1 J7 [T5] TR16 2L5AA 1 J7 [L5], With Child Seat UE05 1L5AA 2 L5 [L5]	
MW09 1T5 1 L5 [QL], Right 1 L5 [T5], Right 1 J7 [T5], Right MW09 1L5 1 H5 [L5], Right MW09 1T5 1 H5 [T5], Right MW09 1T5 1 H5 [T5], Right HEADREST, Rear HEADREST, Rear UE05 1QLAA 1 E7 [QL] UE05 2T5AA 1 E7 [T5] UE06 1QLAA 1 E7 [QL], With Child Seat UE06 2T5AA 1 E7 [L5], With Child Seat UE75 2L5AA 1 J7 [L5] UE75 2T5AA 1 J7 [L5] TR16 2L5AA 1 J7 [L5], With Child Seat TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
MW09 1T5 1 E7 [T5], Right 1 J7 [T5], Right MW09 1L5 1 H5 [L5], Right MW09 1T5 1 H5 [T5], Right MW09 1T5 1 H5 [L5], Right MW09 1T5 1 H5 [L5], Right MW09 1T5 1 H5 [L5] [L5] WEADREST, Rear E7 [L5] [UL] [UL	
1 J7 [T5], Right MW09 1L5 1 H5 [L5], Right MW09 1T5 1 H5 [T5], Right HEADREST, Rear UE05 1QLAA 1 E7 [QL] UE05 2L5AA 1 E7 [L5] UE06 1QLAA 1 E7 [QL], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2L5AA 1 E7 [T5], With Child Seat UE06 2T5AA 1 E7 [T5], With Child Seat UE75 2L5AA 1 J7 [L5] UE75 2T5AA 1 J7 [L5] TR16 2L5AA 1 J7 [T5], With Child Seat TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
MW09 1L5 1 H5 [L5], Right MW09 1T5 1 H5 [T5], Right HEADREST, Rear UE05 1QLAA 1 E7 [QL] UE05 2L5AA 1 E7 [L5] UE06 1QLAA 1 E7 [QL], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2T5AA 1 E7 [T5], With Child Seat UE75 2L5AA 1 J7 [L5] TR16 2L5AA 1 J7 [L5], With Child Seat TR16 2L5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
MW09 1T5 1 H5 [T5], Right HEADREST, Rear 5 HEADREST, Rear UE05 1QLAA 1 E7 [QL] UE05 2T5AA 1 E7 [T5] UE06 1QLAA 1 E7 [QL], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2T5AA 1 E7 [T5], With Child Seat UE75 2L5AA 1 J7 [L5] TR16 2L5AA 1 J7 [T5] TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
HEADREST, Rear UE05 1QLAA 1 E7 [QL] UE05 2L5AA 1 E7 [L5] UE05 2T5AA 1 E7 [T5] UE06 1QLAA 1 E7 [QL], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2T5AA 1 E7 [T5], With Child Seat UE75 2L5AA 1 J7 [L5] UE75 2T5AA 1 J7 [T5] TR16 2L5AA 1 J7 [L5], With Child Seat TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
UE05 1QLAA 1 E7 [QL] UE05 2L5AA 1 E7 [L5] UE05 2T5AA 1 E7 [T5] UE06 1QLAA 1 E7 [QL], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2T5AA 1 J7 [L5] UE75 2L5AA 1 J7 [T5] TR16 2L5AA 1 J7 [L5], With Child Seat TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
UE05 2L5AA 1 E7 [L5] UE05 2T5AA 1 E7 [T5] UE06 1QLAA 1 E7 [QL], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2T5AA 1 E7 [T5], With Child Seat UE75 2L5AA 1 J7 [L5] TR16 2L5AA 1 J7 [L5], With Child Seat TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
UE05 2T5AA 1 E7 [T5] UE06 1QLAA 1 E7 [QL], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2T5AA 1 E7 [T5], With Child Seat UE75 2L5AA 1 J7 [L5] TR16 2L5AA 1 J7 [L5], With Child Seat TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
UE06 1QLAA 1 E7 [QL], With Child Seat UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2T5AA 1 E7 [T5], With Child Seat UE75 2L5AA 1 J7 [L5] UE75 2T5AA 1 J7 [T5] TR16 2L5AA 1 J7 [L5], With Child Seat TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
UE06 2L5AA 1 E7 [L5], With Child Seat UE06 2T5AA 1 E7 [T5], With Child Seat UE75 2L5AA 1 J7 [L5] UE75 2T5AA 1 J7 [T5] TR16 2L5AA 1 J7 [L5], With Child Seat TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
UE06 2T5AA 1	
UE75 2L5AA 1	
UE75 2T5AA 1 J7 [T5] TR16 2L5AA 1 J7 [L5], With Child Seat TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
TR16 2L5AA 1 J7 [L5], With Child Seat TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
TR16 2T5AA 1 J7 [T5], With Child Seat UE05 1L5AA 2 L5 [L5]	
UE05 1L5AA 2 L5 [L5]	
•	
UE05 1QLAA 2 L5 [QL] UE05 1T5AA 2 L5 [T5]	
UE06 1L5AA 1 L5 [L5], With Child Seat	
UE06 1QLAA 1 L5 [QL], With Child Seat	
UE06 1T5AA 1 L5 [T5], With Child Seat	
UE05 1L5AA 1 H5 [L5]	
UE05 1T5AA 1 H5 [T5]	
UE06 1L5AA 1 H5 [L5], With Child Seat	
UE06 1T5AA 1 H5 [T5], With Child Seat	
6 SLEEVE, Headrest	
QT98 1L5AA 1 E7 [L5], Locking	
QT98 1QLAA 1 E7 [QL], Locking	
QT98 1T5AA 1 E7 [T5], Locking	
QT98 1L5AA 1 J7 [L5], Locking	
QT98 1T5AA 1 J7 [T5], Locking	
QT98 1L5AA 1 L5 [L5], Locking	
QT98 1QLAA 1 L5 [QL], Locking	

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



Rear Seat, 2-Passenger Trim Code [E7, J7, L5,H5] Figure IRS-610



98 1T5AA 99 1L5AA 99 1CAA 99 1T5AA 99 1L5AA 99 1L5AA 99 1L5AA 99 1CAA	1 1 1 1 1 2 1 1 1 1	LINE	SERIES	BODY	ENGINE	TRANS	L5 E7 E7 E7 J7 J7 L5 L5	[T5], Locking [L5], Slave Cylinder [QL], Slave Cylinder [T5], Slave Cylinder [L5], Slave Cylinder [T5], Slave Cylinder [T5], Slave Cylinder [L5], Slave Cylinder [L5], Slave Cylinder
99 1L5AA 99 1QLAA 99 1T5AA 99 1L5AA 99 1L5AA 99 1L5AA 99 1T5AA 98 1L5AA 98 1T5AA 99 1T5AA	1 1 1 1 2 1 1 1 1						E7 E7 E7 J7 J7 L5 L5	[L5], Slave Cylinder [QL], Slave Cylinder [T5], Slave Cylinder [L5], Slave Cylinder [T5], Slave Cylinder [L5], Slave Cylinder [QL], Slave Cylinder
99 1L5AA 99 1QLAA 99 1T5AA 99 1L5AA 99 1L5AA 99 1L5AA 99 1T5AA 98 1L5AA 98 1T5AA 99 1T5AA	1 1 1 1 2 1 1 1 1						E7 E7 E7 J7 J7 L5 L5	[L5], Slave Cylinder [QL], Slave Cylinder [T5], Slave Cylinder [L5], Slave Cylinder [T5], Slave Cylinder [L5], Slave Cylinder [QL], Slave Cylinder
99 1QLAA 99 1T5AA 99 1L5AA 99 1L5AA 99 1L5AA 99 1QLAA 99 1T5AA 98 1L5AA 99 1L5AA 99 1L5AA	1 1 1 2 1 1 1 1						E7 E7 J7 J7 L5 L5	[QL], Slave Cylinder [T5], Slave Cylinder [L5], Slave Cylinder [T5], Slave Cylinder [L5], Slave Cylinder [QL], Slave Cylinder
99 1T5AA 99 1L5AA 99 1L5AA 99 1L5AA 99 1T5AA 98 1L5AA 98 1T5AA 99 1L5AA	1 1 2 1 1 1 1						E7 J7 J7 L5 L5	[T5], Slave Cylinder[L5], Slave Cylinder[T5], Slave Cylinder[L5], Slave Cylinder[QL], Slave Cylinder
99 1L5AA 99 1T5AA 99 1L5AA 99 1QLAA 99 1T5AA 98 1L5AA 99 1L5AA 99 1T5AA	1 2 1 1 1 1						J7 J7 L5 L5	[L5], Slave Cylinder [T5], Slave Cylinder [L5], Slave Cylinder [QL], Slave Cylinder
99 1T5AA 99 1L5AA 99 1QLAA 99 1T5AA 98 1L5AA 98 1T5AA 99 1L5AA	1 2 1 1 1 1						J7 L5 L5	[T5], Slave Cylinder [L5], Slave Cylinder [QL], Slave Cylinder
99 1L5AA 99 1QLAA 99 1T5AA 98 1L5AA 98 1T5AA 99 1L5AA	2 1 1 1 1 1						L5 L5	[L5], Slave Cylinder [QL], Slave Cylinder
99 1QLAA 99 1T5AA 98 1L5AA 98 1T5AA 99 1L5AA	1 1 1 1						L5	[QL], Slave Cylinder
99 1T5AA 98 1L5AA 98 1T5AA 99 1L5AA 99 1T5AA	1 1 1 1							
98 1L5AA 98 1T5AA 99 1L5AA 99 1T5AA	1 1 1						L5	ITEL Slave Cylinder
98 1T5AA 99 1L5AA 99 1T5AA	1 1						H5	[T5], Slave Cylinder
99 1L5AA 99 1T5AA	1						нэ Н5	[L5],, Locking [T5], Locking
99 1T5AA							нэ Н5	[L5], Clave Cylinder
							нэ Н5	
150 41 5	'						по	[T5], Slave Cylinder PLUG, Armrest
	1						17	[L5]
								[T5]
								[L5]
								[QL]
								[T5]
								[L5]
								[QL]
								[T5]
								[L5]
150 115	1						нэ	[T5]
22.207							17	SCREW, Pan Head, M8x1.25x41.5
03 287								Armrest Attaching
	'						⊏/	Armrest Attaching
20.004	4						17	WASHER, Wave, .520x.745
32 234								Armrest Armrest
	-							
								Armrest
	1						нэ	SCDEW Special Head Mov4
								SCREW, Special Head, M8x1. 25x32.5
22.200	4						17	
JS 200								Armrest
	1						⊏/	Armrest
								SUPPORT, Armrest, Serviced In
								Seat Back Only, (NOT SERVICEI
								(Not Serviced)
								SEAT COMPLETE, Rear, Two Passenger
	150 1L5 150 1T5 150 1L5 150 1QL 150 1L5 150 1QL 150 1T5 150 1L5 150 1T5 150 1T5 152 234	150 1T5 1 150 1L5 1 150 1QL 1 150 1L5 1 150 1L5 1 150 1QL 1 150 1T5 1	150 1T5	150 1T5				

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



Rear Seat, 2-Passenger Trim Code [E7, J7, L5,H5] Figure IRS-610

4	2 3	5 6
	12	11 (11)
14) (16)	(13) (9) (8) (8)	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WR98 1L5AA	1						E7	[L5]
	WR98 1QLAA	1						E7	[QL]
	WR98 1T5AA	1						E7	[T5]
	WS04 1L5AA	1						J7	[L5]
	WS04 1T5AA	1						J7	[T5]
	WR98 1L5AA	1						L5	[L5]
	WR98 1QLAA	1						L5	[QL]
	WR98 1T5AA	1						L5	[T5]
13									SEAT COMPLETE, Rear, Two
									Passenger Child Seat
	WR99 1L5AA	1						E7	[L5]
	WR99 1QLAA	1						E7	[QL]
	WR99 1T5AA	1						E7	[T5]
	WS09 1L5AA	1						J7	[L5]
	WS09 1T5AA	1						J7	[T5]
	WR99 1L5AA	1						L5	[L5]
	WR99 1QLAA	1						L5	[QL]
	WR99 1T5AA	1						L5	[T5]
14									FACE PLATE, Cupholder
	5003 199AA	1						J7	·
		1						E7	
		1						L5	
		1						H5	
15									DRAWER, Cupholder
	5003 198AA	1						J7	•
		1						E7	
		1						L5	
		1						H5	
16		•							HOUSING, Cup Holder
	5003 185AA	1						J7	, cape.ac.
		1						E7	
		1						L5	
		1						H5	
-17		<u>'</u>						110	MODULE, Child Seat Complete
.,	UE07 2T5AA-	1						E7	[T5]
	UE07 2L5AA-	1						E7	[L5]
	UE07 1QLAA-							E7	[QL]
	UE07 1L5AA-	2						L5	[L5]
	UE07 1QLAA-							L5 L5	[L5] [QL]
	UE07 1T5AA-							L5 L5	
-18	5010 302AA-	2 8							[T5] BOLT, Hex Head
	OUTU SUZAA-	Ø						E7	DOLI, HEX HEAD

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



Rear Seat,

SL75 1L5AA- 2 E7 [L5] SL75 1T5AA- 2 E7 [T5] E7	SL75 1L5AA- 2 E7 [L5] SL75 1QLAA- 2 E7 [QL]	SL75 1L5AA- 2 E7 [L5] SL75 1QLAA- 2 E7 [QL]	SL75 1L5AA- 2 E7 [L5] SL75 1QLAA- 2 E7 [QL]	SL75 1L5AA- 2 E7 [L5] SL75 1QLAA- 2 E7 [QL]	SL75 1L5AA- 2 E7 [L5] SL75 1QLAA- 2 E7 [QL]
SL75 1QLAA- 2 E7 [QL]	SL75 1QLAA- 2 E7 [QL]	SL75 1QLAA- 2 E7 [QL]	SL75 1QLAA- 2 E7 [QL]	SL75 1QLAA- 2 E7 [QL]	SL75 1QLAA- 2 E7 [QL]
SL75 1QLAA- 2 E7 [QL]	SL75 1QLAA- 2 E7 [QL]	SL75 1QLAA- 2 E7 [QL]	SL75 1QLAA- 2 E7 [QL]	SL75 1QLAA- 2 E7 [QL]	SL75 1QLAA- 2 E7 [QL]
== [:-]					



DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Rear Seat, 2- Passenger Trim Code [K5] Figure IRS-615

4	2 3	5
	12	(11)
15	(13) (9) (8) (8)	

		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									CUSHION, Rear Seat, Two
										Passenger
		UE67 2L5AA	1						K5	[L5]
		UE67 2T5AA	1						K5	[T5]
		UG11 2L5AA	1						K5	[L5], With Child Seat
		UG11 2T5AA	1						K5	[T5], With Child Seat
	2									SEAT BACK, Rear, 2 Passenger
		UE68 2L5AA	1						K5	[L5]
_		UE68 2T5AA	1						K5	[T5]
	3									SEAT BACK, Rear, w/Child Seat
		UE69 2L5AB	1						K5	[L5]
		UE69 2T5AB	1						K5	[T5]
_	4									ARMREST, Seat
		MW09 1L5	1						K5	[L5], Right
	_	MW09 1T5	1						K5	[T5], Right
	5	TD 40 01 54 4							1.4=	HEADREST, Rear
_		TR16 2L5AA	1						K5	[L5], With Child Seat
		TR16 2T5AA	1						K5	[T5], With Child Seat
		UE75 2L5AA	1						K5	[L5]
	6	UE75 2T5AA	1						K5	[T5] SLEEVE, Headrest
_		QT98 1L5AA	1						K5	[L5], Slave Cylinder
		QT98 1L5AA	1						K5	[T5], Locking
		QT99 2T5AA	1						K5	[T5], Slave Cylinder
		QT99 1L5AA	2						K5	[L5], Locking
_	7	Q100 120701								PLUG, Armrest
		WU50 1L5	1						K5	[L5]
		WU50 1T5	1						K5	[T5]
	8	6503 287	1						K5	SCREW, Pan Head, M8x1.25x41.5,
_										Armrest Attaching
	9	4882 234	1						K5	WASHER, Wave, .520x.745, Armrest
	10	6503 286	1						K5	SCREW, Special Head, M8x1.
_										25x32.5, Armrest
	11									SUPPORT, Armrest, Serviced In
										Seat Back Only, (NOT SERVICED)
										(Not Serviced)
_	12									SEAT COMPLETE, Rear, Two
										Passenger
		WS04 1L5AA							K5	[L5]
		WS04 1T5AA	1						K5	[T5]
_	13									SEAT COMPLETE, Rear, Two
										Passenger Child Seat

DODGE - CHRYSLER MINIVAN (RS) -

E = EC

SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Rear Seat, 2- Passenger Trim Code [K5] Figure IRS-615

	2 3	5
	12	(11)
14 (16)	(13) (9) (4) (8)	10

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WS09 1L5AA	1						K5	[L5]
	WS09 1T5AA	1						K5	[T5]
14	5003 199AA	1						K5	FACE PLATE, Cupholder
15	5003 198AA	1						K5	DRAWER, Cupholder
16	5003 185AA	1						K5	HOUSING, Cup Holder
-17									MODULE, Child Seat Complete
	UE72 2L5AA-	1						K5	[L5]
	UE72 2T5AA-	1						K5	[T5]

DODGE - CHRYSLER MINIVAN (RS) -

SERIES LINE L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quad Seats, Trim Code [DL] Figure IRS-620



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Quad Seat
	UF08 1QLAB	1						DL	[QL], Right
	UF08 1L5AB	1						DL	[L5], Right
	UF09 1QLAA	1						DL	[QL], Left
	UF09 2L5AA	1						DL	[L5], Left
2									COVER, Rear Seat Cushion
	UK32 1QLAB	1						DL	[QL], Right
	UK32 1L5AB	1						DL	[L5], Right
	UK33 1QLAA	1						DL	[QL], Left
	UK33 2L5AA	1						DL	[L5], Left
3									SEAT BACK, Rear Quad
	UJ83 2L5AC	1						DL	[L5], Right & Left
	UJ83 1QLAC	1						DL	[QL], Right & Left
	UJ86 2L5AC	1						DL	[L5], With Child Seat, Right
	UJ86 1QLAC	1						DL	[QL], With Child Seat, Right
	UJ86 1L5AC	1						DL	
4									COVER, Seat Back
	UF10 1QLAB	1						DL	[QL], Without Child Seat, Right &
									Left
	UF10 2L5AB	1						DL	[L5], Without Child Seat, Right &
									Left
5									ARMREST, Seat
	UD74 1QLAA	1						DL	[QL], Right Outer, Left Inner
	UD74 2L5AA	1						DL	[L5], Right Outer, Left Inner
	UD75 1QLAA	1						DL	[QL], Left Outer, Right Inner
	UD75 2L5AA	1						DL	[L5], Left Outer, Right Inner
6									HEADREST, Rear
	UF29 1QLAA	1						DL	[QL]
	UF29 2L5AA	1						DL	[L5]
7									SLEEVE, Headrest
	QT98 1QLAA	1						DL	[QL], Locking
	QT98 1L5AA	1						DL	[L5], Locking
	QT99 1QLAA	1						DL	[QL], Slave Cylinder
	QT99 1L5AA	1						DL	[L5], Slave Cylinder
8									PLUG, Armrest
	WU50 1L5	1						DL	[L5]
	WU50 1QL	1						DL	[QL]
9	6503 287	1						DL	SCREW, Pan Head, M8x1.25x41.5
10	4882 234	1						DL	WASHER, Wave, .520x.745
11	6503 286	1						DL	SCREW, Special Head, M8x1.
									25x32.5

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quad Seats, Trim Code [DL] Figure IRS-620



ITEM	NUMBER	QTY		SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			LINE	SERIES	ворт	ENGINE	IKANS	IRIW	DESCRIPTION
12									SUPPORT, Armrest, Serviced In
									Seat Back Only, (NOT SERVICED)
									(Not Serviced)
13									SEAT COMPLETE, Rear Quad
'	WS12 1L5AA	1						DL	[L5], Right
,	WS12 1QLAA	1						DL	[QL], Right
,	WS13 1L5AA	1						DL	[L5], Left
,	WS13 1QLAA	1						DL	[QL], Left
,	WS14 1L5AA	1						DL	[L5], With Child Seat, Right
,	WS14 1QLAA	1						DL	[QL], With Child Seat, Right
-14									MODULE, Child Seat Complete
1	UE87 1QLAA-	. 1						DL	[QL]
ľ	UE87 2L5AA-	1						DL	[L5]
-15									PAD, Child Seat
ľ	UX73 1QLAA-	. 1						DL	[QL]
1	UX73 2L5AA-	1						DL	[L5]

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quad Seats, Trim Code [CL ML] Figure IRS-625



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1									CUSHION, Quad Seat
<u> </u>	UE88 1QLAB	1						CL	[QL], Right
	UE88 2L5AB	1						CL	[L5], Right
	UE89 1QLAB	1						CL	[QL], Left
	UE89 2L5AB	1						CL	[L5], Left
	UE88 1L5AB	1						ML	[L5], Right
	UE89 1L5AB	1						ML	[L5], Left
2									COVER, Rear Seat Cushion
	UJ88 1QLAB	1						CL	[QL], Right
	UJ88 2L5AB	1						CL	[L5], Right
	UJ89 1QLAB	1						CL	[QL], Left
	UJ89 2L5AB	1						CL	[L5], Left
	UJ88 1L5AB	1						ML	[L5], Right
	UJ89 1L5AB	1						ML	[L5], Left
3									SEAT BACK, Rear Quad
	UE90 1QLAD	1						CL	[QL], Right & Left
	UE90 2L5AD	1						CL	[L5], Right & Left
	UE90 1L5AD	1						ML	[L5], Right & Left
4									COVER, Seat Back
	UE94 1QLAB	1						CL	[QL], Right & Left
	UE94 2L5AB	1						CL	[L5], Right & Left
	UE94 1L5AB	1						ML	[L5], Right & Left
5									ARMREST, Seat
	UD74 1QLAA	1						CL	[QL], Right Outer, Left Inner
	UD74 2L5AA	1						CL	[L5], Right Outer, Left Inner
	UD75 1QLAA	1						CL	[QL], Left Inner, Right Outer
	UD75 2L5AA	1						CL	[L5], Left Inner, Right Outer
	UD74 1L5AA	1						ML	[L5], Right Outer, Left Inner
	UD75 1L5AA	1						ML	[L5], Left Inner, Right Outer
6									HEADREST, Rear
	UF29 1QLAA	1						CL	[QL]
	UF29 2L5AA	1						CL	[L5]
	UF29 1L5AA	1						ML	[L5]
7									SLEEVE, Headrest
	QT98 1QLAA	1						CL	[QL], Locking
	QT98 1L5AA	1						CL	[L5], Locking
	QT99 1QLAA							CL	[QL], Slave Cylinder
	QT99 1L5AA	1						CL	[L5], Slave Cylinder
	QT98 1L5AA	1						ML	[L5], Locking
	QT99 1L5AA	1						ML	[L5], Slave Cylinder
8									PLUG, Armrest

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quad Seats, Trim Code [CL ML] Figure IRS-625



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WU50 1L5	1						CL	[L5]
	WU50 1QL	1						CL	[QL]
9	6503 287	1						CL	SCREW, Pan Head, M8x1.25x41.5
10									WASHER, Wave, .520x.745
	4882 234	1						CL	
		1						ML	
11	6503 286	1						CL	SCREW, Special Head, M8x1.
									25x32.5
12									SUPPORT, Armrest, Serviced In
									Seat Back Only, (NOT SERVICED
									(Not Serviced)
13									SEAT COMPLETE, Rear Quad
	WS10 1L5AA	1						CL	[L5], Right
	WS10 1QLAA	. 1						CL	[QL], Right
	WS11 1L5AA	1						CL	[L5], Left
	WS11 1QLAA	. 1						CL	[QL], Left
	WS10 1L5AA	1						ML	[L5], Right
	WS11 1L5AA	1						ML	[L5], Left

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quad Seats, Trim Code [A7] Figure IRS-630



		PART								
ITE	EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									CUSHION, Quad Seat
		UE50 1L5AB	1						A7	[L5], Right
		UE50 1QLAB	1						A7	[QL], Right
		UE50 1T5AB	1						A7	[T5], Right
		UE51 1L5AB	1						A7	[L5], Left
		UE51 1QLAB	1						A7	[QL], Left
		UE51 1T5AB	1						A7	[T5], Left
	2									SEAT BACK, Rear Quad
		UE52 1QLAC	1						A7	[QL], Right & Left
		UE52 2L5AC	1						A7	[L5], Right & Left
		UE52 2T5AC	1						A7	[T5], Right & Left
		UE53 1QLAC	1						A7	[QL], With Child Seat, Left
		UE53 2L5AC	1						A7	[L5], With Child Seat, Left
		UE53 2T5AC	1						A7	[T5], With Child Seat, Left
	3									ARMREST, Seat
		UD74 1QLAA	1						A7	[QL], Right Outer, Left Inner
		UD74 2L5AA	1						A7	[L5], Right Outer, Left Inner
		UD74 2T5AA	1						A7	[T5], Right Outer, Left Inner
		UD75 1QLAA	1						A7	[QL], Left Outer, Right Inner
		UD75 2L5AA	1						A7	[L5], Left Outer, Right Inner
		UD75 2T5AA	1						A7	[T5], Left Outer, Right Inner
	4									HEADREST, Rear
		UF26 1QLAA	1						A7	[QL]
		UF26 1L5AA	1						A7	[L5]
	5									SLEEVE, Headrest
		QT98 1QLAA	1						A7	[QL], Locking
		QT98 1L5AA	1						A7	[L5], Locking
		QT98 1T5AA	1						A7	[T5], Locking
		QT99 1QLAA	1						A7	[QL], Slave Cylinder
		QT99 1L5AA	1						A7	[L5], Slave Cylinder
		QT99 1T5AA	1						A7	[T5], Slave Cylinder
	6									PLUG, Armrest
		WU50 1L5	1						A7	[L5]
		WU50 1QL	1						A7	[QL]
		WU50 1T5	1						A7	[T5]
		6503 287	1						A7	SCREW, Pan Head, M8x1.25x41.5
		4882 234	1						A7	WASHER, Wave, .520x.745
	9	6503 286	1						A7	SCREW, Special Head, M8x1.
	_									25x32.5
1	0									SUPPORT, Armrest, Serviced In
										Seat Back Only, (NOT SERVICED)
										(Not Serviced)

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quad Seats, Trim Code [A7] Figure IRS-630

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									SEAT COMPLETE, Rear Quad
	WS06 1L5AA	2						A7	[L5], Right
	WS06 1QLAA	1						A7	[QL], Right
	WS06 1T5AA	1						A7	[T5], Right
	WS07 1L5AA	1						A7	[L5], Left
	WS07 1QLAA	1						A7	[QL], Left
	WS07 1T5AA	1						A7	[T5], Left
	WS08 1L5AA	2						A7	[L5], With Child Seat, Right
	WS08 1QLAA	2						A7	[QL], With Child Seat, Right
	WS08 1T5AA	2						A7	[T5], With Child Seat, Right
-12									MODULE, Child Seat Complete
	UE54 1QLAA-	1						A7	[QL]
	UE54 2L5AA-	1						A7	[L5]
	UE54 2T5AA-	1						A7	[T5]
-13									PAD, Child Seat
	UX73 1QLAA-	1						A7	[QL]
	UX73 2L5AA-							A7	[L5]
	UX73 2T5AA-							A7	[T5]

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm




TIEM NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM DESCRIPTION								PART	
UD88 1QLAA 1 UD88 2L5AA 1 UD88 2T5AA 1 UD89 1QLAA 1 UD89 1QLAA 1 UD89 2L5AA 1 UD89 2T5AA 1 UD89 2T5AA 1 UD89 2T5AA 1 UD89 1L5AA 1 UD88 1QLAA 1 UD88 1QLAA 1 UD88 1QLAA 1 UD88 1QLAA 1 UD88 1L5AA 1 UD88 1T5AA 1 UD89 1L5AA 1 UD89 1L5AA 1 UD89 1QLAA 1	E TRANS TRIM DESCRIP	TRANS	ENGINE	BODY	SERIES	LINE	QTY	NUMBER	ITEM
UD88 1QLAA 1 UD88 2L5AA 1 UD88 2T5AA 1 UD89 1QLAA 1 UD89 1QLAA 1 UD89 2L5AA 1 UD89 2T5AA 1 UD89 2T5AA 1 UD89 2T5AA 1 UD89 2T5AA 1 UD89 1QLAA 1 UD88 1QLAA 1 UD88 1QLAA 1 UD88 1QLAA 1 UD88 1L5AA 1 UD88 1T5AA 1 UD89 1L5AA 1 UD89 1QLAA 1			•						
UD88 1QLAA 1 UD88 2L5AA 1 UD88 2T5AA 1 UD89 1QLAA 1 UD89 1QLAA 1 UD89 2L5AA 1 UD89 2T5AA 1 UD89 2T5AA 1 UD89 2T5AA 1 UD89 1QLAA 1 UD88 1QLAA 1 UD88 1QLAA 1 UD88 1L5AA 1 UD88 1T5AA 1 UD89 1L5AA 1 UD89 1QLAA 1	CUSHION, Quad Sea								1
UD88 2L5AA 1							1	UD88 1QLAA	
UD88 2T5AA 1	1 1, 0								
UD89 1QLAA 1 E7 [QL], Left UD89 2L5AA 1 E7 [L5], Left UD89 2T5AA 1 E7 [T5], Left UD88 1QLAA 1 L5 [QL], Right UD88 1L5AA 1 L5 [L5], Right UD89 1L5AA 1 L5 [L5], Left UD89 1QLAA 1 L5 [QL], Left							1		
UD89 2L5AA 1							1		
UD89 2T5AA 1 E7 [T5], Left UD88 1QLAA 1 L5 [QL], Right UD88 1L5AA 1 L5 [L5], Right UD88 1T5AA 1 L5 [T5], Right UD89 1L5AA 1 L5 [L5], Left UD89 1QLAA 1 L5 [QL], Left							1	UD89 2L5AA	
UD88 1QLAA 1 L5 [QL], Right UD88 1L5AA 1 L5 [L5], Right UD89 1L5AA 1 L5 [T5], Right UD89 1QLAA 1 L5 [L5], Left UD89 1QLAA 1 L5 [QL], Left							1	UD89 2T5AA	
UD88 1L5AA 1 L5 [L5], Right UD88 1T5AA 1 L5 [T5], Right UD89 1L5AA 1 L5 [L5], Left UD89 1QLAA 1 L5 [QL], Left							1	UD88 1QLAA	
UD88 1T5AA 1 L5 [T5], Right UD89 1L5AA 1 L5 [L5], Left UD89 1QLAA 1 L5 [QL], Left							1	UD88 1L5AA	
UD89 1QLAA 1 L5 [QL], Left							1	UD88 1T5AA	
·	L5 [L5], Left						1	UD89 1L5AA	
UD89 1Τ5ΔΔ 1	L5 [QL], Left						1	UD89 1QLAA	
COURTIONS I	L5 [T5], Left						1	UD89 1T5AA	
UD88 1L5AA 1 H5 [L5], Right	H5 [L5], Right						1	UD88 1L5AA	
UD88 1T5AA 1 H5 [T5], Right	H5 [T5], Right						1	UD88 1T5AA	
UD89 1L5AA 1 H5 [L5], Left	H5 [L5], Left						1	UD89 1L5AA	
UD89 1T5AA 1 H5 [T5], Left	H5 [T5], Left						1	UD89 1T5AA	
2 SEAT BACK, Rear Quad	SEAT BACK, Rear Q								2
UD90 1QLAB 1 L5 [QL], Right & Left	L5 [QL], Right & Left						1	UD90 1QLAB	
UD90 1L5AA 1 L5 [L5], Right & Left	L5 [L5], Right & Left						1	UD90 1L5AA	
UD90 1T5AB 1 L5 [T5], Right & Left	L5 [T5], Right & Left						1	UD90 1T5AB	
UD90 1QLAB 1 E7 [QL], Right & Left	E7 [QL], Right & Left						1	UD90 1QLAB	
UD90 2L5AB 1 E7 [L5], Right & Left	E7 [L5], Right & Left						1	UD90 2L5AB	
UD90 2T5AB 1 E7 [T5], Right & Left	E7 [T5], Right & Left						1	UD90 2T5AB	
UD92 1QLAB 1 E7 [QL], With Child Seat, Right	E7 [QL], With Child Sea						1	UD92 1QLAB	
1 L5 [QL], With Child Seat, Right	L5 [QL], With Child Sea						1		
UD92 1T5AB 1 E7 [T5], With Child Seat, Right	E7 [T5], With Child Sea						1	UD92 1T5AB	
1 L5 [T5], With Child Seat, Right	L5 [T5], With Child Sea						1		
UD92 2L5AB 1 E7 [L5], With Child Seat, Right	E7 [L5], With Child Sea						1	UD92 2L5AB	
UD92 1L5AB 1 L5 [L5], With Child Seat, Right	L5 [L5], With Child Sea						1	UD92 1L5AB	
UD90 1L5AA 1 H5 [L5], Right & Left	H5 [L5], Right & Left						1	UD90 1L5AA	
UD90 1T5AB 1 H5 [T5], Right & Left	H5 [T5], Right & Left						1	UD90 1T5AB	
UD92 1L5AA 1 H5 [L5], With Child Seat, Right	H5 [L5], With Child Sea						1	UD92 1L5AA	
UD92 1T5AA 1 H5 [T5], With Child Seat, Right	H5 [T5], With Child Sea						1	UD92 1T5AA	
3 ARMREST, Seat	ARMREST, Seat								3
UD74 1QLAA 1 E7 [QL], Right Inner, Left Outer	E7 [QL], Right Inner, Le						1	UD74 1QLAA	
UD74 2L5AA 1 E7 [L5], Right Inner, Left Outer	E7 [L5], Right Inner, Le						1	UD74 2L5AA	
UD74 2T5AA 1 E7 [T5], Right Inner, Left Outer	E7 [T5], Right Inner, Lε			<u>-</u>		<u>-</u>	1	UD74 2T5AA	
UD75 1QLAA 1 E7 [QL], Right Outer,Left Inner	E7 [QL], Right Outer,Le						1	UD75 1QLAA	
UD75 2L5AA 1 E7 [L5], Right Outer,Left Inner	E7 [L5], Right Outer,Le						1	UD75 2L5AA	
UD75 2T5AA 1 E7 [T5], Right Outer,Left Inner	E7 [T5], Right Outer,Le						1	UD75 2T5AA	

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



		PART								
ITE	M	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ı	UD74 1L5AA	1						H5	[L5], Right Inner, Left Outer
		UD74 1T5AA	<u>'</u> 1						H5	[T5], Right Inner, Left Outer
		UD75 1L5AA	1						H5	[L5], Right Outer,Left Inner
		UD75 1T5AA	1						H5	[T5], Right Outer,Left Inner
		02.00/2.	1						L5	[T5], Right Outer,Left Inner
		UD75 1L5AA	1						L5	[L5], Right Outer,Left Inner
		UD75 1QLAA	1						L5	[QL], Right Outer,Left Inner
		UD74 1T5AA	1						L5	[T5], Right Inner, Left Outer
		UD74 1L5AA	1						L5	[L5], Right Inner, Left Outer
		UD74 1QLAA	1						L5	[QL], Right Inner, Left Outer
	4									HEADREST, Rear
		UF27 1QLAA	1						E7	[QL]
		UF27 2L5AA	1						E7	[L5]
		UF27 2T5AA	1						E7	[T5]
	1	UF27 1L5AA	1						L5	[L5]
	1	UF27 1QLAA	1						L5	[QL]
		UF27 1T5AA	1						L5	[T5]
		UF27 1L5AA	1						H5	[L5]
		UF27 1T5AA	1						H5	[T5]
	5									SLEEVE, Headrest
	(QT98 1L5AA	1						E7	[L5], Locking
	(QT98 1QLAA	1						E7	[QL], Locking
	(QT98 2T5AA	1						E7	[T5], Locking
		QT99 1L5AA	1						E7	[L5], Slave Cylinder
		QT99 1QLAA							E7	[QL], Slave Cylinder
		QT99 2T5AA	1						E7	[T5], Slave Cylinder
		QT98 1L5AA	1						L5	[L5], Locking
		QT98 1QLAA							L5	[QL], Locking
		QT98 1T5AA	2						L5	[T5], Locking
		QT99 1L5AA	1						L5	[L5], Slave Cylinder
		QT99 1QLAA							L5	[QL], Slave Cylinder
		QT99 1T5AA	1						L5	[T5], Slave Cylinder
		QT98 1L5AA	1						H5	[L5], Locking
		QT98 1T5AA	1						H5	[T5], Locking
		QT99 1L5AA	1						H5	[L5], Slave Cylinder
		QT99 1T5AA	1						H5	[T5], Slave Cylinder
	6	MUICO 41 C								PLUG, Armrest
		WU50 1L5	1						E7	[L5]
		WU50 1QL	1						E7	[QL]
		WU50 1T5	1						E7	[T5]
		WU50 1L5	1						L5	[L5]

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm







		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_								•		
		WU50 1QL	1						L5	[QL]
_		WU50 1T5	'						L5	[T5]
		WU50 115	1						H5	[L5]
		WU50 1T5	2						H5	[T5]
	7	6503 287	1						E7	SCREW, Pan Head, M8x1.25x41.5
_	8									WASHER, Wave, .520x.745
		4882 234	1						E7	,
		.002 20 .	1						L5	
			1						H5	
	9	6503 286	1						E7	SCREW, Special Head, M8x1.
	-									25x32.5
	10									SUPPORT, Armrest, Serviced In
	-									Seat Back Only, (NOT SERVICED)
_										(Not Serviced)
	11									SEAT COMPLETE, Rear Quad
		WS00 1L5AA	1						E7	[L5], Right
			1						L5	[L5], Right
		WS00 1QLAA	. 1						E7	[QL], Right
			1						L5	[QL], Right
		WS00 1T5AA	2						E7	[T5], Right
			2						L5	[T5], Right
_		WS05 1L5AA	1						E7	[L5], Left
			1						L5	[L5], Left
		WS05 1QLAA	. 1						E7	[QL], Left
			1						L5	[QL], Left
		WS05 1T5AA	1						E7	[T5], Left
			1						L5	[T5], Left
		WS16 1L5AA	1						E7	[L5], With Child Seat, Right
			1						L5	[L5], With Child Seat, Right
		WS16 1QLAA	. 1						E7	[QL], With Child Seat, Right
			1						L5	[QL], With Child Seat, Right
		WS16 1T5AA	1						E7	[T5], With Child Seat, Right
			1						L5	[T5], With Child Seat, Right
	-12									MODULE, Child Seat Complete
		UD91 1QLAA-	- 1						E7	[QL]
		UD91 2L5AA-	1						E7	[L5]
_		UD91 2T5AA-	1						E7	[T5]
		UD91 1QLAA-	- 1						L5	[QL]
		UD91 1L5AA-	1						L5	[L5]
		UD91 1T5AA-	1						L5	[T5]
_		UD91 1L5AA-	1						H5	[L5]


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





	PART								
ГЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UD91 1T5AA-	1						H5	[T5]
13									PAD, Child Seat
	UX73 1QLAA-	- 1						E7	[QL]
	UX73 2L5AA-	1						E7	[L5]
	UX73 2T5AA-	1						E7	[T5]
	UX73 1L5AA-	1						L5	[L5]
	UX73 1QLAA-	- 1						L5	[QL]
	UX73 1T5AA-	1						L5	[T5]
	SL75 1L5AA-	1						H5	[L5]
	SL75 1T5AA-	1						H5	[T5]

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HEADREST, Rear
	UE36 2L5AA	1						DL	[L5]
	UE36 1QLAA	1						DL	[QL]
	UE05 2L5AA	1						E7	[L5]
	UE05 2T5AA	1						E7	[T5]
	UE05 1QLAA	1						E7	[QL]
	UE75 2T5AA	1						J7	[T5]
	UE75 2L5AA	1						J7	[L5]
	UE75 2T5AA	1						K5	[T5]
	UE75 2L5AA	1						K5	[L5]
2									SLEEVE, Headrest, Locking
	QT98 2T5AA	1						A7	[T5]
	QT98 1L5AA	1						A7	[L5]
	QT98 1QLAA	1						A7	[QL]
	QT98 1L5AA	1						CL	[L5]
	QT98 1QLAA	1						CL	[QL]
	QT98 1L5AA	1						DL	[L5]
	QT98 1QLAA	1						DL	[QL]
	QT98 1L5AA	1						E7	[L5]
	QT98 1QLAA	1						E7	[QL]
	QT98 1T5AA	1						E7	[T5]
	QT99 2T5AA	1						J7	[T5]
	QT98 1L5AA	1						J7	[L5]
		1						K5	[L5]
	QT98 1T5AA	1						K5	[T5]
	QT98 1L5AA	1						L5	[L5]
	QT98 1QLAA	2						L5	[QL]
	QT98 1T5AA	2						L5	[T5]
	QT98 1L5AA	1						H5	[L5]
	QT98 1T5AA	1						H5	[T5]
3									SLEEVE, Headrest, Slave
	QT99 2T5AA	1						A7	[T5], Slave Cylinder
	QT99 2L5AA	1						A7	[L5], Slave Cylinder
	QT99 1QLAA	1						A7	[QL], Slave Cylinder
	QT99 2L5AA	1						CL	[L5], Slave Cylinder
	QT99 1QLAA	1						CL	[QL], Slave Cylinder
		1						DL	[QL], Slave Cylinder
	QT99 1L5AA	1						DL	[L5], Slave Cylinder
	QT99 1T5AA	1						J7	[T5], Slave Cylinder
	QT99 1L5AA	1						J7	[L5], Slave Cylinder
		1						K5	[L5], Slave Cylinder
									- • • • • • • • • • • • • • • • • • • •

DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		QT99 1T5AA	1						K5	[T5], Slave Cylinder
_		QT99 1L5AA	1						E7	[L5], Slave Cylinder
		QT99 1QLAA	1						E7	[QL], Slave Cylinder
		QT99 1T5AA	1						E7	[T5], Slave Cylinder
_		QT99 1L5AA	1						L5	[L5], Slave Cylinder
		QT99 1QLAA	1						L5	[QL], Slave Cylinder
		QT99 1T5AA	1						L5	[T5], Slave Cylinder
	4									SEAT BACK, Rear, 3 Passenger
_		UE09 1L5AB	1						E7	[L5]
		UE09 1QLAB	1						E7	[QL]
		UE09 1T5AB	1						E7	[T5]
		UE74 1L5AB	1						J7	[L5]
_		UE74 1T5AB	1						J7	[T5]
		UE74 1L5AB	1						K5	[L5]
		UE74 1T5AB	1						K5	[T5]
		UE09 1L5AB	1						L5	[L5]
_		UE09 1QLAB	1						L5	[QL]
		UE09 1T5AB	1						L5	[T5]
		UE09 1L5AA	1						H5	[L5]
		UE09 1T5AA	1						H5	[T5]
_	5									CUSHION, Rear Seat, Three
										Passenger
		UE08 2L5AB	1						E7	[L5]
		UE08 2T5AB	1						E7	[T5]
_		UE08 2L5AB	1						L5	[L5]
		UE08 2T5AB	1						L5	[T5]
		UE34 1L5AB	1						DL	[L5]
		UE34 1QLAB	1						DL	[QL]
_		UE73 2L5AB	1						J7	[L5]
		UE73 2T5AB	1						J7	[T5]
		UE73 2L5AB	1						K5	[L5]
		UE73 2T5AB	1						K5	[T5]
_		UE08 1L5AA	1						H5	[L5]
		UE08 1T5AA	1						H5	[T5]
	6									SEAT COMPLETE, Rear, Three
		10/045 41 54 4	4							Passenger
_		WS15 1L5AA	1						E7	[L5]
		WS15 1QLAA							E7	[QL]
		WS15 1T5AA							E7	[T5]
		WS15 1L5AA							L5	[L5]
_		WS15 1QLAA	. 1						L5	[QL]


DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm







		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-										
		WS15 1T5AA	1						L5	[T5]
_		WS15 1L5AA	1						<u> </u>	[L5]
		WS15 1T5AA	1						H5	[T5]
		WS17 1L5AA	1						J7	[L5]
		WS17 1T5AA	1						J7	[T5]
_		WS17 1L5AA	1						K5	[L5]
		WS17 1T5AA	1						K5	[T5]
		WS18 1L5AA	1						DL	[L5]
		WS18 1QLAA	. 1						DL	[QL]
_		WS37 1L5AA	1						H5	[L5], Used With 5 Passenger
										Seating
		WS37 1T5AA	1						H5	[T5], Used With 5 Passenger
_										Seating
		WS37 1L5AA	1						E7	[L5], Used With 5 Passenger
										Seating
		WS37 1QLAA	. 1						E7	[QL], Used With 5 Passenger
_										Seating
		WS37 1T5AA	1						E7	[T5], Used With 5 Passenger
										Seating
		WS37 1L5AA	1						L5	[L5], Used With 5 Passenger
_		14/007 401 4 4								Seating
		WS37 1QLAA	. 1						L5	[QL], Used With 5 Passenger
		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4							Seating
		WS37 1T5AA	1						L5	[T5], Used With 5 Passenger
-		WS38 1L5AA	1						J7	Seating [L5], Used With 5 Passenger
		WOOD ILDAA	'						31	Seating
		WS38 1T5AA	1						J7	[T5], Used With 5 Passenger
		W000 110/W	'						01	Seating
-		WS38 1L5AA	1						K5	[L5], Used With 5 Passenger
										Seating
		WS38 1T5AA	1						K5	[T5], Used With 5 Passenger
										Seating
_	7									HEADREST, Rear
		UE36 2L5AA	1						DL	[L5]
		UE36 1QLAA	1						DL	[QL]
	8									SEAT BACK, Rear, w/Center
_										Armrest
		UE35 1L5AC	1						DL	[L5]
		UE35 1QLAC	1						DL	[QL]
_	9									CUSHION, Rear Seat, Three
										Passenger

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm



NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM DESCRIPTION	
UE34 1QLAB 1 DL [QL] UE08 1L5AB 1 E7 [L5] UE08 1QLAB 1 E7 [QL] UE08 1T5AA 1 E7 [T5] UE73 2L5AB 1 J7 [L5] UE73 2L5AB 1 K5 [L5] UE73 2T5AB 1 K5 [T5] 10 ARMREST, Seat UE37 2L5AA 1 DL [L5] UE37 1QLAA 1 DL [QL] 11 SEAT COMPLETE, Rear, T Passenger, With Center A WS18 1L5AA 1 DL [L5] WS18 1QLAA 1 DL [QL] WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 E7 [L5] WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
UE34 1QLAB 1 DL [QL] UE08 1L5AB 1 E7 [L5] UE08 1QLAB 1 E7 [QL] UE08 1T5AA 1 E7 [T5] UE73 2L5AB 1 J7 [T5] UE73 2L5AB 1 K5 [L5] UE73 2T5AB 1 K5 [T5] 10 ARMREST, Seat UE37 2L5AA 1 DL [L5] UE37 1QLAA 1 DL [QL] 11 SEAT COMPLETE, Rear, T Passenger, With Center A WS18 1L5AA 1 DL [L5] WS18 1QLAA 1 DL [QL] WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 E7 [QL] WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
UE34 1QLAB 1 DL [QL] UE08 1L5AB 1 E7 [L5] UE08 1QLAB 1 E7 [QL] UE08 1T5AA 1 E7 [T5] UE73 2L5AB 1 J7 [T5] UE73 2L5AB 1 K5 [L5] UE73 2T5AB 1 K5 [T5] 10 ARMREST, Seat UE37 2L5AA 1 DL [L5] UE37 1QLAA 1 DL [QL] 11 SEAT COMPLETE, Rear, T Passenger, With Center A WS18 1L5AA 1 DL [L5] WS18 1QLAA 1 DL [QL] WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 E7 [QL] WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
UE08 1L5AB 1	
UE08 1QLAB 1	
UE08 1T5AA	
UE73 2L5AB 1 J7 [L5] UE73 2T5AB 1 J7 [T5] UE73 2L5AB 1 K5 [L5] UE73 2T5AB 1 K5 [T5] 10 ARMREST, Seat UE37 2L5AA 1 DL [L5] UE37 1QLAA 1 DL [QL] 11 SEAT COMPLETE, Rear, T Passenger, With Center A WS18 1L5AA 1 DL [L5] WS18 1QLAA 1 DL [QL] WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 E7 [QL] WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
UE73 2T5AB 1 J7 [T5] UE73 2L5AB 1 K5 [L5] UE73 2T5AB 1 K5 [T5] 10 ARMREST, Seat UE37 2L5AA 1 DL [L5] UE37 1QLAA 1 DL [QL] 11 SEAT COMPLETE, Rear, T Passenger, With Center A WS18 1L5AA 1 DL [L5] WS18 1QLAA 1 DL [QL] WS15 1L5AA 1 E7 [L5] WS15 1T5AA 1 E7 [QL] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
UE73 2L5AB 1 K5 [L5] UE73 2T5AB 1 K5 [T5] 10 ARMREST, Seat UE37 2L5AA 1 DL [L5] UE37 1QLAA 1 DL [QL] 11 SEAT COMPLETE, Rear, T Passenger, With Center A WS18 1L5AA 1 DL [L5] WS18 1QLAA 1 DL [QL] WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 E7 [T5] WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
UE73 2T5AB 1 K5 [T5] 10 ARMREST, Seat UE37 2L5AA 1 DL [L5] UE37 1QLAA 1 DL [QL] 11 SEAT COMPLETE, Rear, T Passenger, With Center A WS18 1L5AA 1 DL [L5] WS18 1QLAA 1 DL [QL] WS15 1L5AA 1 E7 [L5] WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
10 ARMREST, Seat UE37 2L5AA 1 UE37 1QLAA 1 DL [L5] 11 SEAT COMPLETE, Rear, T Passenger, With Center A WS18 1L5AA 1 WS18 1QLAA 1 DL [QL] WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 WS15 1T5AA 1 US17 1L5AA 1 US17 1L5AA 1 US17 1T5AA 1 US17 1T5AA 1 UF7 [T5] US17 [T5]	
UE37 2L5AA 1 DL [L5] UE37 1QLAA 1 DL [QL] 11 SEAT COMPLETE, Rear, T Passenger, With Center A WS18 1L5AA 1 DL [L5] WS18 1QLAA 1 DL [QL] WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 E7 [T5] WS15 1T5AA 1 J7 [L5] WS17 1L5AA 1 J7 [T5]	
UE37 1QLAA 1 DL [QL] SEAT COMPLETE, Rear, T Passenger, With Center A WS18 1L5AA 1 WS18 1QLAA 1 UE37 1QLAA 1 WS18 1QLAA 1 WS15 1L5AA 1 WS15 1QLAA 1 WS15 1T5AA 1 WS15 1T5AA 1 WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
SEAT COMPLETE, Rear, T Passenger, With Center A WS18 1L5AA 1 DL [L5] WS18 1QLAA 1 DL [QL] WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 E7 [QL] WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
Passenger, With Center A WS18 1L5AA 1 WS18 1QLAA 1 DL [L5] WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 E7 [QL] WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	hree
WS18 1QLAA 1 DL [QL] WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 E7 [QL] WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 E7 [QL] WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
WS15 1L5AA 1 E7 [L5] WS15 1QLAA 1 E7 [QL] WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
WS15 1T5AA 1 E7 [T5] WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
WS17 1L5AA 1 J7 [L5] WS17 1T5AA 1 J7 [T5]	
WS17 1T5AA 1 J7 [T5]	
• •	
WS17 1L5AA 1 K5 [L5]	
• •	
WS37 1QLAA 1 L5 [T5]	
12 HEADREST, Rear	
UF26 1L5AA 1 A7 [QL]	
UF26 1QLAA 1 A7 [L5]	
UF26 2T5AA 1 A7 [T5]	
UF27 1QLAA 1 E7 [QL]	
UF27 2L5AA 1 E7 [L5]	
1 E7 [T5]	
UF29 1QLAA 1 CL [QL]	
UF29 2L5AA 1 CL [L5]	
UF29 1QLAA 1 DL [QL]	
UF29 2L5AA 1 DL [L5]	
UF27 1L5AA 1 L5 [L5]	
UF27 1QLAA 1 L5 [QL]	
UF27 1T5AA 1 L5 [T5]	
13 SEAT BACK, 50/50 BENCH	, Right
UJ04 1L5AB 1 E7 [L5], Right	
UJ04 1QLAB 1 E7 [QL], Right	
UJ04 1T5AB 1 E7 [T5], Right	


DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SEH = LX, Sport P = LXI, ES

S = Limited E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm





UJ06 1QLAC 1 A7 [QL], Right UJ06 1T5AC 1 A7 [T5], Right UJ06 2L5AC 1 A7 [L5], Right	RIPTION
UJ06 1T5AC 1 A7 [T5], Right UJ06 2L5AC 1 A7 [L5], Right	
UJ06 1T5AC 1 A7 [T5], Right UJ06 2L5AC 1 A7 [L5], Right	
UJ06 1T5AC 1 A7 [T5], Right UJ06 2L5AC 1 A7 [L5], Right	
UJ06 2L5AC 1 A7 [L5], Right	
UJ00 1QLAB 1 CL [QL], Right	
UJ00 1L5AB 1 CL [L5], Right	
UJ04 1QLAB 1 L5 [QL], Right	
UJ04 1T5AB 1 L5 [T5], Right	
UJ04 1L5AB 1 L5 [L5], Right	
WM00 1L5AB 1 DL [L5], Right	
WM00 1QLAB 1 DL [QL], Right	
UJ00 1L5AC 1 ML [L5], Right	
UJ04 1L5AB 1 H5 [L5], Right	
UJ04 1T5AB 1 H5 [T5], Right	
14 SEAT BACK, 50/50	0 BENCH, Left
UJ01 1QLAA 1 CL [QL], Left	
UJ01 2L5AA 1 CL [L5], Left	
UJ07 1QLAA 1 A7 [QL], Left	
UJ07 2L5AA 1 A7 [L5], Left	
UJ07 2T5AA 1 A7 [T5], Left	
UJ05 1L5AB 1 E7 [L5], Left	
UJ05 1QLAB 1 E7 [QL], Left	
UJ05 1T5AB 1 E7 [T5], Left	
UJ05 1L5AB 1 L5 [L5], Left	
UJ05 1QLAB 1 L5 [QL], Left	
UJ05 1T5AB 1 L5 [T5], Left	
WM01 1L5AB 1 DL [L5], Left	
WM01 1QLAB 1 DL [QL], Left	
UJ01 1L5AC 1 ML [L5], Left	
UJ04 1L5AB 1 H5 [L5], Left	
UJ04 1T5AB 1 H5 [T5], Left	
15 COVER, Seat Back	k
UJ02 1QLAB 1 CL [QL], Right	
UJ02 2L5AB 1 CL [L5], Right	
UJ02 1L5AB 1 ML [L5], Right	
16 COVER, Seat Back	k
UJ03 1QLAA 1 CL [QL], Left	
UJ03 2L5AA 1 CL [L5], Left	
1 NL [L5], Left	
UJ03 1L5AB 1 ML [L5], Left	SENIOLI ELLI
17 CUSHION, 50/50 B	BENCH, Right
UD98 1QLAB 1 E7 [QL], Right	

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							•		
	UD98 2L5AB	1						E7	[L5], Right
	UD98 2T5AB	. 1						 E7	[T5], Right
	UE56 1QLAB	1						A7	[QL], Right
	UE56 2L5AB	1						A7	[L5], Right
	UE56 2T5AB	1						A7	[T5], Right
	UE92 1QLAB	1						CL	[QL], Right
	UE92 2L5AB	1						CL	[L5], Right
	UD98 1QLAB	1						L5	[QL], Right
	UD98 1L5AB	1						L5	[L5], Right
	UD98 1T5AB	1						L5	[T5], Right
	WM02 1L5AB	1						DL	[L5], Right
	WM02 1QLAE	3 1						DL	[QL], Right
	UE92 1L5AC	1						ML	[L5], Right
18									CUSHION, 50/50 BENCH, Left
	UE57 2T5AB	1						A7	[T5], Left
	UE57 2L5AB	1						A7	[L5], Left
	UE57 1QLAB	1						A7	[QL], Left
	UE93 2L5AB	1						CL	[L5], Left
	UE93 1QLAB	1						CL	[QL], Left
	WM03 1QLAE	3 1						DL	[QL], Left
	WM03 1L5AB	1						DL	[L5], Left
	UD99 2L5AC	1						E7	[L5], Left
	UD99 1QLAC	1						E7	[QL], Left
	UD99 2T5AC	1						E7	[T5], Left
		1						L5	[T5], Left
	UD99 1QLAC	1						L5	[QL], Left
	UD99 2L5AC	1						L5	[L5], Left
	UE93 1L5AC	1						ML	[L5], Left
19									COVER, Rear Seat Cushion, Right
	UE96 1L5AB	1						CL	[L5]
	UE96 1QLAB	1						CL	[QL]
	UE96 1L5AB	1						ML	[L5]
20									COVER, Rear Seat Cushion, Left
	UE97 1QLAB	1						CL	[QL]
	UE97 2L5AB	1						CL	[L5]
	UE97 1L5AB	1						ML	[L5]
21									SEAT COMPLETE, REAR, 50/50
	W000 41 = 4 :	,							BENCH, Right
	WS20 1L5AA	1						E7	[L5], Right
	WS20 1QLAA							E7	[QL], Right
	WS20 1T5AA	1						E7	[T5], Right

DODGE - CHRYSLER MINIVAN (RS) -


SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
	WS22 1L5AA	1						A7	[L5], Right
	WS22 1QLAA							A7	[QL], Right
	WS22 1T5AA							A7	[T5], Right
	WS24 1L5AA							CL	[L5], Right
	WS24 1QLAA							CL	[QL], Right
	WS20 1L5AA							 L5	[L5], Right
	WS20 1QLAA							L5	[QL], Right
	WS20 1T5AA							L5	[T5], Right
	WS26 1L5AA							DL	[L5], Right
	WS26 1QLAA							DL	[QL], Right
	WS24 1L5AB	1						ML	[L5], Right
	WS20 1L5AB	1						H5	[L5], Right
	WS20 1T5AB	1						H5	[T5], Right
22									SEAT COMPLETE, REAR, 50/50
									BENCH, Left
	WS21 1L5AA	1						E7	[L5], Left
	WS21 1QLAA	. 1						E7	[QL], Left
	WS21 1T5AA	1						E7	[T5], Left
	WS23 1L5AA	1						A7	[L5], Left
	WS23 1QLAA	. 1						A7	[QL], Left
	WS23 1T5AA	1						A7	[T5], Left
	WS25 1L5AA	1						CL	[L5], Left
	WS25 1QLAA	. 1						CL	[QL], Left
	WS21 1L5AA	1						L5	[L5], Left
	WS21 1QLAA	. 1						L5	[QL], Left
	WS21 1T5AA	1						L5	[T5], Left
	WS27 1L5AA	1						DL	[L5], Left
	WS27 YQLAA	. 1						DL	[QL], Left
	WS25 1L5AB	1						ML	[L5], Left
	WS20 1L5AB	1						H5	[L5], Left
	WS20 1T5AB	1						H5	[T5], Left
23									COVER, Rear Seat Cushion
	UE38 1L5AB	1						DL	[L5]
	UE38 1QLAB	1						DL	[QL]

DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SE H = LX, Sport P = LXI, ES

S = Limited E = EC


LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Seat Belts, Front Seat Figure IRS-710

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									SEAT BELT, Front Inner, Includes
										Cable, Sensor and Igniter
		WP14 1L5AE	3 1						L5	[L5], Right
			1						E7	[L5], Right
(6)			1						B7	[L5], Right
			1						A7 CL	[L5], Right
5			1						DL	[L5], Right [L5], Right
		WP14 1L5AA	. 1						K5	[L5], Right
		WP14 1QLAI							E7	[QL], Right
			1						L5	[QL], Right
			1						CL	[QL], Right
			1						A7	[QL], Right
			1						DL	[QL], Right
		WP14 1T5AE	3 1						L5	[T5], Right
			1						E7	[T5], Right
			1						H5	[T5], Right
			1						B7	[T5], Right
			1						A7	[T5], Right
			1						K5	[T5], Right
		WP15 1L5AE	3 1						L5	[L5], Left
			1						E7	[L5], Left
			1						H5 CL	[L5], Left [L5], Left
HIOL ETTING			1						A7	[L5], Left
			1						DL	[L5], Left
			1						J7	[L5], Left
			1						K5	[L5], Left
		WP15 1QLAI	3 1						L5	[QL], Left
			1						E7	[QL], Left
			1						A7	[QL], Left
			1						CL	[QL], Left
			1						DL	[QL], Left
		WP15 1T5AE	3 1						L5	[T5], Left
			1						E7	[T5], Left
\bigcirc			1						H5	[T5], Left
			1						A7 J7	[T5], Left
			1						э <i>т</i> В7	[T5], Left [T5], Left
(8)			1						K5	[T5], Left
	2		•						. 10	SEAT BELT, Retractor
										,
	DODGE - CH	RYSLER MINIVA	N (RS) -							
	SERIES	LINE		BC	DDY	ENGINI	=		RANSMI	SSION
(7)	L = Base/SE H = LX, Spor	C = Chi rt D = Doo	ysier(AWI dge(AWD)	ט) 52 ט 53	= 113 WB = 119 WB	EGA =	D0 = 2.4L 4 (3.3L 6 Cyl.	yı. [[)GC, = 3)GL = 4	spd. Auto. (31TH) spd. Auto. (41TE)
	P = LXI. ES	Y = Chr	ysler(AWI dge(AWD) ysler(FWI dge(FWD)	D)		EGH, E	G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. [OG0 = All	Automatic Transm
	S = Limited E = EC	K = D00	ige(FWD)			EGIVI =	o.o∟ o Cyl. F	- C V		

Seat Belts, Front Seat Figure IRS-710



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
										_
		TJ29 1L5AB	1						00	[L5], Left
_		TJ29 XT5AB	1						O0	[T5], Left
		TJ29 YQLAB	1						00	[QL], Left
		TQ56 1L5AB	1						00	[L5], Right
		TQ56 XT5AB	1						00	[T5], Right
_		TQ56 YQLAB	1						O0	[QL], Right
	3									BOLT, Seat Belt, Serviced w/Item 2,
										(NOT SERVICED) (Not Serviced)
	4	6036 259AA	2							BOLT, Hex Head
	5	6035 338	2							SCREW, Hex Head Locking, .437-
										20x1.695
	6	4680 460AB	2							BUTTON, Adjuster
	7									BOLT, [3/8x24x1], (NOT SERVICED)
										(Not Serviced)
	8									EXTENDER, Seat Belt
		5018 505AA	1						E7	
			1						A7	
			1						CL	
			1						K5	
			1						J7	
			1						DL	

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm


Seat Belt, Quad Seats Figure IRS-720

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
II LIM	NOMBER	<u> </u>	LINE	OERIEO	ВОВТ	LIVOINE	IKANO	1131111	DESCRIPTION
	d Seat Teathe								
Note: Chil 1	d Seat Teathe	er Is Bui	It Into The	Seat Fram	e With Cu	shion			SEAT BELT, Rear Quad Inner, Rig
'									and Left
	RL00 1L5AA	1						E7	[L5]
		1						A7 CL	[L5] [L5]
		1						DL	[L5]
	RL00 1QLAA	1						E7	[QL]
		1						A7 CL	[QL] [QL]
		1						DL	[QL]
	RL00 1T5AA	1						E7	[T5]
2	6036 259AA	1 2						A7	[T5] BOLT, Hex Head
2	0030 239AA	2							BOLT, Hex Head
0005 0	RYSLER MINIVAI	M (DO)							

Seat Belts, Rear Inner, 2 And 3 Passengers Figure IRS-730

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	d Seat Teathe	r Is Bu	It Into The	Seat Fram	ne With Cu	shion.			OFAT DELT, O December 1
1		4						_	SEAT BELT, 2 Passenger Inner
	RK95 1L5AA	1						E7	[L5]
		1						K5	[L5]
	DICOE 101 AA	1						J7	[L5]
	RK95 1QLAA							E7	[QL]
	RK95 1T5AA	1						J7 E7	[T5]
		1						⊑7 Κ5	[T5] [T5]
2		'						ΝO	SEAT BELT, 3 Passenger Inner
2	RK98 1L5AA	4						K5	_
	KK90 ILSAA	1							[L5], Right
		1						J7	[L5], Right
		1						E7	[L5], Right
	DIZO0 101 AA	1						DL 57	[L5], Right
	RK98 1QLAA	1						E7	[QL], Right
	DIZON ATEAA	1						DL	[QL], Right
	RK98 1T5AA	1						K5	[T5], Right
		1						J7	[T5], Right
	DI/00 41 5 4 4	1						E7	[T5], Right
	RK99 1L5AA	1						K5	[L5], Left
		1						DL	[L5], Left
		1						J7	[L5], Left
		1						E7	[L5], Left
	RK99 YQLAA	1						DL 57	[QL], Left
	DKOO VTEAA	1						E7	[QL], Left
	RK99 XT5AA	1						K5	[T5], Left
		1						J7	[T5], Left
	TEE0 41 5 4 A	1						E7	[T5], Left
	TF58 1L5AA	1 4						CL	[L5], 50/50 Seat, Right
		 						A7	[L5], 50/50 Seat, Right
		1						E7	[L5], 50/50 Seat, Right
	TEE0 401 A A	1						DL 57	[L5], 50/50 Seat, Right
	TF58 1QLAA	1						E7	[QL], 50/50 Seat, Right
		1						A7	[QL], 50/50 Seat, Right
		1						CL	[QL], 50/50 Seat, Right
	TEE0 4T= * *	1						DL	[QL], 50/50 Seat, Right
	TF58 1T5AA	1						A7	[T5], 50/50 Seat, Right
	TEE0 41 5 4 5	1						E7	[T5], 50/50 Seat, Right
	TF59 1L5AA	1						E7	[L5], 50/50 Seat, Left
		1						CL	[L5], 50/50 Seat, Left
		1						A7	[L5], 50/50 Seat, Left

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Seat Belts, Rear Inner, 2 And 3 Passengers Figure IRS-730







DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SE H = LX, Sport P = LXI, ES

S = Limited

E = EC


LINE C = Chrysler(AWD)D = Dodge(AWD) Y = Chrysler(FWD)

K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Seat Belts, Rear Second Seat, Outer Figure IRS-740



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Cl	nild Seat Teathe	r Is Bui	ilt Into The	Seat Fram	ne With Cu	shion.			
1	4680 233	1			53				BRACKET, Seat Belt
2	6036 259AA	2							BOLT, Hex Head
3									SEAT BELT, 1st Rear Outer
	SL66 1L5AA	1	K, Y		52			00	[L5], Right
	SL66 XT5AA	1	K, Y		52			00	[T5], Right
	SL66 YQLAA	1	K, Y		52			00	[QL], Right
	SL68 1L5AB	1			53			00	[L5], Right
	SL68 XT5AB	1			53			00	[T5], Right
	SL68 YQLAB	1			53			O0	[QL], Right
	SL69 1L5AB	1			53			00	[L5], Left
	SL69 XT5AB	1			53			00	[T5], Left
	SL69 YQLAB	1			53			00	[QL], Left
4									SEAT BELT, Retractor
	TJ31 1L5AB	1	K, Y		52			00	[L5], Left
	TJ31 XT5AB	1	K, Y		52			00	[T5], Left
	TJ31 YQLAB	1	K, Y		52			00	[QL], Left
5	4680 460AB	2							BUTTON, Adjuster
6	6035 338	2							SCREW, Hex Head Locking, .437-
									20x1.695
-7	6034 455	1			53			00	BOLT, Hex Head, .437-20x1.80, Als
									Serviced With Seat Belt
-8	6102 141AA-	1			53			00	SCREW, M6x1x25, Rear Outer Belt
-9	6035 508	1			53			00	SCREW, Pan Head, .437-20x1.875
									Seat Belt Retractor attaching

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Seat Belts, Rear Third Seat, Outer Figure IRS-750



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Ch	ild Seat Teathe	r Is Bui	ilt Into The	Seat Fram	ne With Cu	shion.			
1									SEAT BELT, 2nd Rear Outer
	SL72 1L5AB	1			53			O0	[L5], Without Rear Air, Right
	SL72 XT5AB	1			53			00	[T5], Without Rear Air, Right
	SL72 YQLAB	1			53			00	[QL], Without Rear Air, Right
	SL73 1L5AB	1			53			O0	[L5], Left
	SL73 XT5AB	1			53			00	[T5], Left
	SL73 YQLAB	1			53			O0	[QL], Left
	SL74 1L5AB	1			53			00	[L5], With Rear Air, Right
	SL74 XT5AB	1			53			O0	[T5], With Rear Air, Right
	SL74 YQLAB	1			53			00	[QL], With Rear Air, Right
2	6036 259AA	2							BOLT, Hex Head
3									NUT, U, M6x1
	6101 712	4	K, Y		52				Seat Belt Web Guide Attaching
		2			53				Seat Belt Web Guide Attaching
4									SCREW AND WASHER, Hex Hea
									M6x1x25
	6503 967	2			53				
		4	K, Y		52				
5	4680 501AA	2	K, Y		52				COVER, Seat Belt Retractor
6									SEAT BELT, Rear Outer
	RK88 1L5AB	1	K, Y		52			O0	[L5], Right
	RK88 XT5AB	1	K, Y		52			00	[T5], Right
	RK88 YQLAB	1	K, Y		52			00	[QL], Right
	RK89 1L5AB	1	K, Y		52			O0	[L5], Left
	RK89 XT5AB	1	K, Y		52			O0	[T5], Left
	RK89 YQLAB	1	K, Y		52			00	[QL], Left
7	6036 365AA	1			53			00	NUT

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Seat - Rear Attachments Floor Pan Figure IRS-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ESCUTCHEON, Seat Anchor
	RR27 WL8AA	. 4						O0	[L5], Double Rear, Inboard
	RR27 XTMAA	4						00	[T5], Double Rear, Inboard
	RR27 YQLAA	4						00	[QL], Double Rear, Inboard
2									SCREW, [.164-18x1.250], (NOT
									SERVICED) (Not Serviced)
3									ESCUTCHEON, Seat Anchor
	RR28 WL8AA	4						00	[L5], Double Rear, Outboard
	RR28 XTMAA	4						00	[T5], Double Rear, Outboard
	RR28 YQLAA	. 4						00	[QL], Double Rear, Outboard
4									COVER, Rear Floor Escutcheon
	RR30 WL8AA	. 2						00	[L5]
	RR30 XTMAA	. 2						00	[T5]
	RR30 YQLAA	. 2						O0	[QL]
5									COVER, Rear Floor Escutcheon
	RR31 WL8AA	. 1						00	[L5]. With Bench Seat
	RR31 XTMAA	. 1						00	[T5], With Bench Seat
	RR31 YQLAA	. 1						00	[QL], With Bench Seat

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					,					
	1									COVER, Recliner Seat
$ \begin{array}{c} 2 \\ \end{array} $		RH88 1QLAA							E7	[QL], Right,Upper
		RH88 2L5AA	. 1						J7	[L5], Right,Upper
			1						E7	[L5], Right,Upper
		RH88 2T5AA	1						K5 E7	[L5], Right,Upper
		X1100 Z13AA	1						⊑ <i>τ</i> J7	[T5], Right,Upper [T5], Right,Upper
			1						K5	[T5], Right,Upper
		TZ91 1QLAA	. 1						E7	[QL], Left,Upper
		TZ91 2L5AA							E7	[L5], Left,Upper
5			1						J7	[L5], Left,Upper
\sim			1						K5	[L5], Left,Upper
		TZ91 2T5AA	1						J7	[T5], Left,Upper
			1						E7	[T5], Left,Upper
			1						K5	[T5], Left,Upper
	2	4050 005								SCREW, Tress Head, #8x.5
		4856 025	1						J7 E7	
			1						Ε <i>1</i> Κ5	
	3		'						No	COVER, Recliner Seat
$(18) \qquad (15) \qquad (45) \qquad (46) \qquad (47) \qquad (47) \qquad (47) \qquad (47) \qquad (47) \qquad (48) \qquad $	-	RH90 1QLAA	۸ 1						E7	[QL], Right,Lower
		RH90 2L5AA							E7	[L5], Right,Lower
$\begin{array}{c c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$			1						J7	[L5], Right,Lower
			1						K5	[L5], Right,Lower
		RH90 2T5AA	. 1						J7	[T5], Right,Lower
			1						E7	[T5], Right,Lower
(5) (17) (17)			1						K5	[T5], Right,Lower
		RH91 1QLAA RH91 2L5AA							E7 J7	[QL], Left,Lower [L5], Left,Lower
(17) (16)		XIIBI ZLOAA	1						E7	[L5], Left,Lower
		TZ91 2L5AA	1						K5	[L5], Left,Lower
$ \begin{array}{c} (20) \\ (14) \\ (13) \end{array} $		RH91 2T5AA							J7	[T5], Left,Lower
			1						E7	[T5], Left,Lower
29		TZ91 2T5AA	1						K5	[T5], Left,Lower
(15)	4									BOLT, Recliner to Seat Back
		4897 324AA	1						E7	
			1						J7 K5	
\sim (5)	5		ı						кэ	BOLT, Recliner
(21) (24) (25) (18)	3	5018 951AA	1						J7	DOLT, Rediffer
			1						E7	
26										
18	DODGE - CHE	YSLER MINIVA	N (RS)							
	SERIES	LINE	ysler(AWD	BOD)Y	ENGINE	: 00 = 2.4L 4 0	T	RANSMI	SSION
(26)	L = Base/SE H = LX, Sport	D = Dod	dge(AWD)	53 =	113 WB 119 WB	EGA = 3	3.3L 6 Cyl.	Ĺ	GL = 4 s	spd. Auto. (31TH) spd. Auto. (41TE)
(27) (28)	P = LXI, ES S = Limited	Y = Chr K = Dod	ysler(FWD lge(FWD)))		EGH, EG	G0 = 3.8L 6 (3.3L 6 Cyl. F	Cyl. D FV	G0 = All	Automatic Transm
	E = EC	N = D00	.gc(i vvD)			LOW -	0.0E 0 Oyi. 1	. •		
		roquirod -								September 16, 2005


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1				,		K5	_
\bigcirc \bigcirc \bigcirc \bigcirc	-6		'						N3	BUSHING
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	_	1882 164	1						E7	Anti-Rattle, Fixed Seat
$\begin{pmatrix} 4 \\ - \end{pmatrix} \qquad \begin{pmatrix} 4 $		1002 104	1						۱. J7	Anti-Rattle, Fixed Seat Anti-Rattle, Fixed Seat
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			1						K5	Anti-Rattle, Fixed Seat Anti-Rattle, Fixed Seat
	7		•							RECLINER, Seat Back
		5018 892AA	1						E7	Right
		5018 893AA	1						E7	Left
		5019 398AA	1						E7	With Child Seat, Right
			1						J7	With Child Seat, Right
(5)			1						K5	Right
\sim		5019 399AA	1						J7	With Child Seat, Left
			1						K5	Left
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8									CABLE, Recliner
		5019 557AA	1						E7	
			1						J7	
			1						K5	
	9 .	TV00 401 4 4	4							PANEL, Seat Back, Two Passenger
		TX99 1QLAA							E7	[QL]
$(18) \qquad (15) (16) \qquad (17) \qquad (17) \qquad (17) \qquad (18) \qquad (1$		TX99 2L5AA	1						E7 K5	[L5]
	_		1						J7	[L5] [L5]
		ГХ99 2Т5АА	1						E7	[T5]
		17.00 210/01	1						K5	[T5]
			1						J7	[T5]
		JJ58 1QLAA	. 1						E7	[QL], With Child Seat
		JJ58 2L5AA							E7	[L5], With Child Seat
			1						J7	[L5], With Child Seat
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			1						K5	[L5], With Child Seat
		JJ58 2T5AA	1						E7	[T5], With Child Seat
20) (14)			1						J7	[T5], With Child Seat
$\begin{array}{c} 13 \\ 13 \\ 13 \\ 13 \\ 13 \\ 13 \\ 13 \\ 13 $			1						K5	[T5], With Child Seat
29	10									SEAT BACK, Rear, 2 Passenger, For
										Part Numbers See ILL 610, (NOT
	4.4									SERVICED) (Not Serviced)
	11									HEADREST, For Part Numbers See
	_									ILL 610, (NOT SERVICED) (Not Serviced)
(5)	12									SLEEVE, Headrest
(21) (24) (25) (18)		QT98 1L5AA	1						J7	[L5], Locking
			1						E7	[L5], Locking
										<u> </u>
26										
18)	DODGE CUE	VOI ED MININA	N (DS)							
	SERIES	YSLER MINIVA LINE		ВО	DY	ENGINE		Т	RANSMI	ISSION
(26) (26)	L = Base/SE H = LX, Sport	C = Chr	ysler(AWD lge(AWD)	D) 52 :	= 113 WB = 119 WB	EDZ, EI	00 = 2.4L 4 C 3.3L 6 Cyl.	Cyl. D	$GC_1 = 3$	spd. Auto. (31TH) spd. Auto. (41TE)
(27)	P = LXI, ES	Y = Chry	ysler(FWD	D)	- 110 440	EGH, E	30 = 3.8L6	Cyl. D	G0 = AII	Auto. (4112) Automatic Transm
(23)	S = Limited E = EC	K = Dod	ige(FWD)			EGM = 3	3.3L 6 Cyl. F	FV		
		roquirod -								Santambar 16, 2005


	ITEM	PART NUMBER	QTY LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•					
			1					K5	[L5], Locking
$ \begin{array}{c} 2 \\ 0 \end{array} $		QT98 1QLAA	1					E7	[QL], Locking
		QT98 1T5AA	1					J7	[T5], Locking
			1					K5	[T5], Locking
		OT00 41 5 4 4	1					E7	[T5], Locking
		QT99 1L5AA	1					E7 J7	[L5], Slave Cylinder [L5], Slave Cylinder
		QT99 2L5AA	1					57 K5	[L5], Slave Cylinder [L5], Slave Cylinder
		QT99 1QLAA	1					E7	[QL], Slave Cylinder
		QT99 1T5AA	<u> </u>					E7	[T5], Slave Cylinder
(5)			1					J7	[T5], Slave Cylinder
\sim / / \sim \sim \sim \sim \sim			1					K5	[T5], Slave Cylinder
	13								PLUG, Armrest
8 (4) (1)		WU50 1L5	1					E7	[L5]
			1					K5	[L5]
			1					J7	[L5]
		WU50 1QL	1					E7	ITC1
		WU50 1T5	1					E7 K5	[T5] [T5]
			1					J7	[T5] [T5]
$(18) \qquad (15) \qquad (46) \qquad (47) \qquad (47) \qquad (47) \qquad (47) \qquad (48) \qquad (47) \qquad (48) \qquad $	14		'					07	SCREW, Pan Head, M8x1.25x41.5
		6503 287	1					E7	,,,
$\begin{pmatrix} 12 \\ 12 \end{pmatrix}$			1					J7	
			1					K5	
	15								WASHER, Wave, .520x.745
		4882 234	1					E7	
(5) (17) (17)			1					J7	
	16		1					K5	ARMREST, Seat, For Part Numbers
(17) (16)	10								See ILL, (NOT SERVICED) (Not
20)									Serviced)
$ \begin{array}{c} 20 \\ 14 \\ 13 \end{array} $	17								SCREW, Special Head, M8x1.
									25x32.5
29		6503 286	1					E7	
			1					J7	
			1					K5	
22	18								SCREW, Tress Head, #8x.5, [8x1/2
		4856 025	1					J7	Truss Head]
(21) (24) (25) (18)		4030 023	1					K5	
			1					E7	
	19								COVER, Rear Seat Bracket
(18)	DODGE - CHE	RYSLER MINIVAN ((RS) ———						
	SERIES L = Base/SE	LINE C = Chrysl		BODY 52 = 113 WB	ENGINE	≣ D0 = 2.4L 4 (T	RANSMI	SSION spd. Auto. (31TH)
(26)	H = LX, Sport	t D = Dodge	e(AWD)	52 = 113 WB 53 = 119 WB	EGA = 3	3.3L 6 Cyl.	. D	GL = 4 s	spd. Auto. (41TE)
23 (27) (28)	P = LXI, ES S = Limited	Y = Chrysle K = Dodge	er(FWD)		EGH, E	G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. D	G0 = All	Automatic Transm
	E = EC	it = bodge	(. ** D)		LOW =	0.0L 0 Oyi. 1	. v		
		s required N		N					Sontombor 16, 2005


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				L					•	
		ND90 2L5AA	1						J7	[L5], Right
	,	MD00 0TEAA	1						K5	[L5], Right
	,	ND90 2T5AA	1						J7 K5	[T5], Right [T5], Right
(7)	,	ND91 2L5AA	1						J7	[L5], Left
			1						K5	[L5], Left
	\	ND91 2T5AA	1						J7	[T5], Left
	20		1						K5	[T5], Left BRACKET, Cushion To Back
		5072 952AA	1						J7	Right
(5)			1						K5	Right
\sim	ţ	5072 953AA	1						J7	Left
	21		1						K5	Left BOLT, RISER
$\begin{pmatrix} 8 \\ \end{pmatrix} \begin{pmatrix} 4 \\ \end{pmatrix} \begin{pmatrix} 1 \\ \end{pmatrix}$		1882 145	1						E7	BOET, MOEN
			1						J7	
			1						K5	
	22	JE48 1QLAA	1						E7	COVER, Seat Riser, Two Passenger [QL], Right
		JE48 1QLAA JE48 2L5AA	1						E7	[L5], Right
(18) (19) \ (15) (16) (5) (5)			1						J7	[L5], Right
			1						K5	[L5], Right
	l	JE48 2T5AA	1						E7 J7	[T5], Right
			1						57 K5	[T5], Right [T5], Right
		JE49 1QLAA	1						E7	[QL], Left
(5) (17)	Į	JE49 2L5AA	1						E7	[L5], Left
			1						J7	[L5], Left
(17) (16)		JE49 2T5AA	1						K5 E7	[L5], Left [T5], Left
20)			1						 J7	[T5], Left
$\begin{array}{c} \begin{array}{c} \\ \\ \end{array} \end{array} $			1						K5	[T5], Left
29	23	-040,000							17	RISER, Seat
	;	5018 963AA	1						J7 E7	
			1						K5	
22	24									HANDLE, Seat Riser
	4	4874 418AB	1						J7	Right
(21) (24) (25) (5) (18)			1						E7 K5	Right Right
	4	1874 419AB	1						J7	Left
26										
18)	SERIES	YSLER MINIVAN LINE	l (RS) ——	BOD)Y	ENGINE	 ≣		RANSM	ISSION
	L = Base/SE H = LX, Sport	C = Chrys	sler(AWD)) 52 =	113 WB 119 WB	EDZ, EI	_ D0 = 2.4L 4 (3.3L 6 Cyl.	CvI. [OGC. = 3	spd. Auto. (31TH) spd. Auto. (41TE)
$(27) \qquad (27) \qquad $	P = LX, Sport S = LXI, ES S = Limited	Y = Chrys K = Dodg	sler(FWD))	7.0 VVD	EGH, E	G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl.	DG0 = AI	I Automatic Transm
(23) (28)	S = Limited E = EC	r = Dodg	ge(FVVD)			EGIVI =	J.J∟ 0 Cyl. F	1 · V		




















PART









Rear Seat - 3 Passenger Attaching Parts, Straight Bench, Straight Bench With Center Armrest Figure IRS-825

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-								
(22)	1									COVER, Recliner Seat, Upper
		RH88 1QLAA	. 1						E7	[QL], Right
			1						A7	[QL], Right
			1						CL DL	[QL], Right
(21)		RH88 2L5AA	<u> </u>						E7	[QL], Right [L5], Right
		14100 223	1						_, J7	[L5], Right
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1						K5	[L5], Right
			1						A7	[L5], Right
(3)			1						CL	[L5], Right
		DUIDO OTEAA	1						DL 57	[L5], Right
		RH88 2T5AA	1 1						E7 J7	[T5], Right [T5], Right
			<u>'</u> 1						K5	[T5], Right
7 (15)			1						A7	[T5], Right
		RH88 1L5AA	1						L5	[L5], Right
		RH88 1QLAA							L5	[QL], Right
		RH88 1T5AA							L5	[T5], Right
6		TZ91 1QLAA	1						E7	[QL], Left
			1						A7 CL	[QL], Left [QL], Left
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1						DL	[QL], Left
20 4		TZ91 2L5AA	1						E7	[L5], Left
			1						J7	[L5], Left
			1						K5	[L5], Left
			1						A7	[L5], Left
(5)			1						CL DL	[L5], Left [L5], Left
		TZ91 2T5AA	1						E7	[T5], Left
9 3 (2)			1						J7	[T5], Left
			1						K5	[T5], Left
			1						A7	[T5], Left
(8)		TZ91 1L5AA TZ91 1QLAA	1 1						L5 L5	[L5] [QL]
		TZ91 TQLAA TZ91 1T5AA							L5 L5	[QL] [T5]
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2	1201 110/0	•						LO	SCREW, Tress Head, #8x.5
		4856 025	1						DL	
18 (5)			1						E7	
			1						J7	
			1						K5 CL	
(19)			ı						CL	
	DODGE - CHE	RYSI FR MINIVA	N (RS) —							
	SERIES L = Base/SE	RYSLER MINIVAL	rolor(A\A/I	BOI	OY = 113 WB	ENGINE	20 24 4.0	TI	RANSMI	ISSION
$(11) \bigcirc (10)$	H = LX, Sport	C = Chry D = Dod	lge(AWD)) 52 =) 53 =	= 113 WB = 119 WB	EGA = 3	00 = 2.4L 4 (3.3L 6 Cyl.	Jyl. D	GL = 4 s	spd. Auto. (31TH) spd. Auto. (41TE)
	P = LXI, ES S = Limited	Y = Chry K = Dod	/sler(FWI ge(FWD)	D))		EGH, EG EGM = 3	G0 = 3.8L 6 (3.3L 6 Cyl. F	Cyl. D FV	G0 = All	Automatic Transm
	E = EC		- ` '				,			

Rear Seat - 3 Passenger Attaching Parts, Straight Bench, Straight Bench With Center Armrest Figure IRS-825




Rear Seat - 3 Passenger Attaching Parts, Straight Bench, Straight Bench With Center Armrest Figure IRS-825




Rear Seat - 3 Passenger Attaching Parts, Straight Bench, Straight Bench With Center Armrest Figure IRS-825

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
\sim										. ,,
	11		1						L5	Left ROLT Soot M10.1 Ev251 (NOT
	11									BOLT, Seat, M10-1.5x35L, (NOT SERVICED) (Not Serviced)
	12									NUT AND WASHER, M12-1.75,
	12									(NOT SERVICED) (Not Serviced)
(21)	13									BRACKET, Cushion to Riser
		5066 742AA	1						DL	Right
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1						J7	Right
			1						K5	Right
(3)			1						E7	Right
		5000 740 A A	1						L5	Right
		5066 743AA	1						DL J7	Left Left
$(2)^{6} (8) \qquad (8)$			<u>'</u> 						K5	Left
7 (15)			1						E7	Left
			1						L5	Left
	14									FRAME, Seat Cushion, Three
										Passenger, Serviced With
										Complete Cushion, (NOT
	45									SERVICED) (Not Serviced)
	15	UE10 2L5AA	1						DL	PANEL, Seat Back, Three Passenger [L5]
20 (14)		UE10 1QLAA	1						DL	[QL]
		OLIO IQLIVI	1						E7	[QL]
		UE10 2L5AA	1						E7	[L5]
		UE10 2T5AA	1						E7	[T5]
			1						J7	[T5]
		UE10 2L5AA	1						J7	[L5]
9 3		LIE 10 OTE 1 A	1						K5	[L5]
		UE10 2T5AA UE00 1L5AA	1						K5 L5	[T5]
		UE00 1QLAA							L5 L5	[L5] [QL]
$\begin{pmatrix} 4 & 8 \\ 8 & 4 \end{pmatrix}$		UE00 1T5AA	1						L5	[32] [T5]
		4705 925AA-	1							LABEL, Seat Attach, Bi-Lingual
										(Canada Only)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	17									WIRE, Three Passenger Adjuster
		5066 744AA	1						E7	_
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1						J7	
			1						K5 DL	
$\begin{array}{c} 13 \\ 19 \\ \end{array}$			1						L5	
	18		•							HANDLE, Seat Riser
										,
	DODGE - CH	RYSLER MINIVAN	I (RS)							
	SERIES	LINE		BO	DY	ENGINE			RANSMI	SSION (24TI)
(11)	L = Base/SE H = LX, Spor	rt D = Doda	sier(AWD) je(AWD)	53 :	= 113 WB = 119 WB	EGA = 3	00 = 2.4L 4 (3.3L 6 Cyl.)GC, = 3)GL = 4 s	spd. Auto. (31TH) spd. Auto. (41TE)
	P = LXI, ES S = Limited	Y = Chrys K = Dodge	sler(FWD)	0)		EGH, E	G0 = 3.8L 6 3.3L 6 Cyl. F	Cyl. D)G0 = All	Automatic Transm
	E = EC	it = boagi	(S)			20IVI -	5.52 5 5yi. i	. •		


Rear Seat - 3 Passenger Attaching Parts, Straight Bench, Straight Bench With Center Armrest Figure IRS-825




Rear Seat - 3 Passenger Attaching Parts, Straight Bench, Straight Bench With Center Armrest Figure IRS-825





PART


















	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Rear Header
	TQ49 WL5AA	1						O0	[L5]
	TQ49 XT5AA	1						00	[T5]
	TQ49 YQLAA	1						00	[QL]
2	6505 537AA	5						00	CLIP, Side Molding
3									MOLDING, Liftgate, w/Attaching
									Clips
	RS34 WL5AB	1			53			00	[L5]
	RS34 XT5AB	1			53			00	[T5]
	RS34 YQLAB	1			53			00	[QL]
	SR62 WL5AC	1	K, Y		52			00	[L5]
	SR62 XT5AC	1	K, Y		52			00	[T5]
	SR62 YQLAC	1	K, Y		52			00	[QL]
	TM46 WL5AA	1						O0	[L5] , With [CK6]
	TM46 XT5AA	1						00	[T5] , With [CK6]
	TM46 YQLAA	1						00	[QL], With [CK6]
-4	4278 178	4							TAPE, Hole Cover, 50x50x1 mm,
									Liftgate Inner Panel Holes
5									PANEL, Liftgate Trim Upper
	RV08 WL5AB	1						00	[L5] w/Power Liftgate
	RV08 XT5AB	1						00	[T5] w/Power Liftgate
	RV08 YQLAB	1						O0	[QL] w/Power Liftgate
	SH50 WL5AB	1						00	[L5]
	SH50 XT5AB	1						00	[T5]
	SH50 YQLAB	1						00	[QL]
6									PANEL, Liftgate
	RS74 WL5AB	1						00	[L5]
	RS74 XT5AB	1						00	[T5]
	RS74 YQLAB	1						00	[QL]
7									HANDLE, Liftgate
	RS75 WL5AB	1						00	[L5]
	RS75 XT5AB	1						00	[T5]
	RS75 YQLAB	1						00	[QL]
8	0154 806	2							SCREW, Round Head, .164-15x1.0
9	6035 498	2							NUT, Spring Type, .164-7.5
10									PLUG, Trim Panel
	RS76 WL5AA	1						00	[L5]
	RS76 XT5AA	1						00	[T5]
	RS76 YQLAA	1						00	[QL]
11	4717 558AA	1							WEATHERSTRIP, Liftgate
									Secondary Upper


L = Base/SE H = LX, Sport P = LXI, ES

S = Limited E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	4717 559AB	1							WEATHERSTRIP, Liftgate Opening
									Primary Body Opening
-13	6505 918AA-	8						00	FASTENER, Door Trim Panel,
									Liftgate Trim,Lower
14									COVER, Lamp Opening
	WS39 WL5AA	1						O0	[L5]
	WS39 XT5AA	. 1						00	[T5]
	WS39 YQLAA	1						00	[QL]

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Group – SRS

Body Sheet Metal Except Doors



SRS-200	SRS-300	SRS-400	SRS-500
Floor Pans	Plugs	Front Fenders	Hood and Hood Release
SRS-600	SRS-700	SRS-800	SRS-900
Cowl and Dash Panel	Glass and Rear View Mirror	Aperture Panel	Quarter Panel and Pillars


Group – SRS Body Sheet Metal Except Doors



GROUP SRS - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan	Fig. SRS-210
Plugs	Fig. SRS-310
Front Fenders	
Front Fender and Shield	Fig. SRS-410 Fig. SRS-420
Hood and Hood Release	
Hood and Hinge	Fig. SRS-510 Fig. SRS-520
Cowl and Dash Panel Cowl And Dash Panel	Fig. SRS-610
Glass and Rear View Mirror Glass , Windshield and Rear Quarters	Fig. SRS-710
Aperture Panel	
Body Front Pillar and Aperture Panel	Fig. SRS-810 Fig. SRS-815
Quarter Panel and Pillars	
Quarter Panel With Sliding Door Inner Panel Parts	Fig. SRS-910
Quarter Panel With Sliding Door Outer Panel Parts	Fig. SRS-915
Seals and Weatherstrip Weatherstrips	Fig. SRS-1010
Roof Panels Roof Panel	Fig. SRS-1110
Liftgate Panel	
Liftgate Panel	Fig. SRS-1310
Liftgate Panel Attaching Parts	Fig. SRS-1320 Fig. SRS-1330
Luggage Rack	5 - 55.
Luggage Rack	Fig. SRS-1610

Floor Pan Figure SRS-210



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		-								
	1									PAN PACKAGE, Floor
_		5019 510AB	1			53				
		5019 511AA	1	K, Y		52				
	2	5020 140AA	2							BRACKET AND HINGE, Floor Pan
										Rear Suspension
_	3									PANEL PACKAGE, Body Side Sill
		5018 826AA	1	K, Y		52				Right
		5018 827AA	1	K, Y		52				Left
		5018 374AB	1			53				Right
		5018 375AA	1			53				Left
	4	4716 378	AR							REINFORCEMENT, Seat Belt Swivel
	5									BRACKET, Suspension Hanger
		5020 150AA	1			53				Right
		5020 151AA	1			53				Left
		5020 160AA	1	K, Y		52				Right
		5020 161AA	1	K, Y		52				Left
	6	5020 140AA	2							BRACKET AND HINGE, Floor Pan
										Rear Suspension
	7	4716 518	1							BRACKET, Wheel House
	8	4716 688	2							BRACKET, Tie Down
	-9	5020 010AA-	1							CROSSMEMBER, Floor Pan, Toe
_										Board


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Plugs Figure SRS-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4351 304	1			53				PLUG, A/C Plumbing Access
2	4780 194	2							PLUG, Center Trough Floor Pan
3	5020 250AC	2							PLUG, ABS Wiring, Rear
									Wheelhouse
4	4696 947	1			53				PLUG, Front Side Rail, Plumbing
									Hole, Rear Heater
5	4646 971	1							PLUG, Floor Pan, Front
6	4780 194	2							PLUG, Dash Panel Parking Brake
7	5020 263AA	1							PLUG, Lower Left E-Coat Drain,
									Dash Panel
8	4860 866AA	1							PLUG, Lower Right E-Coat Drain,
									Dash Panel
9	4860 417AA	4							PLUG, Drain Hole Side Sill
10	4860 866AA	1							PLUG, Side Sill E Coat Drain
11	4860 417AA	4							PLUG, Rear Wheel/House
12	4780 194	2							PLUG
13	4780 615AB	2							PLUG, Body, .75 Diameter, Rubber
14	55176 729AA	2							PLUG, Cowl Side, Rear,D Pillar
15	4860 222	2							PLUG
16	4860 223	2							PLUG, Shock Tower Hole
17	4860 223	2							PLUG, Shock Tower Hole
18	4860 346	2							PLUG, Shock Tower Hole, Right &
									Left
19	4083 788	1							PLUG, Underbody Access, Lift Gate
									Panel Vent Hole
-20	2860 332	1							PLUG, Anti-Rattle, Lower Dash
									Accelerator Cable

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Front Fender and Shield Figure SRS-410




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
1									SHIELD, Wheelhouse
	4857 222AB	1	D, K						Right
	4857 223AB	1	D, K						Left
	4857 428AB	1	C, Y						Right
	4857 429AB	1	C, Y						Left
-2	6504 611	2							NUT, Hex Flange, M6x1, Spat T
									Fender
3									REINFORCEMENT, Front Side I
									to Sill
	4860 530AB	1							Right
	4860 531AB	1							Left
4		_							FENDER PACKAGE, Front
	5018 442AA	1							Right
	5018 443AA	1							Left
_	5018 444AA	1							Right, Export
5									PANEL PACKAGE, Fender Side
	5018 448AA								Shield
		1							Right
6	5018 447AA	1							Left
6									BEAM PACKAGE, Front Fender Shield
	5018 560AB	1							Right
	5018 561AB	1							Left
7	3010 301AB	'							TOWER PACKAGE, Front
,									Suspension
	5018 458AB	1							Right
	5018 459AB	1							Left
-8	4860 223	2							PLUG, Shock Tower Hole, Right
•									Left
-9									BRACKET, Isolator
	4860 724AA-	1							Strut Tower to Dash, Right
	4860 725AA-	1							Strut Tower to Dash, Left
10									BRACKET, Body Side Aperture
	4860 896AA	1							Right
	4860 897AA	1							Left
11									SILENCER, Cowl Side
	4860 682AE	1							Right
	4860 683AE	1							Left
12	6501 916	4							RETAINER, Push On
13									BRACKET, Isolator
	4860 724AA	1							Strut Tower to Dash, Right
	4860 725AA	1							Strut Tower to Dash, Left
	HRYSLER MINIVA	N (RS) —							
RIES Base/SE	LINE $C = Chr$	ysler(AWI		DDY = 113 WB	ENGINI EDZ. E	E D0 = 2.4L 4 (Cvl.	TRANSMI	ISSION spd. Auto. (31TH)
LX, Spo	ort D = Doo	ge(AWD)	53	= 119 WB	EGA =	3.3L 6 Cyl.		DGL = 4	spd. Auto. (41TE)
LXI, ES	V – Chr	/sler(FWD))		FGH. F	G0 = 3.8L 6	Cvl	DG0 = AII	Automatic Transm

Front Fender and Shield Figure SRS-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0=00 044								0005111 11511 05111 00 5
-14	6503 641	AR							SCREW, M7X1.25X16.00, Fender t
									Load Beam
-15	4275 086AB-	1							LABEL, General Information
-16									SILENCER, Wheelhouse
	5028 182AB-	1							Right
	5028 183AB-	1							Left
-17	5028 439AA-	1							SILENCER, Wheelhouse
-18									PANEL, Fender Side Shield
	4860 756AA-	1							Right
	4860 759AA-	1							Left




DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Shields Figure SRS-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I LIVI	NOWBER	QII	LINL	JENIES	ВОВТ	LINGINE	TRANS	LIXIIVI	DESCRIPTION
1									SHIELD, Wheelhouse
	4857 760AA	1	D, K						With access door, Right
	4857 761AA	1	D, K						With access door, Left
	4857 428AB	1	C, Y						Without access door, Right
	4857 429AB	1	C, Y						Without access door, Left
2									SCREW, .190-16 X .750, (NOT
									SERVICED) (Not Serviced)
3	4857 221AA	1							SHIELD, Accessory Drive
4	6501 916	2							RETAINER, Push On
5	4857 765AA	2			53				SHIELD, Door
6	4857 227AA	1							SHIELD, Wheelhouse, Left,Rear
									Front
-7									SHIELD, Fender
	4857 762AA-	1	C, Y						With access door, Right
	4857 763AA-	1	C, Y						With access door, Left
-8	6035 556	4							SCREW, Pan Head Tapping, .19
									16x.625, Shield attaching
-9									SHIELD, Wheelhouse, Without
									access door
	4857 222AB-	1	D, K						Right
	4857 223AB-	1	D, K						Left


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4860 455AB	1							HOOD
2									HINGE, Hood
	4860 686AA	1							Body Half to Hood, Right
	4860 687AA	1							Body Half to Hood, Left
3									HINGE PACKAGE, Hood
	5018 602AA	1							Hood Half, Right
	5018 603AA	1							Hood Half, Left
-4	6502 674	4							SCREW, Hex Flange Head Pilot
									M6x1x30, Hood Hinge to Hood
-5	6503 617	2							SCREW, Hex Head, M8x1.25x24
									Hood Hinge Pivot
-6	4860 373AC-	2							BUSHING, Hood Hinge Pivot
7	4860 680AA	1							SILENCER, Hood
-8	6504 135	14							PIN, Push In, M6.3x15 LG
9									SEAL, Hood
	4860 692AA	1							Right
	4860 899AA	1							Left
-10	4215 966	1							LABEL, Equipmemt Identification
									Equipment Identification

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Hood Release And Related Parts Figure SRS-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-		-	-					
1	5256 748AC	1							ISOLATOR, Hood Prop Rod
2	4860 677AF	1							ROD, Hood Prop
3	J400 7456	1							CLIP, Prop Rod, Hood Prop Rod
									Stowage
4	5020 040AA	2							BUMPER, Deck Lid Overslam,
									Crossmember To Hood Adjust
5	4717 517AC	1							RELEASE, Hood Latch
-6	6035 204	2							SCREW, Tapping, .19-16x.75, Hood
									Release mounting
-7	6505 863AA-	6							CLIP, Used For Hood Release Cable
8	4717 515AA	1							LATCH, Hood
9	6504 528	2							SCREW AND WASHER, Hex Head,
									Hood Latch Body
10	4716 068	1							STRIKER, Hood Latch, Hood Latch

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Cowl And Dash Panel Figure SRS-610




1 -2 -3 4 5	4717 553AB 6034 912	QTY 1	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-2 -3 4									
-2 -3 4									DANIEL O. LT
-3 4	6034 912								PANEL, Cowl Top
4		2							SCREW, Pan Head, .19-16x.75,
4									Cowl Grille Attaching
	5020 280AD-	1							SILENCER, Dash Panel
5	4860 869AB	1							PANEL, Cowl And Plenum
									BRACE, Cowl Plenum To Cowl
	4674 618AB	1							Right
	4674 619AB	1							Left
6	4860 754AB	1							REINFORCEMENT, Cowl Plenu
7									SUPPORT, Cowl Plenum
	4860 742AB	1							
	4860 842AB	1							With Deadner
8									BRACE, Cowl Grille
	5018 660AA	1							Right
	5018 661AA	1							Left
9	5018 665AA	1							HOUSING, Wiper Nosecone
-10	4717 526AA-	1							WEATHERSTRIP, Hood to Cow
11									BRACE, Cowl Grille
	5018 662AA	1							Right
	5018 663AA	1							Left
12	4860 783AA	1							PANEL, Cowl
13	5020 317AA	1							SEAL, Cowl
14	4860 376AA	1							BRACKET, Steering Column
15	5020 115AA	1							REINFORCEMENT, Dash Panel
16	5020 118AA	1							SUPPORT, Steering Column
17	5020 100AA 5020 172AA	1							REINFORCEMENT, Dash Panel
17	3020 172AA	'							Accelerator
18	5020 109AB	1							
		1							PLATE, Air Bag Module
19	5020 113AC	1							PANEL, Dash Lawer
20	5020 110AC	1							PANEL, Dash, Lower
21	4716 318	1							BRACKET, Dash Panel Heat Sh
22	5020 114AA	1							BRACKET, Dash Panel Heat Sh
23	5020 047AA	1							REINFORCEMENT, Instrument
									Panel
24									PANEL PACKAGE, Cowl Side
	5018 456AB	1							Right
	5018 457AB	1							Left
25	4860 200AD	2							BRACKET, Fender to Cowl Grille
-26	4860 375AB-	2							GROMMET
27									NUT, Push On, M6, (NOT
									SERVICED) (Not Serviced)
28	5020 261AB	1							PANEL, Dash Upper

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) L = Base/SE H = LX, Sport P = LXI, ES S = Limited

E = EC

52 = 113 WB 53 = 119 WB EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Cowl And Dash Panel Figure SRS-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29									PANEL, Dash Panel Wheelhouse,
									(NOT SERVICED) (Not Serviced)
30	4860 750AA	1							PANEL, Cowl Plenum Support
-31	6035 784	4							RIVET, Blind, .156x.540
-32	6030 441	2							PIN, Retainer, Cowl Top Damper
-33	4860 785AA-	1							AIR DAM, Upper Plenum
-34	4868 323AA-	2							STUFFER, Cowl Side Body Wiring
-35									REINFORCEMENT, Front Side Rail
									to Dash
	4860 942AB-	1							Right
	4860 943AB-	1							Left

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Glass , Windshield and Rear Quarters Figure SRS-710




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WINDSHIELD
	4674 712AB	1							Tint, Shaded
	4674 712AC	1							Tint, Non Shaded
	5020 387AA	1							Solar, Shaded
	4860 909AB	1							Solar, Shaded, Heated
	5020 387AB	1							Solar, Non Shaded
-2	4490 361	1							LABEL, Child Protection Lock
3									GLASS, Rear Quarter, Vented
	5018 132AA	1	K, Y		52				Solar, Manual, Right
	5018 133AA	1	K, Y		52				Solar, Manual, Left
	5018 134AA	1	K, Y		52				Tint, Manual, Right
	5018 135AA	1	K, Y		52				Tint, Manual, Left
	5018 136AA	1	K, Y		52				Tint, Power, Right
	5018 137AA	1	K, Y		52				Tint, Power, Left
	5018 138AA	1	K, Y		52				Solar, Power, Right
	5018 139AA	1	K, Y		52				Solar, Power, Left
	5073 506AA	1			53				Solar, Manual, Right
	5073 507AA	1			53				Solar, Manual, Left
	5073 508AA	1			53				Tint, Manual, Right
	5073 509AA	1			53				Tint, Manual, Left
	5018 140AA	1			53				Tint, Right
	5018 141AA	1			53				Tint, Left
	5018 142AA	1			53				Solar, Right
	5018 143AA	1			53				Solar, Left
4									GLASS PACKAGE, Liftgate
	5080 904AA	1							Tint
	5080 903AA	1							Tint, Heated
	5080 902AA	1							Solar, Heated
5	5507 6401	1							BUTTON, Rear View Mirror
6									MIRROR, Inside Rear View
	4696 545AB	1							[GNA]
	4717 458AB	1							[GNK] Day/Night, With Lamp and
									Headlamp Control
	55154 990AB	1							Electrochromatic
-7	5507 5340	AR							MIRROR, Inside Rear View, Electric
8	5073 472AA	1							SCREW
9	4717 466AA	1							WIRE COVER, Mirror, Use With Au
									Day/ Night Mirror
-10	5507 4840	1							COVER, Rear View Mirror Wire
11	4278 662	AR							SPACER, Used On Windshield and
									Backlite

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Glass, Windshield and Rear Quarters Figure SRS-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12									HANDLE AND ACTUATOR, Rear
									Quarter Power
	4717 606AB	1							With Motor, Right
	4717 607AB	1							With Motor, Left
13	6501 038	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00, Body Side
									Rear Window, M6x1.00
14									LATCH, Vent Window
	5018 144AA	1	K, Y		52				Right,Manual
	5018 145AA	1	K, Y		52				Left,Manual
15									SCREW AND WASHER, M6X1.
									00X25.00, (NOT SERVICED) (Not
									Serviced)
16									WEATHERSTRIP, Rear Aperture
									Panel Glass
	4717 591AA	2			53				
	4717 977AA	2	K, Y		52				
-17	6100 876	AR							WASHER, Flat, M6.82x17.00x1.75,
									Quarter Window Stud
18	55176 729AA	2							PLUG, Cowl Side
19	4860 883AA	2							PLATE, Window Regulator, Rear

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Body Front Pillar and Aperture Panel Figure SRS-810



Body Pillar - Sliding Door Figure SRS-815



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TRACK, Sliding Door, Upper
- 1	4717 888AB	1							Right
	4717 889AB	1							Left
2	6505 881AA	5							NUT AND WASHER, Hex Nut-Cone
_	0000 001781	Ü							Washer, M6 x 1.00, Sliding Door
									Upper Track
3	6100 557	2							BOLT AND CONED WASHER, Hex
									Head, M6x20x14
4									STRIKER, Sliding Door Stop
	4717 584AB	1							Right
	4717 585AB	1							Left
5									TRACK, Sliding Door
	4717 576AD	1							Rubber bumper is included in the
									track, Right
	4717 577AD	1							Rubber bumper is included in the
									track, Left
6									STRIKER, Sliding Door Stop
	4717 958AB	1							Power Sliding Door Lower Hinge,
									Right
	4717 959AB	1							Power Sliding Door Lower Hinge,
									Left
7									TRACK, Sliding Door
	4717 618AC	1							Right,Lower
	4717 619AC	1							Left,Lower
8	6504 423	5							NUT AND WASHER, Hex, M6x1,
									Sliding Door Center Track
									Attaching
9									TRACK, Sliding Door
	4717 736AC	1			53				Right
	4717 737AC	1			53				Left
	4717 986AC	1	K, Y		52				Right
	4717 987AC	1	K, Y		52				Left
10	6036 344AA	1							NUT, Plastic Snap-in
11									COVER, Sliding Door Track
	4717 734AA	1			53				Right
	4717 735AA	1			53				Left
	4717 988AA	1	K, Y		52				Right
	4717 989AA	1	K, Y		52				Left
12									SCREW, [.164-18x.625], (NOT
4.6	1004 65-1:	_							SERVICED) (Not Serviced)
13	4894 095AA	2							STABILIZER, Sliding Door, Body Half, Top and Bottom

L = Base/SEH = LX, Sport P = LXI, ES


S = Limited E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Body Pillar - Sliding Door Figure SRS-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NUMBER	Q I I	LINE	SERIES	BODI	ENGINE	IKANS	I IX IIVI	DESCRIPTION
14									SCREW, M6x1.0x22mm, (NOT
									SERVICED) (Not Serviced)
15 4	4717 376	1							SEAL, Catch, Bodyside Apertaure
									Catch
DGE - CHR	YSLER MINIVA	^N (RS) —							
RIES	LINE		BC	ODY	ENGINE	E 241.4	~ .	TRANSM	ISSION
= Base/SE = LX, Sport	D = Doc	nrysler(AWI odge(AWD)) 53	2 = 113 WB 3 = 119 WB	EGA = 3	D0 = 2.4L 4 (3.3L 6 Cyl.		DGL = 4	3 spd. Auto. (31TH) spd. Auto. (41TE)
= LXI, ES = Limited	Y = Chr	nrysler(FWÉ odge(FWD)	D)		EGH, E	EG0 = 3.8L 6 : 3.3L 6 Cyl. F	Cyl. [JG0 = Al	Il Automatic Transm
= EC	N - Do.	Jyc(i vvb)			LOW -	3.5∟ 0 Cyi	TV		

Quarter Panel With Sliding Door Inner Panel Parts Figure SRS-910



PART TEM NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EW NOWBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIM	DESCRIPTION
1								REINFORCEMENT, Quarter Panel
4860 808	A 1	K, Y		52				Quater Inner Panel 'D' Pillar Uppe
								Right
4860 809	A 1	K, Y		52				Quater Inner Panel 'D' Pillar Uppe
								Left
4860 616	.B 1			53				Quater Inner Panel 'D' Pillar Uppe
								Right
4860 617	.B 1			53				Quater Inner Panel 'D' Pillar Uppe
								Left
2								REINFORCEMENT, Quarter Panel
4860 810	.B 1	K, Y		52				Quater Inner Panel 'D' Pillar Lowe
1000 011	D 4	14. 14		50				Right
4860 811	.B 1	K, Y		52				Quater Inner Panel 'D' Pillar Lowe
4960 642	D 1			5 0				Left Quater Inner Panel 'D' Pillar Lowe
4860 612	.B 1			53				Right
4860 613	.B 1			53				Quater Inner Panel 'D' Pillar Lowe
4000 0137	AD I			- 33				Left
3 4860 806	A 2	K, Y		52				REINFORCEMENT, Shoulder Belt
4 4716 402	2	13, 1		53				TAPPING PLATE, Shoulder Belt,
4 4710 402	_			00				Right, Upper
5								EXHAUSTER, Quarter Panel
5005 510	A 1	K, Y		52				Right
5005 511		K, Y		52				Left
5005 512		,		53				Right
5005 513				53				Left
6 5005 514	A 1			53				PLUG, Body Side Aperture, W/Rear
								Heat & A/C , Replaces Exhuster
								When Equipped With [HBB] Rear
								Air
7 4857 227	A 1							SHIELD, Wheelhouse, Left,Rear
8								REINFORCEMENT, Body Side
								Aperture
4860 584	.C 1							Right
4860 585	.C 1							Left
-9 4886 364 <i>A</i>	A- 1							REINFORCEMENT PACKAGE, Bod
								Side Aperture, Tapping Plate For
								Striker, Right & Left
10 4860 301	2							TAPPING PLATE, Striker, Also
								Included In Item 8
	_							TROUGH PACKAGE
5018 516	J 1							Liftgate Opening Drain, Right
10 4860 301 11 5018 516A		2 AD 1						
CHRYSLER MIN	IVAN (RS) -		DDY	ENGINE			RANSM	

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quarter Panel With Sliding Door Inner Panel Parts Figure SRS-910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5018 517AD	1							Liftgate Opening Drain, Left
12									PANEL, Quarter Inner
	5020 332AA	1	K, Y		52				Right
	5020 333AA	1	K, Y		52				Left
	4860 720AC	1			53				Right
	4860 721AC	1			53				Left
13									REINFORCEMENT, Quarter Panel
	4860 614AB	1			53				'C' Pillar Lower, Right
	4860 615AB	1			53				'C' Pillar Lower, Left
14									SUPPORT, B-Pillar
	4860 684AA	1							Panel To Body Side Sill, Right
	4860 685AA	1							Panel To Body Side Sill, Left
15									REINFORCEMENT, Jacking
	4860 798AA	1			53				Right,Rear,Quarter,Inner
	4860 799AA	1			53				Left,Rear,Quarter,Inner
16									WHEELHOUSE, Rear Outer
	4860 608AA	1							Right
	4860 609AA	1							Left
17									EXTENSION, Wheel House
	4860 618AA	1			53				Outer Lower To Wheelhouse Inner
									Right
	4860 619AA	1			53				Outer Lower To Wheelhouse Inner
	4000 04 44 4		14. 14						Left
	4860 814AA	1	K, Y		52				Outer Lower To Wheelhouse Inner
	1000 01511		17. 17						Right
	4860 815AA	1	K, Y		52				Outer Lower To Wheelhouse Inner
40									Left
18	5000 004AA	4							WHEELHOUSE, Rear Inner
	5080 894AA	1							With Lip For Attaching, Right
10	5080 895AA	-							With Lip For Attaching, Left PLATE, Seat Belt, Wheelhouse Inne
19	4716 394	2							
									2nd Rear Seat Belt Swivel Mounting
20	6501 916	8							RETAINER, Push On
-20 -21	0501 910	0							SILENCER, Wheelhouse
-21	5028 180AB-	1							Combo Right
	5028 181AB-	1			53				Combo, Left
22	4716 518	'							BRACKET, Wheel House, Jack
	47 10 010	•							Stowage
23	6501 916	4							RETAINER, Push On
-24	4860 217	3							PAD, Quarter Panel, Wheelhouse
	1000 211								Silencer Inner

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC


C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Quarter Panel With Sliding Door Outer Panel Parts Figure SRS-915

PART



Quarter Panel With Sliding Door Outer Panel Parts Figure SRS-915




		PART	O.T./		050150	DODY	ENGINE	TD 4110		DESCRIPTION
-	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	14									WEATHERSTRIP, Sliding Door
										Secondary
		4717 792AA	1							Lower, Right
		4717 795AA	1							Lower, Left
_	15	1717 70010								TRACK, Sliding Door
		4717 736AC	1			53				Center Track, Right
		4717 737AC	1	14.34		53				Center Track, Left
		4717 986AC	1	K, Y		52				Center Track, Right
_	10	4717 987AC	1	K, Y		52				Center Track, Left
	-16	4747 704AD	4			50				COVER, Sliding Door Track
		4717 734AB-	1			53 53				Right
		4717 735AB-	1	IZ 3Z		53				Left
_		4717 988AB-	1	K, Y		52				Right
	47	4717 989AB-	1	K, Y		52				Left
	-17	6036 344AA-	1							NUT, Plastic Snap-in, Plastic Snap-In
	40									Cover Center Track
_	18									PANEL PACKAGE, Body Side
		5040 500AA	4			5 0				Aperture Rear
		5018 520AA	1			53				Right
		5018 521AA	1	IZ X		53 53				Left
_		5018 534AB	1	K, Y		52				Right
	40	5018 535AB	1	K, Y		52				Left
	19	4000 570 4 4	4							EXTENSION, Tail Lamp Opening
		4860 578AA	1							Right,Upper
_	20	4860 579AA	1							Left,Upper
	20	4000 COCAD	4							EXTENSION, Tail Lamp Opening
		4860 696AB	1							Right,Lower
	24	4860 697AB	1							Left,Lower
_	21	4860 588AA	1			53				EXTENSION, Body Side Aperture Right
		4860 589AA	1			53 53				Left
	22	4860 877AA	2	K, Y		53 52				PLATE, Jack Locator
	23	4000 077AA	2	rx, i		52				PANEL, Sill
_		4860 574AA	1							Right
		4860 575AA	1							Left
	24	4000 373AA	1							RAIL, Roof Side
	24	4860 644AB	1							Right
-		4860 645AB	<u>'</u>							Left
	25	4000 043AB	'							SUPPORT, Jack, (NOT SERVICED)
	20									(Not Serviced)
	26	4860 572AE	1							DOOR, Fuel Fill
_	-27	4860 704AB-	1							SPRING, Fuel Filler Door
										SPRING, Fuel Filler Door
SI L H	ODGE - CH ERIES = Base/SE = LX, Spo = LXI, ES	D = Dod	N (RS) — /sler(AWD ge(AWD) /sler(FWD	52 53	DDY = 113 WB = 119 WB	EGA =	= D0 = 2.4L 4 (3.3L 6 Cyl. G0 = 3.8L 6	Cyl. I	DGL = 4	ISSION spd. Auto. (31TH) spd. Auto. (41TE) I Automatic Transm
S	= LXI, ES = Limited = EC		ge(FWD)	·)			3.3L 6 Cyl. F		200 = AI	radomado transm

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005

Quarter Panel With Sliding Door Outer Panel Parts Figure SRS-915



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	4860 590AD	1							HOUSING, Fuel Filler
-29	4894 170AA-	1							CLIP, Fuel Door to Link
-30	4717 295	1							FOAM PAD, Fuel Door Blocker Link
									Foam Fuel Door Blocker Link
31									TRACK, Sliding Door
	4717 618AC	1							Lower, Right
	4717 619AC	1							Lower, Left
-32	5020 312AB-	2							STUFFER, Sliding Door Track Lowe
-33	6503 014	4							NUT AND WASHER, Hex, M6x1
34									SUPPORT, Sliding Door Track
	4860 628AA	1							Right
	4860 629AA	1							Left
35									REINFORCEMENT PACKAGE,
									Sliding Door
	5018 460AB	1							Right
	5018 461AB	1							Left
36									PANEL, B Pillar Inner
	4860 624AB	1							Right
	4860 625AB	1							Left
37									REINFORCEMENT, Jacking
	4860 582AA	1							Right
	4860 583AA	1							Left
	4860 798AA	1			53				Right
	4860 799AA	1			53				Left
-38	4717 598AC-	1							STRIKER, Door
39									EXTENSION, Wheel House
	4860 814AA	1	K, Y		52				To Wheelhouse Inner, Right
	4860 815AA	1	K, Y		52				To Wheelhouse Inner, Left
	4860 618AA	1			53				To Wheelhouse Inner, Right
	4860 619AA	1			53				To Wheelhouse Inner, Left

L = Base/SE H = LX, Sport P = LXI, ES S = Limited


E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Weatherstrips Figure SRS-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		<u> </u>		0220					
1									WEATHERSTRIP, Sliding Door
									Secondary
	4717 792AA	1							Right,Lower
	4717 795AA	1							Left,Lower
2	4717 728AB	2							WEATHERSTRIP, Front Door, Bod
									Mounted, Right & Left
3	4717 678AB	1							WEATHERSTRIP, Sliding Door B
									Pillar, B Pillar, Sliding Door
4									WEATHERSTRIP, Sliding Door
	4894 014AF	1							Opening, Right
	4894 015AF	1							Opening, Left
5									COVER, Sliding Door Track
	4717 734AB	1			53				Right
	4717 735AB	1			53				Left
	4717 988AB	1	K, Y		52				Right
	4717 989AB	1	K, Y		52				Left
6									WEATHERSTRIP, Sliding Door
									Secondary, Upper
	4717 630AC	1							Right
	4717 631AC	1							Left
7	4894 383AA	1							LABEL, Power Liftgate
8	4717 558AA	1							WEATHERSTRIP, Liftgate
									Secondary Upper
9	4717 559AB	1							WEATHERSTRIP, Liftgate Opening
									Primary Body Opening

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Roof Panel Figure SRS-1110

1 ROOF 4860 829AB 1 K, Y 52 4860 499AB 1 53 2 4860 674AA 1 FRAME, Windshield BOW, Roof, Number 1 4860 707AB 2 53 Number 1 & Number 4 1 K, Y 52 Number 1 & Number 4 4 4860 710AB 2 BOW, Roof, Number 2 and 3			PART								
4860 829AB	<u>ITE</u> I	EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4860 829AB											
4860 499AB 1 53 2 4860 674AA 1 FRAME, Windshield BOW, Roof, Number 1 4860 707AB 2 53 Number 1 & Number 4 1 K, Y 52 Number 1 & Number 4 4 4860 710AB 2 BOW, Roof, Number 2 and 3	1	1									ROOF
2 4860 674AA 1 FRAME, Windshield BOW, Roof, Number 1 4860 707AB 2 53 Number 1 & Number 4 1 K, Y 52 Number 1 & Number 4 4 4860 710AB 2 BOW, Roof, Number 2 and 3		4	1860 829AB	1	K, Y		52				
BOW, Roof, Number 1 4860 707AB 2 53 Number 1 & Number 4 1 K, Y 52 Number 1 & Number 4 4 4860 710AB 2 BOW, Roof, Number 2 and 3		4	1860 499AB	1			53				
4860 707AB 2 53 Number 1 & Number 4 1 K, Y 52 Number 1 & Number 4 4 4860 710AB 2 BOW, Roof, Number 2 and 3	2	2 4	1860 674AA	1							FRAME, Windshield
1 K, Y 52 Number 1 & Number 4 4 4860 710AB 2 BOW, Roof, Number 2 and 3	3	3									BOW, Roof, Number 1
4 4860 710AB 2 BOW, Roof, Number 2 and 3		4	1860 707AB	2			53				Number 1 & Number 4
				1	K, Y		52				Number 1 & Number 4
5 4860 675AB 1 REINFORCEMENT, Liftgate Openii	4	4 4	1860 710AB	2							
	5	5 4	1860 675AB	1							REINFORCEMENT, Liftgate Opening




DODGE - CHRYSLER MINIVAN (RS) -

SERIES L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD) BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5018 441AB	1							LIFTGATE
-2									HINGE, Liftgate
	4860 294AB-	1							Right
	4860 295AB-	1							Left
3	4860 301	2							TAPPING PLATE, Striker
-4	6506 865AA-	4							SCREW AND WASHER, Hex Head,
									M8-1.25x32.00, Liftgate Hinge to
									Upper Body
-5									SHIM, (NOT SERVICED) (Not
									Serviced)
6	4716 474	1							REINFORCEMENT AND NUT,
									Liftgate Striker, Liftgate Striker
									Attach
7									EXTENSION, Liftgate Opening
	4860 812AA	1	K, Y		52				Right
	4860 813AA	1	K, Y		52				Left
	4860 604AB	1			53				Right
	4860 605AB	1			53				Left
8	5020 042AA	1							PANEL, Liftgate Opening
9									REINFORCEMENT, Liftgate Opening
	5020 041AB	1			53				
	5020 091AA	1	K, Y		52				
10									REINFORCEMENT, Liftgate Opening
	5020 093AA	1	K, Y		52				
	5020 043AA	1			53				
-11	6503 792	2							SCREW AND WASHER, Hex Head,
									M8-1.25x32.00
-12	6502 468	2							SCREW, Hex Flange Head, M8x1.
									25x20
-13	4868 369AA-	2							PLUG, Liftgate
14	4674 789	1							REINFORCEMENT, Liftgate
									Opening, Lower Latch


L = Base/SE H = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Liftgate Panel Attaching Parts Figure SRS-1320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						•	•	•	
1									LATCH, Liftgate
	4717 674AD	1							With Power Liftgate, Cinch, With
									Cables, Power Door Locks
	4717 992AD	1							Manual
	5019 039AA	1							Without Power Tailgate and
									Without Cables, Power Locks
-2									ACTUATOR, Power Latch
	5017 678AA-	1							Without Power Tailgate, Power
									Door Locks
	5017 887AA-	1							With Power Tailgate, Power Doo
									Locks
3	4717 921AB	1							ROD, Liftgate Handle to Latch
4	6504 212	3							SCREW, Large Round Washer He
									Lock, M6x1.00x20.00, Liftgate
									Latch Attaching
5									BUMPER, Rubber
	4860 872AF	2							Drain Trough Side, without Powe
									Liftgate & Power Locks
	4860 999AC	2							Trough Low Engagement With
									Power Liftgate and or Power
									Locks
6	6504 324	4							SCREW AND WASHER, Hex Head
7	4860 873AB	2							BUMPER, Liftgate
8	6503 792	6							SCREW AND WASHER, Hex Hea
Ū	0000 . 02	Ū							M8-1.25x32.00, Liftgate Hinge To
									Body Attaching
9	6504 535	2							SCREW, Hex Flange Head, M8x1.
ŭ		_							25x20, Liftgate Hinge Slide
									Fastener
10	4894 554AB	2							PROP, Liftgate
11	6503 533	2							SCREW, Flange Head, M8x1.25x2
12	4717 707AA	1							STRIKER, Liftgate
13	1717 707700	•							SENSOR, Pinch
-10	4894 032AB	1							Right
	4894 033AB	1							Left
14	0154 819	2							SCREW AND WASHER, Round
17	0104 019	2							Head, .164-15x.625, Sensor
									Attaching
-15	5020 037AB-	2							BUMPER, License Plate, Liftgate
-15 -16	4674 669								
		1							PLATE, Striker
17	6506 986AA	4							SCREW AND WASHER, Hex Hea M6x1x25, Liftgate Bumper Stop

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Liftgate Panel Attaching Parts Figure SRS-1330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	QII	LINE	OLIVIEO	ВОВТ	LINGINE	IKANO	11(114)	DECOMI NON
1	6504 990AA	2							NUT, Rivet, Liftgate
2	0153 856	2							SCREW, Tapping, .19-16x.625
3	6507 024AA	2							SCREW
4									HANDLE, Liftgate, Requires
									Electrical Components See Group
									8 - ILL 815 and 1505
	5019 199AA	1							Black, Without Power Locks [L]
	5019 200AA	1							Black, With Power Locks [L]
	5019 201AA	1							Service Dealer Paint, Without
									Power Liftgate [P]
		1							Service Dealer Paint, Without
									Power Liftgate [H]
		1							Service Dealer Paint, With Powe
									Liftgate [X]
	5019 202AA	1							Chrome, With Wing Emblem
5									MOTOR AND GEAR, Power Liftgate
	5096 296AA	1							Without Actuator and Arm Kit
	4717 508AE	1							With Actuator and Arm Kit
-6	5019 036AA-	1							MOTOR, Liftgate, Without Gear
-7	4894 383AA-	1							LABEL, Power Liftgate
8	6507 375AA	3							SCREW, Hex Head, M6x1x25
-9	5019 035AA-	1							ARM KIT, Control, Lift Gear and Ro
									With 4 Screws
-10	5019 038AA-	1							ACTUATOR, Engage Actuator
-11	5019 047AA-	1							STRUT, Bracket, Transverse Bracket
-12	5020 037AB-	2							BUMPER, License Plate, Liftgate
-13									TAPPING PLATE
	4860 667AB-	1			53				Liftgate Motor attaching, Upper
	4860 849AB-	1			53				Liftgate Motor attaching, Lower


L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Luggage Rack Figure SRS-1610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SKID STRIP, Luggage Rack, (NOT
									REQUIRED)
2									RAIL, Luggage Rack Side
	4857 258AI	1			53				Right
	4857 259AI	1			53				Left
	4857 320AI	1	K, Y		52				Right
	4857 321AI	1	K, Y		52				Left
	SA46 SW1AI	1			53				[W1], Right,Side Rail
	SA46 WB7AI	1			53				[[B7], Right,Side Rail
	SA46 WELAI	1			53				[EL], Right,Side Rail
	SA46 WS2AI	1			53				[S2], Right,Side Rail
	SA46 XBQAI	1			53				[BQ], Right,Side Rail
	SA46 XRVAI	1			53				[RV], Right,Side Rail
	SA46 YB2AI	1			53				[B2], Right,Side Rail
	SA46 YJRAI	1			53				[JR], Right,Side Rail
	SA46 ZKJAI	1			53				[KJ], Right,Side Rail
	SA47 SW1AI	1			53				[W1], Left,Side Rail
	SA47 WB7AI	1			53				[B7], Left,Side Rail
	SA47 WELAI	1			53				[EL], Left,Side Rail
	SA47 WS2AI	1			53				[S2], Left,Side Rail
	SA47 XBQAI	1			53				[BQ], Left,Side Rail
	SA47 XRVAI	1			53				[RV], Left,Side Rail
	SA47 YB2AI	1			53				[B2], Left,Side Rail
	SA47 YJRAI	1			53				[JR], Left,Side Rail
	SA47 ZKJAI	1			53				[KJ], Left,Side Rail
3									SUPPORT, Luggage Rack
	5018 686AA	1			53				Black, Right,Front
	TY20 SW1AA	. 1			53				[W1], Right,Front
	TY20 WB7AA	. 1			53				[B7], Right,Front
	TY20 WELAA	. 1			53				[EL], Right,Front
	TY20 WS2AA	. 1			53				[S2], Right,Front
	TY20 XBQAA	. 1			53				[BQ], Right,Front
	TY20 XRVAA	1			53				[RV], Right,Front
	TY20 YB2AA	1			53				[B2], Right,Front
	TY20 YJRAA	1			53				[JR], Right,Front
	TY20 ZKJAA	1			53				[KJ], Right,Front
4									SUPPORT, Luggage Rack
	5018 687AA	1			53				Black, Left, Front
	TY21 SW1AA				53				[W1], Left,Front
	TY21 WB7AA				53				[B7], Left,Front
	TY21 WELAA				53				[EL], Left,Front

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SE H = LX, Sport P = LXI, ES S = Limited


E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGC, = 3 spd. Auto. (31TH) DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Luggage Rack Figure SRS-1610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TY21 WS2AA	. 1			53				[S2], Left,Front
	TY21 XBQAA				53				[BQ], Left,Front
	TY21 XRVAA	1			53				[RV], Left,Front
	TY21 YB2AA	1			53				[B2], Left,Front
	TY21 YJRAA	1			53				[JR], Left,Front
	TY21 ZKJAA	1			53				[KJ], Left,Front
5									SUPPORT, Luggage Rack, Center
									Serviced in Side Rails, (NOT
									SERVICED) (Not Serviced)
6									RAIL, LUGG RACK CROSS
	4857 436AH	2							Black, With Stanchions
	TD90 SW1AI	2							[W1], , With Stanchions
	TD90 WB7AI	2							[B7], , With Stanchions
	TD90 WELAI	2							[EL], , With Stanchions
	TD90 WS2AI	2							[S2], , With Stanchions
	TD90 XBQAI	2							[BQ], , With Stanchions
	TD90 XRVAI	2							[RV], , With Stanchions
	TD90 YB2AI	2							[B2], , With Stanchions
	TD90 YJRAI	2							[JR], , With Stanchions
	TD90 ABEAJ	2							[BE], , With Stanchions
7									SUPPORT, Luggage Rack, Rear
									Serviced in Side Rail, (NOT
									SERVICED) (Not Serviced)
8	6504 432	10							SCREW, Pan Head, M6-1.00x29.00
9	6504 710	10							NUT/RIVET, M6x1.00x13.50
-10	5018 688AB-	2							RUB STRIP, Lugg Rack Cross

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

L = Base/SEH = LX, Sport P = LXI, ES S = Limited

E = EC

C = Chrysler(AWD)
D = Dodge(AWD)
Y = Chrysler(FWD)
K = Dodge(FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV